

衛生福利部食品藥物管理署

ICH E2B(R3)藥品不良反應通報系統測試

操作手冊

## 目錄

壹、	系統使用說明 .....	3
一、	系統測試網址 .....	3
二、	本系統建議開啟方式 .....	3
三、	測試時間.....	3
四、	如何申請帳號 .....	3
五、	帳號角色及功能 .....	6
	(一) 管理者帳號 .....	6
	(二) 一般使用者帳號 .....	7
六、	通報案件方式 .....	8
	(一) 如何通報案件 .....	8
	(二) 如何查詢通報過案件 .....	13
	(三) 通報案件內容有誤可以修改嗎 .....	15
七、	E2B R3 參考範例 .....	17
八、	E2B R3 批次上傳操作 .....	20
貳、	相關資訊.....	23
一、	系統網址:.....	23
二、	技術服務聯絡資訊:.....	23
參、	意見回饋單 .....	24
肆、	附件.....	25
一、	管理者帳號申請辦法暨權責聲明及申請資料表 .....	25
二、	E2B R3 參考範例檔 .....	28

## 壹、系統使用說明

### 一、系統測試網址

<https://e2badr.fda.gov.tw/>。

### 二、本系統建議開啟方式


以 Google chrome/Mozilla Firefox/Microsoft Edge/Apple Safari 等瀏覽器開啟。

### 三、測試時間

自 109 年 6 月 1 日至 6 月 30 日止，**測試時間結束後將會將其帳號密碼及通報資料全數刪除。**正式資料請至現行系統(<https://adr.fda.gov.tw>)進行通報。

### 四、如何申請帳號

(一) 首次使用本系統，需**先註冊帳號**，並填寫相關資料(黃底處為必填)。填寫完畢後按下送出申請後，如成功會跳出對話框，同時使用者電子郵件信箱會收到一封預設密碼的郵件。



(二) 帳號欄位說明:

1. **登入帳號**:該帳號必須為唯一，如有重複帳號，系統會在送出申請

後顯示錯誤。

2. **顯示名稱:**此僅為登入畫面後之暱稱。
3. **電子郵件:**請填寫可用之電子郵件，以利接收通報中心與您聯繫所有與通報相關事務之用(包含收件回函、退件通知、資料異動通知等)，請確認您使用的信箱將不會將通報中心伺服器寄送之郵件偵測為垃圾郵件。
4. **使用者姓:**可填寫中英文，惟請填寫真實姓名，以利後續如需與之聯繫使用。
5. **使用者名:**可填寫中英文，惟請填寫真實姓名，以利後續如需與之聯繫使用。
6. **使用者電話:**請填寫上班時間可聯絡的固定市內電話號碼及分機號碼；若無固定電話者請填寫可聯絡的電話號碼。以利後續聯繫通報相關事宜使用。
7. **人員屬性:**請填寫使用者屬性，如醫師、藥師、其他醫療人員等並勾選相關醫事機構，若勾選其他者亦請填寫醫事機構或相關單位。
8. **醫事機構:**請填寫所屬服務機構之名稱，得搜尋內建醫事機構資料庫選取，服務機構名稱選定後會自動帶入地址。

全國藥物不良反應通報系統

FDA

登入帳號: testchen 顯示名稱: 陳先生

電子郵件: abc@gmail.com 備用電子郵件:

姓: 陳 名: 小明

電話: 0911001001

人員屬性: 醫師 藥師 其他醫療人員 其他  
 現職


城市: 郵政區: 地址:

個人照片: 選擇檔案 將檔案拖到此處  
photo\_portrait.png

黃底處為必填



(三) 首次以預設密碼登入時，系統會自動要求變更密碼，輸入完成後按下送出申請。



## 五、帳號角色及功能

系統測試期間並未開放此功能，僅先供使用者瞭解未來帳號角色及功能。該功能於日後正式上線時將以下列方式進行申請，並將視後續情況進行調整。

### (一) 管理者帳號

1. 一個單位僅能申請 1 組管理者帳號，一般使用者帳號上限為 4 組，惟請依實際需求申請。
2. 醫療機構及藥商:請以醫療機構或公司名義連同「管理者帳號申請辦法暨權責聲明及申請資料(如附件 1)」表正式行文至全國藥物不良反應通報中心或本署。本署或委辦單位將依所提供資料於本系統建立管理者帳號。
3. 帳號申請規則:「醫療機構或公司英文簡稱+ 阿拉伯數字」(如 TDRF01)，新申請帳號之 E-mail 不得與其他通報帳號重複。藥商申請時其名稱需與藥品許可證上之「申請商名稱」一致，方可收到系統副知的不良反應通報案件。
4. 帳號啟用:系統將自動發送啟動密碼至電子郵件地址，並另行以 E-mail 通知，故請確實填寫申請表資料。使用者收到啟動密碼後，請依其帳號及所提供之啟動密碼登入系統，進入系統基本資料修改功能，將相關資料填齊，並修改登入密碼。
5. 管理權責須知:
  - (1) 帳號管理及使用權責由各單位自行負責。
  - (2) 帳號密碼應由各單位及其系統使用者本人妥善保存，並在人員或職務異動時自行交接並於系統上更新相關資料(包含密碼)。
  - (3) 每三個月會提醒更新密碼，並請同時確認基本資料是否須更新，以保障其使用之權益，敬請配合。

**6. 功能權限:**

- (1) 可進行案件通報。
- (2) 得以查看及編輯該單位內所有使用者通報的案件。
- (3) 得以執行該單位內一般使用者帳號重啟或暫停，及檢視上線使用者情形。
- (4) 得於系統即時維護該單位資訊，包含:食品藥物管理署與藥商之緊急連絡使用資訊、醫療機構資訊維護、收到系統副知通報表資訊之副知窗口 (Email)等。


**(二)一般使用者帳號**

1. **帳號申請規則:**請參照「如何申請帳號」。
2. **權責須知:**
  - (1) 該等帳號密碼應妥善保存，並在人員或職務異動時自行交接並於系統上更新相關資料 (包含密碼)。
  - (2) 每三個月會提醒更新密碼，並請同時確認基本資料是否須更新，以保障其使用之權益，敬請配合。
3. **功能權限:**
  - (1) 可進行案件通報。
  - (2) 可搜尋該帳號通報過之案件。

## 六、 通報案件方式

### (一)如何通報案件

1. 針對**單一案件之線上通報者**:在登入系統後，進入案件列表，點選「通報上市後藥品新案件」、「通報臨床試驗藥品新案件」，即出現對話框，選取通報項目，即可進入案件通報編輯頁面。












填寫過程如有錯誤或必填卻未填寫處，暫存時皆會出現提醒，亦無法送出該案件。



2. 針對以 **E2B R3 格式做批次上傳者**:在登入系統後點選「批次上傳案件」，進入頁面後選取「上傳藥物批次案件」或「上傳臨床試驗批次案件」。



**選擇上傳的檔案(.zip 或.xml)**後，如果上傳檔案符合 E2B R3 規範，則系統會自動轉譯檔案內容如下圖供上傳者檢視。



## (二)如何查詢通報過案件

進入案件管理頁面，案件分為未送出及已送出，**未送出之案件可允許使用者修改，已送出案件則無法修改**。每一案件均可自行列印下載成 PDF 檔，如下。




**藥品不良反應通報表**

個案編號 (由通報中心填寫) :



通報者姓名	null, null	
電話		
通報人員身份	<input type="checkbox"/> 醫師 <input type="checkbox"/> 藥師 <input type="checkbox"/> 其他醫療人員 <input type="checkbox"/> 廠商 <input type="checkbox"/> 民眾 <input type="checkbox"/> 其他	
服務機構名稱	國立臺灣大學醫學院附設醫院	
服務機構地址	nullnullnull	
獲知藥品不良反應日期	109年1月22日	
獲知藥品不良反應來源	<input type="checkbox"/> 醫師 <input type="checkbox"/> 藥師 <input type="checkbox"/> 其他醫療人員 <input checked="" type="checkbox"/> 廠商 <input type="checkbox"/> 民眾 <input type="checkbox"/> 其他	
識別代號 :	abcde	原通報單位識別代號
病人資料	性別 <input checked="" type="checkbox"/> 男 <input type="checkbox"/> 女   體重 66.0 (公斤)   身高 177.0 (公分)	
出生日期(或年齡)	年 月 日 (或50.0歲)	
不良反應發生日期	109年1月20日	

### (三)通報案件內容有誤可以修改嗎

1. 點擊未送出之案件點選案件屬性則會自動跳入編輯頁面，使用者可  
在此繼續編輯。




2. 針對已送出案件如有需要更正或補充資料，則需以案件追蹤進行，  
按下案件追蹤，則會將此案件內容複製至同一案件編號之未送出新  
案件，供使用者編輯。





## 七、 E2B R3 參考範例

(一) 本系統係為依據 ICH E2B (R3)格式中有關不良反應資料交換定義所建構而來。標準命名為「[ISO / HL7 27953-2: 2011 Health informatics -- Individual case safety reports \(ICSRs\) in pharmacovigilance -- Part 2: Human pharmaceutical reporting requirements for ICSR](http://www.iso.org/iso/store.htm)」, 參考範例如附件 2, 詳請自行至 ISO 網站參閱(<http://www.iso.org/iso/store.htm>)。ICH ICSR 關聯架構及上傳資料格式架構說明如下:



(二) TFDA 通報表與 ICH E2B R3 關聯資料對照如下:

TFDA 資料欄位	ICH E2B(R3)對應欄位	資料型態	備註
發生日期	E.i.4 - Date of Start of Reaction / Event	日期	
通報者獲知日期	C.1.4 - Date Report Was First Received from Source	日期	

是否國內案件	無	文數字	客製欄位
原始藥物不良反應獲知來源	無	文數字	客製欄位
文獻通報	無	文數字	客製欄位
識別代碼	D.1.1.2 - Patient Medical Record Number(s) and the Source(s) of the Record Number (Specialist Record Number)	文數字	
原通報單位識別代號	D.1.1.3 - Patient Medical Record Number(s) and the Source(s) of the Record Number (Hospital Record Number)	文數字	
性別	D.5 - Sex	文數字	
出生日期	D.2.1 - Date of Birth	日期	
首次發生不良反應年齡	D.2.2a/D.2.2b - Age at Time of Onset of Reaction / Event	數字	
大約年齡	D.2.3 - Patient Age Group (as per reporter)	文數字	
體重 (kg)	D.3 - Body Weight (kg)	數字	
身高 (cm)	D.4 - Height (cm)	數字	
不良事件結果	E.i.3.2 - Seriousness Criteria at Event Level	文數字	
死亡日期	D.9.1 - Date of Death	日期	
死亡原因	D.9.2.r.2 - Reported Cause(s) of Death (free text)	文數字	
案件描述	H.1 - Case Narrative Including Clinical Course, Therapeutic Measures, Outcome and Additional Relevant Information	文數字	
檢驗說明	無	文數字	客製欄位
其他相關資料	H.2 - Reporter's comments	文數字	
不良事件後續結果	E.i.7 - Outcome of Reaction / Event at the Time of Last Observation	文數字	
不良反應症狀	E.i.1.1a - Reaction / Event as Reported by the Primary Source in Native Language	文數字	
檢驗日期	F.r.1 - Test Date	日期	

檢驗項目	F.r.2.1 - Test Name (free text)	文數字	
檢驗結果	F.r.3.2 - Test Result (value/qualifier)	文數字	
檢驗結果單位	F.r.3.3 - Test Result (unit)	文數字	
檢查描述	F.r.3.4 - Result Unstructured Data (free text)	文數字	
許可字號	G.k.3.1 - Authorisation / Application Number	文數字	
學名	G.k.2.3.r.1 - Substance/ Specified Substance Name	文數字	
商品名	G.k.2.2 - Medicinal Product Name as Reported by the Primary Source	文數字	
廠商	G.k.3.3 - Name of Holder / Applicant	文數字	
含量	G.k.2.3.r.3 - Strength (number)	數字	
含量單位	G.k.2.3.r.4 - Strength (unit)	文數字	
劑型	G.k.4.r.9.1 - Pharmaceutical Dose Form (free text)	文數字	
劑量	G.k.4.r.1a - Dose (number)	數字	
劑量單位	G.k.4.r.1b - Dose (unit)	文數字	
頻率	G.k.4.r.2 - Number of Units in the Interval	數字	
頻率單位	G.k.4.r.3 - Definition of the Time Interval Unit	文數字	
起始日期	G.k.4.r.4 - Date and Time of Start of Drug	日期	
結束日期	G.k.4.r.5 - Date and Time of Last Administration	日期	
用藥原因	G.k.4.r.8 - Dosage Text	文數字	
給藥途徑	G.k.4.r.10.1 - Route of Administration (free text)	文數字	
批號	G.k.4.r.7 - Batch / Lot Number	文數字	
效期	無	文數字	客製欄位
處置情形	G.k.8 - Action(s) Taken with Drug	文數字	
再投藥是否出現 同樣反應	G.k.9.i.4 - Did Reaction Recur on Re-administration?	文數字	

## 八、 E2B R3 批次上傳操作

(一) 上傳檔案格式為符合 ICH E2B (R3) 批次傳遞規範之.xml 檔或包含符合前述規範之.xml 檔在內的.zip 壓縮檔。每一件不良反應案件需以表頭 <PORR\_IN049016UV></PORR\_IN049016UV> 包覆。

(二) 如為.zip 壓縮檔，則壓縮檔內僅可內含一個批次.xml 檔，但一個批次檔內可包含多個通報案件內容。

(三) 批次檔表頭須符合 R3 規範:

```
<?xml version="1.0" encoding="UTF-8"?>
<MCCI_IN200100UV01 ITSVersion="XML_1.0"
xsi:schemaLocation="urn:hl7-org:v3 MCCI_IN200100UV01.xsd"
xmlns="urn:hl7-org:v3"
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <id extension="[ Batch Number]"
  root="2.16.840.1.113883.3.989.2.1.3.22"/>
  <creationTime value="[Date of Batch Transmission]"/>
  <responseModeCode code="D"/>
  <interactionId extension="MCCI_IN200100UV01"
  root="2.16.840.1.113883.1.6"/>
  <name code="[ Type of Messages in Batch]"
  codeSystem="2.16.840.1.113883.3.989.2.1.1.1"/>
  <PORR_IN049016UV>
    .....[單一案件訊息本體].....
  </PORR_IN049016UV>
  <PORR_IN049016UV>
    .....[ 單一案件訊息本體].....
  </PORR_IN049016UV>
  <receiver typeCode="RCV">
    <device classCode="DEV" determinerCode="INSTANCE">
      <id extension="[Batch Receiver Identifier]"
      root="2.16.840.1.113883.3.989.2.1.3.14"/>
    </device>
  </receiver>
  <sender typeCode="SND">
```

```

<device classCode="DEV" determinerCode="INSTANCE">
  <id extension="[Batch Sender Identifier]"
    root="2.16.840.1.113883.3.989.2.1.3.13"/>
</device>
</sender>
</MCCI_IN200100UV01>

```

(四) 目前系統並未提供 Batch Acknowledgement，但上傳檔案仍需遵循批次檔案的表頭格式。

(五) 檔案上傳後，系統會自行一 R3 規範擷取所有案件資訊，並以頁籤方式分別顯示個規範區塊之資訊。使用者檢核無誤後則可按送出鍵將案件送出。

(六) 如果批次檔中內含多個案件，則系統會分別萃取案件資料顯示如下，使用者可個別案件逐一檢視資訊，待資訊無誤，則按送出即將所有案件一起送出。

全國藥物不良反應通報系統 您密碼到期日為2020/6/10 剩餘登入時間:59:51

SE-EMA-R3-TESTCASE01  
US-obsStudy-R3TESTCASE04

C.1-Id. of ICSR	C.2-r-Primary Source(s)	C.3-Sender Info.	C.4-r-Literature Ref.	C.5-Study Id.	D-Patient Info.	E-I-Reaction(s)	F-r-Test Result(s)	G.k-Drug(s) Info.	H-Narrat
C.1.1-Sender's UID SE-EMA-R3-TESTCASE01	C.1.2-Date of Creation 2017-9-21 11:38:30	C.1.3-Report Type Report from study	C.1.4-First Received 2017-5-24	C.1.5-Most Recent Info. 2017-5-24					
C.1.6.1- Documents Held by Sender:									
C.1.6.1.1- Documents Description									
ECG printout									
C.1.6.1.2- Included Documents									
C.1.7- Expedited Report?									
C.1.8- First Sender of This Case SE-EMA-R3-TESTCASE01									
C.1.9- Other Case ID(s)									
C.1.9.1- Source(s) of the Case ID(s)									
C.1.9.1.1- Source(s) of the Case Id. Spectrum medical information ZX82									
C.1.10- ID(s) of the Linked Report									
C.1.10.1- Worldwide UID of the Linked Report SE-MPA-1234									
C.1.11- Report Nullification/Amendment									
C.1.11.2- Reason for Nullification/Amendment									

< 固定欄

(七) R3 規範中規定之必填資訊必須存在，否則系統在檢核時會通報錯誤。

(八) 一旦送出成功，則系統會賦予一個中心編號，使用者可以在案件管理列表之送出頁簽中檢視。

貳、 相關資訊

一、 系統網址:

<https://e2badr.fda.gov.tw/>

二、 技術服務聯絡資訊:

[info@digigenomics.com](mailto:info@digigenomics.com)，並副知 [j81313@fda.gov.tw](mailto:j81313@fda.gov.tw)

參、 意見回饋單

問題	
<p>建議：</p> <p>結論：</p>	
<p>姓名：</p> <p>職稱</p>	



## 肆、 附件

### 一、 管理者帳號申請辦法暨權責聲明及申請資料表

#### 管理者帳號申請辦法暨權責聲明及申請資料

(本文件將說明於新版藥物不良反應通報系統線上通報之管理者帳號申請辦法及其管理權責。)

食品藥物管理署(以下簡稱本署)為強化線上通報系統(以下簡稱本系統)的實用性與便利性，建置新版本的系統取代舊有的通報系統。透過線上單一通報窗口之設計，使用者可選擇通報臨床試驗案件或是上市後藥物不良反應案件，同時**新建置管理者功能**。透過管理者功能，可即時更新相關聯絡資訊，維護帳號使用以及查詢該單位曾通報過之案件。

考量對於通報資料的保護及工作管理之需求，不開放直接經由線上系統申請管理者帳號。請詳閱下述帳號申請辦法及權責須知：

#### 一、 帳號申請辦法

##### (一) 申請流程：

1. **提出申請**：請以醫療機構或公司名義連同申請帳號所需資料(本聲明暨申請資料表)行文至全國藥物不良反應通報中心或本署。
2. **開啟權限**：本署或全國藥物不良反應通報中心收到函文後，將依所提供資料於本系統建立通報帳號，於**本系統上線後**自動發送啟動密碼至提供帳號之電子郵件地址，並另行以 E-mail 通知，故請確實填寫申請表資料。
3. **帳號啟用**：
  - (1) 依其帳號及本系統所提供之啟動密碼登入系統。
  - (2) 進入本系統基本資料修改功能，將相關資料填齊，並修改登入密碼。

##### (二) 申請注意事項：

1. 醫療機構或藥商之帳號命名規則請統一以「醫療機構或公司英文簡稱+阿拉伯數字」(如 TDRF01)，各帳號之 E-mail 不得重複。
2. **一個單位僅能申請 1 組管理者帳號，一般使用者帳號上限為 4 組**，惟請依實際需求申請。
3. 藥商申請時其名稱需與藥品許可證上之「申請商名稱」一致，方可收到系統

副知的不良反應通報案件。

## 二、 帳號管理權責須知

- (一) 帳號經中心建立發出後，帳號管理及使用權責由各單位自行負責。
- (二) 各組帳號密碼應由各單位及其系統使用者本人妥善保存，並在人員或職務異動時自行交接並於系統上更新相關資料（包含密碼）。
- (三) 本系統每三個月會提醒更新密碼，並請同時確認基本資料是否須更新，以保障其使用之權益，敬請配合。

## 三、 功能權限:

1. 可進行案件通報。
2. 得以查看及編輯該單位內所有使用者通報的案件。
3. 得以執行該單位內一般使用者帳號重啟或暫停，及檢視上線使用者情形。
4. 得於系統即時維護該單位資訊，如藥商得以維護食品藥物管理署與藥商之緊急連絡使用資訊、收到系統副知通報表資訊之副知窗口 (Email)；醫療機構得以維護其基本資訊等。

## 四、 依個人資料保護法應告知事項

- (一) 蒐集機關名稱：行政院衛生福利部食品藥物管理署-全國藥物不良反應通報中心。
- (二) 蒐集之目的：
  1. 辦理行政院衛生福利部食品藥物管理署全國藥物不良反應通報業務。
  2. 建立我國全國藥物不良反應通報系統帳號，以利依法通報。
  3. 聯繫藥物不良反應案件通報者、藥商或醫療機構聯絡窗口。
  4. 建立藥物安全相關資訊傳遞窗口。
- (三) 蒐集之個人資料類別：使用者姓名、出生日期、服務機構名稱、職稱、電子郵件地址、聯絡電話。
- (四) 個人資料利用之期間：於主管機關許可業務經營之存續期間內。
- (五) 個人資料利用之地區：台灣地區（包括金門、馬祖及澎湖等地區）。
- (六) 個人資料利用之對象：行政院衛生福利部食品藥物管理署及其全國藥物不良反

應通報中心。

- (七) 個人資料利用之方式：1. 建立本系統帳號。2. 系統查詢及統計分析。3. 有通報案件追蹤之必要時做為聯繫通報者或藥商之用。4. 依聯絡資料發送藥物安全資訊、教育訓練課程。5. 副知藥品不良反應通報案件等。
- (八) 行使個人資料權利方式：依據個人資料保護法第三條規定，可就本中心保有之個人資料得行使查詢或請求閱覽、請求製給複製本、請求補充或更正、請求停止蒐集、處理或利用、請求刪除。前項權利本中心得依「衛生福利部及所屬機關提供政府資訊收費標準」酌收必要成本費用。
- (九) 您不提供個人資料所致權益之影響：無法使用全國藥物不良反應線上通報系統及獲知相關藥物安全資訊。
- (十) 告知事項之諮詢：如果您對於以上條款有任何疑問，歡迎來信至 [adr@tdrf.org.tw](mailto:adr@tdrf.org.tw) 或來電至 02-2396-0100。

---

#### 管理者帳號使用者申請資料

服務機構名稱(藥商請與藥品許可證之申請商名稱一致) \_\_\_\_\_

帳號名稱： \_\_\_\_\_ 使用者中文姓名： \_\_\_\_\_

出生日期(西元年月日)： \_\_\_\_\_ 聯絡電話： \_\_\_\_\_

電子郵件地址： \_\_\_\_\_ 服務機構地址： \_\_\_\_\_

本人已詳閱並完全瞭解本聲明之內容：同意 不同意，簽名： \_\_\_\_\_

---

## 二、E2B R3 參考範例檔

N.1	N.1.2	N.1.2	Batch Number	2.1.3.22
N.1	N.1.5	N.1.5	Date of Batch Transmission	

N.1	N.1.1	N.1.1	Type of Messages in Batch	2.1.1.1
-----	-------	-------	---------------------------	---------

N.2	N.2.r.1	N.2.r.1	Message Identifier	2.1.3.1
N.2	N.2.r.4	N.2.r.4	Date of Message Creation	

N.2	N.2.r.3			
N.2	N.2.r.3			
N.2	N.2.r.3	N.2.r.3	Message Receiver Identifier	2.1.3.12
N.2	N.2.r.3			
N.2	N.2.r.3			
N.2	N.2.r.2			
N.2	N.2.r.2	N.2.r.2	Message Sender Identifier	2.1.3.11
N.2	N.2.r.2			
N.2	N.2.r.2			

HL7Trigger EventID 2.16.840.1.113883.1.18

C	C.1.2	C.1.2	Date of Creation	
---	-------	-------	------------------	--

C	C.1.1	C.1.1	Sender's (case) Safety Report Unique Identifier	2.1.3.1
C	C.1.8.1	C.1.8.1	Worldwide Unique Case Identification Number	2.1.3.2

2.16.840.1.113883.5.4

H	H.1	H.1	Case Narrative Including Clinical Course, Therapeutic Measures, Outcome and Additional Relevant	
---	-----	-----	---	--

C	C.1.4			
C	C.1.4	C.1.4	Date Report Was First Received from Source	
C	C.1.4			

C	C.1.5	C.1.5	Date of Most Recent Information for	
---	-------	-------	-------------------------------------	--

C	C.1.6.1.r	R1	C.1.6.1.r.1, 2	
C	C.1.6.1.r	R1	C.1.6.1.r.1, 2	
C	C.1.6.1.r	R1	C.1.6.1.r.1, 2	2.1.1.27
C	C.1.6.1.r	R1	C.1.6.1.r.1, 2 C.1.6.1.r.1	Documents Held by Sender (repeat as necessary) Included Documents
C	C.1.6.1.r	R1	C.1.6.1.r.1, 2 C.1.6.1.r.2	
C	C.1.6.1.r	R1	C.1.6.1.r.1, 2	
C	C.1.6.1.r	R1	C.1.6.1.r.1, 2	
C	C.1.6.1.r	R2	C.1.6.1.r.1, 2	

```

<?xml version="1.0" encoding="UTF-8"?>
<MCCI_IN200100UV01 ITSVersion="XML_1.0" xsi:schemaLocation="urn:hl7-org:v3 MCCI_IN200100UV01.xsd" xmlns="urn:hl7-org:v3" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
  <id extension="N.1.2" root="2.16.840.1.113883.3.989.2.1.3.22"/>
  <creationTime value="20101214151617"/>
  <responseModeCode code="D"/>
  <interactionId extension="MCCI_IN200100UV01" root="2.16.840.1.113883.1.6"/>
  <name code="N.1.1" codeSystem="2.16.840.1.113883.3.989.2.1.1.1" codeSystemVersion="1.01"/>
  <PORR_IN049016UV>
    <id extension="N.2.r.1" root="2.16.840.1.113883.3.989.2.1.3.1"/>
    <creationTime value="20101214151617"/>
    <interactionId extension="PORR_IN049016UV" root="2.16.840.1.113883.1.6"/>
    <processingCode code="P"/>
    <processingModeCode code="T"/>
    <acceptAckCode code="AL"/>
    <receiver typeCode="RCV">
      <device classCode="DEV" determinerCode="INSTANCE">
        <id extension="N.2.r.3" root="2.16.840.1.113883.3.989.2.1.3.12"/>
      </device>
    </receiver>
    <sender typeCode="SND">
      <device classCode="DEV" determinerCode="INSTANCE">
        <id extension="N.2.r.2" root="2.16.840.1.113883.3.989.2.1.3.11"/>
      </device>
    </sender>
    <controlActProcess classCode="CACT" moodCode="EVN">
      <code code="PORR_TE049016UV" codeSystem="2.16.840.1.113883.1.18"/>
      <effectiveTime value="20101214151617"/>
      <subject typeCode="SUBJ">
        <investigationEvent classCode="INVSTG" moodCode="EVN">
          <id extension="C.1.1" root="2.16.840.1.113883.3.989.2.1.3.1"/>
          <id extension="C.1.8.1" root="2.16.840.1.113883.3.989.2.1.3.2"/>
          <code code="PAT_ADV_EVNT" codeSystem="2.16.840.1.113883.5.4"/>
          <text>H.1</text>
          <statusCode code="active"/>
          <effectiveTime>
            <low value="20090101"/>
          </effectiveTime>
          <availabilityTime value="20090101"/>
          <reference typeCode="REFR">
            <document classCode="DOC" moodCode="EVN">
              <code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.27" codeSystemVersion="1.0" displayName="documentsHeldBySender"/>
              <title>C.1.6.1.r.1</title>
              <text mediaType="application/pdf" representation="B64">C.1.6.1.r.2</text>
            </document>
          </reference>
        </investigationEvent>
      </subject>
    </controlActProcess>
  </PORR_IN049016UV>
</MCCI_IN200100UV01>

```

C	C.1.6.1.r	R2	C.1.6.1.r.1, 2			
C	C.1.6.1.r	R2	C.1.6.1.r.1, 2		2.1.1.27	
C	C.1.6.1.r	R2	C.1.6.1.r.1, 2	C.1.6.1.r.1		Documents Held by Sender (repeat as necessary) Included Documents
C	C.1.6.1.r	R2	C.1.6.1.r.1, 2	C.1.6.1.r.2		Documents
C	C.1.6.1.r	R2	C.1.6.1.r.1, 2			
C	C.1.6.1.r	R2	C.1.6.1.r.1, 2			
C	C.4.r	R1	C.4.r.1, 2			
C	C.4.r	R1	C.4.r.1, 2		2.1.1.27	
C	C.4.r	R1	C.4.r.1, 2	C.4.r.2		Included Documents Literature Reference(s)
C	C.4.r	R1	C.4.r.1, 2	C.4.r.1		
C	C.4.r	R1	C.4.r.1, 2			
C	C.4.r	R1	C.4.r.1, 2			
C	C.4.r	R2	C.4.r.1, 2			
C	C.4.r	R2	C.4.r.1, 2		2.1.1.27	
C	C.4.r	R2	C.4.r.1, 2	C.4.r.2		Included Documents Literature Reference(s)
C	C.4.r	R2	C.4.r.1, 2	C.4.r.1		
C	C.4.r	R2	C.4.r.1, 2			
C	C.4.r	R2	C.4.r.1, 2			

D	D.1	D.1	Patient (name or initials)		
D	D.5	D.5	Sex		1.0.5218
D	D.2.1	D.2.1	Date of Birth		
D	D.9.1	D.9.1	Date of Death		
D	D.1.1.1				
D	D.1.1.1	D.1.1.1	Patient Medical Record Number(s) and the Source(s) of the Record Number (GP Medical Record Number)		2.1.3.7
D	D.1.1.1				2.1.1.4
D	D.1.1.1				
D	D.1.1.2				
D	D.1.1.2	D.1.1.2	Patient Medical Record Number(s) and the Source(s) of the Record Number (Specialist Record Number)		2.1.3.8
D	D.1.1.2				2.1.1.4
D	D.1.1.2				
D	D.1.1.3				
D	D.1.1.3	D.1.1.3	Patient Medical Record Number(s) and Source(s) of the Record Number (Hospital Record Number)		2.1.3.9
D	D.1.1.3				2.1.1.4
D	D.1.1.3				
D	D.1.1.4				
D	D.1.1.4	D.1.1.4	Patient Medical Record Number(s) and Source(s) of the Record Number (Investigation)		2.1.3.10

```

<document classCode="DOC" moodCode="EVN">
<code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.27" codeSystemVersion="1.0" displayName="documentsHeldBySender"/>
<title>C.1.6.1.r.1</title>
<text mediaType="image/jpeg" representation="B64" compression="DF">C.1.6.1.r.2</text>
</document>
</reference>
<reference typeCode="REFR">
<document classCode="DOC" moodCode="EVN">
<code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.27" codeSystemVersion="1.0" displayName="literatureReference"/>
<text mediaType="application/pdf" representation="B64">C.4.r.2</text>
<bibliographicDesignationText>C.4.r.1</bibliographicDesignationText>
</document>
</reference>
<reference typeCode="REFR">
<document classCode="DOC" moodCode="EVN">
<code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.27" codeSystemVersion="1.0" displayName="literatureReference"/>
<text mediaType="application/pdf" representation="B64">C.4.r.2</text>
<bibliographicDesignationText>C.4.r.1</bibliographicDesignationText>
</document>
</reference>
<component typeCode="COMP">
<adverseEventAssessment classCode="INVSTG" moodCode="EVN">
<subject1 typeCode="SBJ">
<primaryRole classCode="INVSBJ">
<player1 classCode="PSN" determinerCode="INSTANCE">
<name>D.1</name>
<administrativeGenderCode code="D.5" codeSystem="1.0.5218"/>
<birthTime value="20090101"/>
<deceasedTime value="20090101"/>
<asIdentifiedEntity classCode="IDENT">
<id extension="D.1.1.1" root="2.16.840.1.113883.3.989.2.1.3.7"/>
<code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.4" codeSystemVersion="1.0" displayName="GP"/>
</asIdentifiedEntity>
<asIdentifiedEntity classCode="IDENT">
<id extension="D.1.1.2" root="2.16.840.1.113883.3.989.2.1.3.8"/>
<code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.4" codeSystemVersion="1.0" displayName="Specialist"/>
</asIdentifiedEntity>
<asIdentifiedEntity classCode="IDENT">
<id extension="D.1.1.3" root="2.16.840.1.113883.3.989.2.1.3.9"/>
<code code="3" codeSystem="2.16.840.1.113883.3.989.2.1.1.4" codeSystemVersion="1.0" displayName="Hospital Record"/>
</asIdentifiedEntity>
<asIdentifiedEntity classCode="IDENT">
<id extension="D.1.1.4" root="2.16.840.1.113883.3.989.2.1.3.10"/>

```



D.10	D.10.7.1.r	R1	D.10.7.1.r.3				
D.10	D.10.7.1.r	R1					
D.10	D.10.7.1.r	R1					
D.10	D.10.7.1.r	R2					
D.10	D.10.7.1.r	R2					
D.10	D.10.7.1.r	R2	D.10.7.1.r.1	D.10.7.1.r.1	MedDRA Version for Medical History	D.10.7.1.r.1	Medical History (disease / surgical procedure/ etc.) (MedDRA code)
D.10	D.10.7.1.r	R2	D.10.7.1.r.2, 4				2.16.840.1.113883.6.163
D.10	D.10.7.1.r	R2	D.10.7.1.r.2	D.10.7.1.r.2	Start Date		
D.10	D.10.7.1.r	R2	D.10.7.1.r.2	D.10.7.1.r.4	End Date		
D.10	D.10.7.1.r	R2	D.10.7.1.r.2, 4				
D.10	D.10.7.1.r	R2	D.10.7.1.r.5				
D.10	D.10.7.1.r	R2	D.10.7.1.r.5				2.1.1.19
D.10	D.10.7.1.r	R2	D.10.7.1.r.5	D.10.7.1.r.5	Comments		
D.10	D.10.7.1.r	R2	D.10.7.1.r.5				
D.10	D.10.7.1.r	R2	D.10.7.1.r.5				
D.10	D.10.7.1.r	R2	D.10.7.1.r.3				
D.10	D.10.7.1.r	R2	D.10.7.1.r.3				
D.10	D.10.7.1.r	R2	D.10.7.1.r.3	D.10.7.1.r.3	Continuing		2.1.1.19
D.10	D.10.7.1.r	R2	D.10.7.1.r.3				
D.10	D.10.7.1.r	R2	D.10.7.1.r.3				
D.10	D.10.7.1.r	R2					
D.10	D.10.7.1.r	R2					
D.10			D.10.7.2				
D.10			D.10.7.2				
D.10			D.10.7.2				2.1.1.19
D.10			D.10.7.2	D.10.7.2	Text for Relevant Medical History and Concurrent Conditions of Parent		
D.10			D.10.7.2				
D.10			D.10.7.2				
D.10							
D.10							
D.10							
D.10							
D.10							2.1.1.20
D.10	D.10.8.r	R1					
D.10	D.10.8.r	R1					
D.10	D.10.8.r	R1	D.10.8.r.4, 5				
D.10	D.10.8.r	R1	D.10.8.r.4, 5	D.10.8.r.4	Start Date		
D.10	D.10.8.r	R1	D.10.8.r.4, 5	D.10.8.r.5	End Date		
D.10	D.10.8.r	R1	D.10.8.r.4, 5				
D.10	D.10.8.r	R1	D.10.8.r.1, 2				
D.10	D.10.8.r	R1	D.10.8.r.1, 2				
D.10	D.10.8.r	R1	D.10.8.r.1, 2	D.10.8.r.2a	MPID Version Date / Number Name of Drug as Reported	D.10.8.r.2b	Medicinal Product Identifier (MPID)
D.10	D.10.8.r	R1	D.10.8.r.1, 2	D.10.8.r.1			TBD-MPID
D.10	D.10.8.r	R1	D.10.8.r.1, 2				
D.10	D.10.8.r	R1	D.10.8.r.1, 2				
D.10	D.10.8.r	R1	D.10.8.r.1, 2				
D.10	D.10.8.r	R1	D.10.8.r.6				
D.10	D.10.8.r	R1	D.10.8.r.6				
D.10	D.10.8.r	R1	D.10.8.r.6				2.1.1.19
D.10	D.10.8.r	R1	D.10.8.r.6	D.10.8.r.6a	MedDRA Version for Indication	D.10.8.r.6b	Indication (MedDRA code)
D.10	D.10.8.r	R1	D.10.8.r.6				2.16.840.1.113883.6.163

```

</inboundRelationship>
</observation>
</component>
<component typeCode="COMP">
<observation classCode="OBS" moodCode="EVN">
<code code="D.10.7.1.r.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="D.10.7.1.r.1a"/>
<effectiveTime xsi:type="TVL_TS">
<low value="20090101"/>
<high value="20090101"/>
</effectiveTime>
<outboundRelationship2 typeCode="COMP">
<observation classCode="OBS" moodCode="EVN">
<code code="10" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="comment"/>
<value xsi:type="ED">D.10.7.1.r.5</value>
</observation>
</outboundRelationship2>
<inboundRelationship typeCode="REFR">
<observation classCode="OBS" moodCode="EVN">
<code code="13" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="continuing"/>
<value xsi:type="BL" value="true"/>
</observation>
</inboundRelationship>
</observation>
</component>
<component typeCode="COMP">
<observation classCode="OBS" moodCode="EVN">
<code code="18" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="historyAndConcurrentConditionText"/>
<value xsi:type="ED">D.10.7.2</value>
</observation>
</component>
</organizer>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
<organizer classCode="CATEGORY" moodCode="EVN">
<code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.20" codeSystemVersion="1.0" displayName="drugHistory"/>
<component typeCode="COMP">
<substanceAdministration classCode="SBADM" moodCode="EVN">
<effectiveTime xsi:type="TVL_TS">
<low value="20090101"/>
<high value="20090101"/>
</effectiveTime>
<consumable typeCode="CSM">
<instanceOfKind classCode="INST">
<kindOfProduct classCode="MMAT" determinerCode="KIND">
<code code="D.10.8.r.2b" codeSystem="TBD-MPID" codeSystemVersion="D.10.8.r.2a"/>
<name>D.10.8.r.1</name>
</kindOfProduct>
</instanceOfKind>
</consumable>
<outboundRelationship2 typeCode="RSON">
<observation classCode="OBS" moodCode="EVN">
<code code="19" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="indication"/>
<value xsi:type="CE" code="D.10.8.r.6b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="D.10.8.r.6a"/>

```



D.10	D.10.8.r	R1	D.10.8.r.6						
D.10	D.10.8.r	R1	D.10.8.r.6						
D.10	D.10.8.r	R1	D.10.8.r.7						
D.10	D.10.8.r	R1	D.10.8.r.7					2.1.1.19	
D.10	D.10.8.r	R1	D.10.8.r.7	D.10.8.r.7a	MedDRA Version for Reaction	D.10.8.r.7b	Reactions (MedDRA code)	2.16.840.1.1	13883.6.163
D.10	D.10.8.r	R1	D.10.8.r.7						
D.10	D.10.8.r	R1	D.10.8.r.7						
D.10	D.10.8.r	R1							
D.10	D.10.8.r	R2							
D.10	D.10.8.r	R2							
D.10	D.10.8.r	R2	D.10.8.r.4, 5						
D.10	D.10.8.r	R2	D.10.8.r.4, 5	D.10.8.r.4	Start Date				
D.10	D.10.8.r	R2	D.10.8.r.4, 5	D.10.8.r.5	End Date				
D.10	D.10.8.r	R2	D.10.8.r.4, 5						
D.10	D.10.8.r	R2	D.10.8.r.1, 2						
D.10	D.10.8.r	R2	D.10.8.r.1, 2						
D.10	D.10.8.r	R2	D.10.8.r.1, 2	D.10.8.r.3a	PhPID Version Date / Number	D.10.8.r.3b	Pharmaceutical Product Identifier (PhPID)		TBD-PhPID
D.10	D.10.8.r	R2	D.10.8.r.1, 2	D.10.8.r.1	Name of Drug as Reported				
D.10	D.10.8.r	R2	D.10.8.r.1, 2						
D.10	D.10.8.r	R2	D.10.8.r.1, 2						
D.10	D.10.8.r	R2	D.10.8.r.1, 2						
D.10	D.10.8.r	R2	D.10.8.r.6						
D.10	D.10.8.r	R2	D.10.8.r.6						
D.10	D.10.8.r	R2	D.10.8.r.6	D.10.8.r.6a	MedDRA Version for Indication	D.10.8.r.6b	Indication (MedDRA code)	2.1.1.19	2.16.840.1.1 13883.6.163
D.10	D.10.8.r	R2	D.10.8.r.6						
D.10	D.10.8.r	R2	D.10.8.r.6						
D.10	D.10.8.r	R2	D.10.8.r.7						
D.10	D.10.8.r	R2	D.10.8.r.7						
D.10	D.10.8.r	R2	D.10.8.r.7	D.10.8.r.7a	MedDRA Version for Reaction	D.10.8.r.7b	Reactions (MedDRA code)	2.1.1.19	2.16.840.1.1 13883.6.163
D.10	D.10.8.r	R2	D.10.8.r.7						
D.10	D.10.8.r	R2	D.10.8.r.7						
D.10	D.10.8.r	R2	D.10.8.r.7						
D.10	D.10.8.r	R2							
D.10									
D.10									
D.10									

C	C.5.3		C.5.3	C.5.3	Sponsor Study Number				2.1.3.5
C	C.5.4		C.5.4	C.5.4	Study Type Where Reaction(s) / Event(s) Were Observed				2.1.1.8
C	C.5.2		C.5.2	C.5.2	Study Name				
C	C.5.1.r	R1							
C	C.5.1.r	R1							
C	C.5.1.r	R1	C.5.1.r.1	C.5.1.r.1	Study Registration Number				2.1.3.6
C	C.5.1.r	R1	C.5.1.r.2						
C	C.5.1.r	R1	C.5.1.r.2						
C	C.5.1.r	R1	C.5.1.r.2						

```

</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="CAUS">
  <observation classCode="OBS" moodCode="EVN">
    <code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>
    <value xsi:type="CE" code="D.10.8.r.7b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="D.10.8.r.7a"/>
  </observation>
</outboundRelationship2>
</substanceAdministration>
</component>
<component typeCode="COMP">
  <substanceAdministration classCode="SBADM" moodCode="EVN">
    <effectiveTime xsi:type="IVL_TS">
      <low value="20090101"/>
      <high value="20090101"/>
    </effectiveTime>
    <consumable typeCode="CSM">
      <instanceOfKind classCode="INST">
        <kindOfProduct classCode="MMAT" determinerCode="KIND">
          <code code="D.10.8.r.3b" codeSystem="TBD-PhPID" codeSystemVersion="D.10.8.r.3a"/>
          <name>D.10.8.r.1</name>
        </kindOfProduct>
      </instanceOfKind>
    </consumable>
    <outboundRelationship2 typeCode="RSON">
      <observation classCode="OBS" moodCode="EVN">
        <code code="19" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="indication"/>
        <value xsi:type="CE" code="D.10.8.r.6b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="D.10.8.r.6a"/>
      </observation>
    </outboundRelationship2>
    <outboundRelationship2 typeCode="CAUS">
      <observation classCode="OBS" moodCode="EVN">
        <code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>
        <value xsi:type="CE" code="D.10.8.r.7b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="D.10.8.r.7a"/>
      </observation>
    </outboundRelationship2>
  </substanceAdministration>
</component>
</organizer>
</subjectOf2>
</role>
</player1>
<subjectOf1 typeCode="SBJ">
  <researchStudy classCode="CLNTRL" moodCode="EVN">
    <id extension="C.5.3" root="2.16.840.1.113883.3.989.2.1.3.5"/>
    <code code="C.5.4" codeSystem="2.16.840.1.113883.3.989.2.1.1.8" codeSystemVersion="1.0"/>
    <title>C.5.2</title>
  </researchStudy>
  <authorization typeCode="AUTH">
    <studyRegistration classCode="ACT" moodCode="EVN">
      <id extension="C.5.1.r.1" root="2.16.840.1.113883.3.989.2.1.3.6"/>
      <author typeCode="AUT">
        <territorialAuthority classCode="TERR">
          <governingPlace classCode="COUNTRY" determinerCode="INSTANCE">

```

C	C.5.1.r	R1	C.5.1.r.2	C.5.1.r.2	Study Registration Country	1.0.3166.1.2.2
C	C.5.1.r	R1	C.5.1.r.2			
C	C.5.1.r	R1	C.5.1.r.2			
C	C.5.1.r	R1	C.5.1.r.2			
C	C.5.1.r	R1				
C	C.5.1.r	R2				
C	C.5.1.r	R2				
C	C.5.1.r	R2	C.5.1.r.1	C.5.1.r.1	Study Registration Number	2.1.3.6
C	C.5.1.r	R2	C.5.1.r.2			
C	C.5.1.r	R2	C.5.1.r.2			
C	C.5.1.r	R2	C.5.1.r.2	C.5.1.r.2	Study Registration Country	1.0.3166.1.2.2
C	C.5.1.r	R2	C.5.1.r.2			
C	C.5.1.r	R2	C.5.1.r.2			
C	C.5.1.r	R2	C.5.1.r.2			
C	C.5.1.r	R2				
C	C.5.1.r	R2				
C						
D			D.2.2			
D			D.2.2			
D			D.2.2			2.1.1.19
D			D.2.2	D.2.2a	Age at Time of Onset of Reaction / Event (number)	Age at Time of Onset of Reaction / Event (unit)
D			D.2.2			
D			D.2.2			
D			D.2.2.1			
D			D.2.2.1			
D			D.2.2.1	D.2.2.1a	Gestation Period When Reaction / Event Was Observed in the Foetus (value)	Gestation Period When Reaction / Event Was Observed in the Foetus (unit)
D			D.2.2.1			
D			D.2.2.1			
D			D.2.3			
D			D.2.3			
D			D.2.3	D.2.3	Patient Age Group (as per reporter)	
D			D.2.3			2.1.1.19
D			D.2.3			2.1.1.9
D			D.2.3			
D			D.2.3			
D			D.3			
D			D.3			
D			D.3	D.3	Body Weight (kg)	
D			D.3			2.1.1.19
D			D.3			
D			D.3			
D			D.4			
D			D.4			
D			D.4	D.4	Height (cm)	
D			D.4			2.1.1.19
D			D.4			
D			D.4			
D			D.6			
D			D.6			
D			D.6			2.1.1.19

```

<code code="C.5.1.r.2" codeSystem="1.0.3166.1.2.2"/>
</governingPlace>
</territorialAuthority>
</author>
</studyRegistration>
</authorization>
<authorization typeCode="AUTH">
<studyRegistration classCode="ACT" moodCode="EVN">
<id extension="C.5.1.r.1" root="2.16.840.1.113883.3.989.2.1.3.6"/>
<author typeCode="AUT">
<territorialAuthority classCode="TERR">
<governingPlace classCode="COUNTRY" determinerCode="INSTANCE">
<code code="C.5.1.r.2" codeSystem="1.0.3166.1.2.2"/>
</governingPlace>
</territorialAuthority>
</author>
</studyRegistration>
</authorization>
</researchStudy>
</subjectOf1>
<subjectOf2 typeCode="SBJ">
<observation classCode="OBS" moodCode="EVN">
<code code="3" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="age"/>
<value xsi:type="PQ" value="10" unit="D.2.2b"/>
</observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
<observation classCode="OBS" moodCode="EVN">
<code code="16" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="gestationPeriod"/>
<value xsi:type="PQ" value="10" unit="D.2.2.1b"/>
</observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
<observation classCode="OBS" moodCode="EVN">
<code code="4" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="ageGroup"/>
<value xsi:type="CE" code="D.2.3" codeSystem="2.16.840.1.113883.3.989.2.1.1.9" codeSystemVersion="1.0"/>
</observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
<observation classCode="OBS" moodCode="EVN">
<code code="7" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="bodyWeight"/>
<value xsi:type="PQ" value="48.2" unit="kg"/>
</observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
<observation classCode="OBS" moodCode="EVN">
<code code="17" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="height"/>
<value xsi:type="PQ" value="152" unit="cm"/>
</observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
<observation classCode="OBS" moodCode="EVN">
<code code="22" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="lastMenstrualPeriodDate"/>

```

D		D.6	D.6	Last Menstrual Period Date		
D		D.6				
D		D.6				
D						
D						2.1.1.20
D	D.7.1.r	R1				
D	D.7.1.r	R1				
D	D.7.1.r	R1	D.7.1.r.1	D.7.1.r.1a	MedDRA Version for Medical History	D.7.1.r.1b
					Medical History (disease / surgical procedure / etc.) (MedDRA code)	2.16.840.1.13883.6.163
D	D.7.1.r	R1	D.7.1.r.2, 4			
D	D.7.1.r	R1	D.7.1.r.2, 4	D.7.1.r.2	Start Date	
D	D.7.1.r	R1	D.7.1.r.2, 4	D.7.1.r.4	End Date	
D	D.7.1.r	R1	D.7.1.r.2, 4			
D	D.7.1.r	R1	D.7.1.r.5			
D	D.7.1.r	R1	D.7.1.r.5			
D	D.7.1.r	R1	D.7.1.r.5	D.7.1.r.5	Comments	2.1.1.19
D	D.7.1.r	R1	D.7.1.r.5			
D	D.7.1.r	R1	D.7.1.r.5			
D	D.7.1.r	R1	D.7.1.r.6			
D	D.7.1.r	R1	D.7.1.r.6			
D	D.7.1.r	R1	D.7.1.r.6	D.7.1.r.6	Family History	2.1.1.19
D	D.7.1.r	R1	D.7.1.r.6			
D	D.7.1.r	R1	D.7.1.r.6			
D	D.7.1.r	R1	D.7.1.r.3			
D	D.7.1.r	R1	D.7.1.r.3			
D	D.7.1.r	R1	D.7.1.r.3	D.7.1.r.3	Continuing	2.1.1.19
D	D.7.1.r	R1	D.7.1.r.3			
D	D.7.1.r	R1	D.7.1.r.3			
D	D.7.1.r	R1	D.7.1.r.3			
D	D.7.1.r	R2				
D	D.7.1.r	R2				
D	D.7.1.r	R2	D.7.1.r.1	D.7.1.r.1a	MedDRA Version for Medical History	D.7.1.r.1b
					Medical history (disease / surgical procedure / etc.) (MedDRA code)	2.16.840.1.13883.6.163
D	D.7.1.r	R2	D.7.1.r.2, 4			
D	D.7.1.r	R2	D.7.1.r.2, 4	D.7.1.r.2	Start Date	
D	D.7.1.r	R2	D.7.1.r.2, 4	D.7.1.r.4	End Date	
D	D.7.1.r	R2	D.7.1.r.2, 4			
D	D.7.1.r	R2	D.7.1.r.5			
D	D.7.1.r	R2	D.7.1.r.5			
D	D.7.1.r	R2	D.7.1.r.5	D.7.1.r.5	Comments	2.1.1.19
D	D.7.1.r	R2	D.7.1.r.5			
D	D.7.1.r	R2	D.7.1.r.5			
D	D.7.1.r	R2	D.7.1.r.6			
D	D.7.1.r	R2	D.7.1.r.6			
D	D.7.1.r	R2	D.7.1.r.6	D.7.1.r.6	Family History	2.1.1.19
D	D.7.1.r	R2	D.7.1.r.6			
D	D.7.1.r	R2	D.7.1.r.6			
D	D.7.1.r	R2	D.7.1.r.3			
D	D.7.1.r	R2	D.7.1.r.3			
D	D.7.1.r	R2	D.7.1.r.3			

```

<value xsi:type="TS" value="20090101"/>
</observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
<organizer classCode="CATEGORY" moodCode="EVN">
<code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.20" codeSystemVersion="1.0" displayName="relevantMedicalHistoryAndConcurrentConditions"/>
<component typeCode="COMP">
<observation classCode="OBS" moodCode="EVN">
<code code="D.7.1.r.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="D.7.1.r.1a"/>
<effectiveTime xsi:type="IVL_TS">
<low value="20090101"/>
<high value="20090101"/>
</effectiveTime>
<outboundRelationship2 typeCode="COMP">
<observation classCode="OBS" moodCode="EVN">
<code code="10" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="comment"/>
<value xsi:type="ED">D.7.1.r.5</value>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="EXPL">
<observation classCode="OBS" moodCode="EVN">
<code code="38" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="familyHistory"/>
<value xsi:type="BL" value="true"/>
</observation>
</outboundRelationship2>
<inboundRelationship typeCode="REFR">
<observation classCode="OBS" moodCode="EVN">
<code code="13" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="continuing"/>
<value xsi:type="BL" value="true"/>
</observation>
</inboundRelationship>
</observation>
</component>
</organizer>
</subjectOf2 typeCode="SBJ">
<observation classCode="OBS" moodCode="EVN">
<code code="D.7.1.r.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="D.7.1.r.1a"/>
<effectiveTime xsi:type="IVL_TS">
<low value="20090101"/>
<high value="20090101"/>
</effectiveTime>
<outboundRelationship2 typeCode="COMP">
<observation classCode="OBS" moodCode="EVN">
<code code="10" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="comment"/>
<value xsi:type="ED">D.7.1.r.5</value>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="EXPL">
<observation classCode="OBS" moodCode="EVN">
<code code="38" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="familyHistory"/>
<value xsi:type="BL" value="true"/>
</observation>
</outboundRelationship2>
<inboundRelationship typeCode="REFR">
<observation classCode="OBS" moodCode="EVN">
<code code="13" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="continuing"/>

```

D	D.7.1.r	R2	D.7.1.r.3	D.7.1.r.3	Continuing				
D	D.7.1.r	R2	D.7.1.r.3						
D	D.7.1.r	R2	D.7.1.r.3						
D	D.7.1.r	R2							
D			D.7.2						2.1.1.19
D			D.7.2						
D			D.7.2	D.7.2	Text for Relevant Medical History and Concurrent Conditions (not including reaction / event)				
D			D.7.2						
D			D.7.2						
D			D.7.3						2.1.1.19
D			D.7.3						
D			D.7.3	D.7.3	Concomitant Therapies				
D			D.7.3						
D			D.7.3						
D									2.1.1.20
D	D.8.r	R1							
D	D.8.r	R1							
D	D.8.r	R1	D.8.r.4, 5	D.8.r.4	Start Date				
D	D.8.r	R1	D.8.r.4, 5	D.8.r.5	End Date				
D	D.8.r	R1	D.8.r.4, 5						
D	D.8.r	R1	D.8.r.1, 2						
D	D.8.r	R1	D.8.r.1, 2						
D	D.8.r	R1	D.8.r.1, 2						
D	D.8.r	R1	D.8.r.1, 2	D.8.r.2a	MPID Version Date / Number	D.8.r.2b	Medicinal Product Identifier (MPID)	TBD-MPID	
D	D.8.r	R1	D.8.r.1, 2	D.8.r.1	Name of Drug as Reported				
D	D.8.r	R1	D.8.r.1, 2						
D	D.8.r	R1	D.8.r.1, 2						
D	D.8.r	R1	D.8.r.6						
D	D.8.r	R1	D.8.r.6						
D	D.8.r	R1	D.8.r.6	D.8.r.6a	MedDRA Version for Indication	D.8.r.6b	Indication (MedDRA code)	2.1.1.19 2.16.840.1.1 13883.6.163	
D	D.8.r	R1	D.8.r.6						
D	D.8.r	R1	D.8.r.6						
D	D.8.r	R1	D.8.r.7						
D	D.8.r	R1	D.8.r.7						
D	D.8.r	R1	D.8.r.7	D.8.r.7a	MedDRA Version for Reaction	D.8.r.7b	Reaction (MedDRA code)	2.1.1.19 2.16.840.1.1 13883.6.163	
D	D.8.r	R1	D.8.r.7						
D	D.8.r	R1	D.8.r.7						
D	D.8.r	R1	D.8.r.7						
D	D.8.r	R1							
D	D.8.r	R1							
D	D.8.r	R2							
D	D.8.r	R2							
D	D.8.r	R2	D.8.r.4, 5						
D	D.8.r	R2	D.8.r.4, 5	D.8.r.4	Start Date				

```

<value xsi:type="BL" value="true"/>
</observation>
</inboundRelationship>
</observation>
</component>
<component typeCode="COMP">
<observation classCode="OBS" moodCode="EVN">
<code code="18" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="historyAndConcurrentConditionText"/>
<value xsi:type="ED">D.7.2</value>
</observation>
</component>
</component>
<component typeCode="COMP">
<observation classCode="OBS" moodCode="EVN">
<code code="11" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="concomitantTherapy"/>
<value xsi:type="BL" value="true"/>
</observation>
</component>
</organizer>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
<organizer classCode="CATEGORY" moodCode="EVN">
<code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.20" codeSystemVersion="1.0" displayName="drugHistory"/>
<component typeCode="COMP">
<substanceAdministration classCode="SBADM" moodCode="EVN">
<effectiveTime xsi:type="IVL_TS">
<low value="20090101"/>
<high value="20090101"/>
</effectiveTime>
<consumable typeCode="CSM">
<instanceOfKind classCode="INST">
<kindOfProduct classCode="MMAT" determinerCode="KIND">
<code code="D.8.r.2b" codeSystem="TBD-MPID" codeSystemVersion="D.8.r.2a"/>
<name>D.8.r.1</name>
</kindOfProduct>
</instanceOfKind>
</consumable>
<outboundRelationship2 typeCode="RSON">
<observation classCode="OBS" moodCode="EVN">
<code code="19" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="indication"/>
<value xsi:type="CE" code="D.8.r.6b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="D.8.r.6a"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="CAUS">
<observation classCode="OBS" moodCode="EVN">
<code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>
<value xsi:type="CE" code="D.8.r.7b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="D.8.r.7a"/>
</observation>
</outboundRelationship2>
</substanceAdministration>
</component>
<component typeCode="COMP">
<substanceAdministration classCode="SBADM" moodCode="EVN">
<effectiveTime xsi:type="IVL_TS">
<low value="20090101"/>

```

D	D.8.r	R2	D.8.r.4, 5	D.8.r.5	End Date				
D	D.8.r	R2	D.8.r.4, 5						
D	D.8.r	R2	D.8.r.1, 3						
D	D.8.r	R2	D.8.r.1, 3						
D	D.8.r	R2	D.8.r.1, 3	D.8.r.3a	PhPID Version Date / Number	D.8.r.3b	Pharmaceutical Product Identifier (PhPID)	TBD-PhPID	
D	D.8.r	R2	D.8.r.1, 3	D.8.r.1	Name of Drug as Reported				
D	D.8.r	R2	D.8.r.1, 3						
D	D.8.r	R2	D.8.r.1, 3						
D	D.8.r	R2	D.8.r.6						
D	D.8.r	R2	D.8.r.6						
D	D.8.r	R2	D.8.r.6	D.8.r.6a	MedDRA Version for Indication	D.8.r.6b	Indication (MedDRA code)	2.1.1.19 2.16.840.1.1 13883.6.163	
D	D.8.r	R2	D.8.r.6						
D	D.8.r	R2	D.8.r.6						
D	D.8.r	R2	D.8.r.7						
D	D.8.r	R2	D.8.r.7						
D	D.8.r	R2	D.8.r.7	D.8.r.7a	MedDRA Version for Reaction	D.8.r.7b	Reaction (MedDRA code)	2.1.1.19 2.16.840.1.1 13883.6.163	
D	D.8.r	R2	D.8.r.7						
D	D.8.r	R2							
D	D.8.r	R2							
D	D.9.2.r	R1	D.9.2.r.1, 2						
D	D.9.2.r	R1	D.9.2.r.1, 2						
D	D.9.2.r	R1	D.9.2.r.1, 2	D.9.2.r.1a	MedDRA Version for Reported Cause(s) of Death	D.9.2.r.1b	Reported Cause(s) of Death (MedDRA code)	2.1.1.19 2.16.840.1.1 13883.6.163	
D	D.9.2.r	R1	D.9.2.r.1, 2	D.9.2.r.2	Reported Cause(s) of Death (free text)				
D	D.9.2.r	R1	D.9.2.r.1, 2						
D	D.9.2.r	R1	D.9.2.r.1, 2						
D	D.9.2.r	R2	D.9.2.r.1, 2						
D	D.9.2.r	R2	D.9.2.r.1, 2						
D	D.9.2.r	R2	D.9.2.r.1, 2	D.9.2.r.1a	MedDRA Version for Reported Cause(s) of Death	D.9.2.r.1b	Reported Cause(s) of Death (MedDRA code)	2.1.1.19 2.16.840.1.1 13883.6.163	
D	D.9.2.r	R2	D.9.2.r.1, 2	D.9.2.r.2	Reported Cause(s) of Death (free text)				
D	D.9.2.r	R2	D.9.2.r.1, 2						
D	D.9.2.r	R2	D.9.2.r.1, 2						
D	D.9.2.r	R2	D.9.2.r.1, 2						
D			D.9.3						
D			D.9.3	D.9.3	WasAutopsyDone?				
D	D.9.4.r	R1	D.9.4.r.1, 2						
D	D.9.4.r	R1	D.9.4.r.1, 2						
D	D.9.4.r	R1	D.9.4.r.1, 2						
D	D.9.4.r	R1	D.9.4.r.1, 2	D.9.4.r.1a	MedDRA Version for Autopsy-determined Cause(s) of Death	D.9.4.r.1b	Autopsy-determined Cause(s) of Death (MedDRA code)	2.1.1.19 2.16.840.1.1 13883.6.163	

<high value="20090101"/>
</effectiveTime>
<consumable typeCode="CSM">
<instanceOfKind classCode="INST">
<kindOfProduct classCode="MMAT" determinerCode="KIND">
<code code="D.8.r.3b" codeSystem="TBD-PhPID" codeSystemVersion="D.8.r.3a"/>
<name>D.8.r.1</name>
<kindOfProduct>
</instanceOfKind>
</consumable>
<outboundRelationship2 typeCode="RSON">
<observation classCode="OBS" moodCode="EVN">
<code code="19" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="indication"/>
<value xsi:type="CE" code="D.8.r.6b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="D.8.r.6a"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="CAUS">
<observation classCode="OBS" moodCode="EVN">
<code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>
<value xsi:type="CE" code="D.8.r.7b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="D.8.r.7a"/>
</observation>
</outboundRelationship2>
</substanceAdministration>
</component>
</organizer>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
<observation classCode="OBS" moodCode="EVN">
<code code="32" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reportedCauseOfDeath"/>
<value xsi:type="CE" code="D.9.2.r.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="D.9.2.r.1a">
<originalText>D.9.2.r.2</originalText>
</value>
</observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
<observation classCode="OBS" moodCode="EVN">
<code code="32" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reportedCauseOfDeath"/>
<value xsi:type="CE" code="D.9.2.r.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="D.9.2.r.1a">
<originalText>D.9.2.r.2</originalText>
</value>
</observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
<observation classCode="OBS" moodCode="EVN">
<code code="5" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="autopsy"/>
<value xsi:type="BL" value="true"/>
<outboundRelationship2 typeCode="DRIV">
<observation classCode="OBS" moodCode="EVN">
<code code="8" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="causeOfDeath"/>
<value xsi:type="CE" code="D.9.4.r.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="D.9.4.r.1a">



E	E.i	il	E.i.3.2a			2.1.1.19	<code code="34" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="resultsInDeath"/>
E	E.i	il	E.i.3.2a	E.i.3.2a	Results in Death		<value xsi:type="BL" value="true"/>
E	E.i	il	E.i.3.2a				</observation>
E	E.i	il	E.i.3.2a				</outboundRelationship2>
E	E.i	il	E.i.3.2b				<outboundRelationship2 typeCode="PERT">
E	E.i	il	E.i.3.2b				<observation classCode="OBS" moodCode="EVN">
E	E.i	il	E.i.3.2b	E.i.3.2b	Life Threatening	2.1.1.19	<code code="21" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="isLifeThreatening"/>
E	E.i	il	E.i.3.2b				<value xsi:type="BL" nullFlavor="NI"/>
E	E.i	il	E.i.3.2b				</observation>
E	E.i	il	E.i.3.2b				</outboundRelationship2>
E	E.i	il	E.i.3.2c				<outboundRelationship2 typeCode="PERT">
E	E.i	il	E.i.3.2c				<observation classCode="OBS" moodCode="EVN">
E	E.i	il	E.i.3.2c	E.i.3.2c	Caused / Prolonged Hospitalisation	2.1.1.19	<code code="33" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="requiresInpatientHospitalization"/>
E	E.i	il	E.i.3.2c				<value xsi:type="BL" value="true"/>
E	E.i	il	E.i.3.2c				</observation>
E	E.i	il	E.i.3.2c				</outboundRelationship2>
E	E.i	il	E.i.3.2d				<outboundRelationship2 typeCode="PERT">
E	E.i	il	E.i.3.2d				<observation classCode="OBS" moodCode="EVN">
E	E.i	il	E.i.3.2d	E.i.3.2d	Disabling / Incapacitating	2.1.1.19	<code code="35" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="resultsInPersistentOrSignificantDisability"/>
E	E.i	il	E.i.3.2d				<value xsi:type="BL" nullFlavor="NI"/>
E	E.i	il	E.i.3.2d				</observation>
E	E.i	il	E.i.3.2d				</outboundRelationship2>
E	E.i	il	E.i.3.2e				<outboundRelationship2 typeCode="PERT">
E	E.i	il	E.i.3.2e				<observation classCode="OBS" moodCode="EVN">
E	E.i	il	E.i.3.2e	E.i.3.2e	Congenital Anomaly / Birth Defect	2.1.1.19	<code code="12" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="congenitalAnomalyBirthDefect"/>
E	E.i	il	E.i.3.2e				<value xsi:type="BL" nullFlavor="NI"/>
E	E.i	il	E.i.3.2e				</observation>
E	E.i	il	E.i.3.2e				</outboundRelationship2>
E	E.i	il	E.i.3.2f				<outboundRelationship2 typeCode="PERT">
E	E.i	il	E.i.3.2f				<observation classCode="OBS" moodCode="EVN">
E	E.i	il	E.i.3.2f	E.i.3.2f	Other Medically Important Condition	2.1.1.19	<code code="26" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="otherMedicallyImportantCondition"/>
E	E.i	il	E.i.3.2f				<value xsi:type="BL" value="true"/>
E	E.i	il	E.i.3.2f				</observation>
E	E.i	il	E.i.3.2f				</outboundRelationship2>
E	E.i	il	E.i.7				<outboundRelationship2 typeCode="PERT">
E	E.i	il	E.i.7				<observation classCode="OBS" moodCode="EVN">
E	E.i	il	E.i.7	E.i.7	Outcome of Reaction / Event at the Time of Last Observation	2.1.1.19	<code code="27" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="outcome"/>
E	E.i	il	E.i.7			2.1.1.11	<value xsi:type="CE" code="E.i.7" codeSystem="2.16.840.1.113883.3.989.2.1.1.11" codeSystemVersion="1.0"/>
E	E.i	il	E.i.7				</observation>
E	E.i	il	E.i.7				</outboundRelationship2>
E	E.i	il	E.i.8				<outboundRelationship2 typeCode="PERT">
E	E.i	il	E.i.8				<observation classCode="OBS" moodCode="EVN">
E	E.i	il	E.i.8	E.i.8	Medical Confirmation by Healthcare Professional	2.1.1.19	<code code="24" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="medicalConfirmationByHealthProfessional"/>
E	E.i	il	E.i.8				<value xsi:type="BL" value="true"/>
E	E.i	il	E.i.8				</observation>
E	E.i	il	E.i.8				</outboundRelationship2>
E	E.i	il	E.i.8				</observation>
E	E.i	il	E.i.8				</subjectOf2>
E	E.i	i2					<subjectOf2 typeCode="SBJ">
E	E.i	i2					<observation classCode="OBS" moodCode="EVN">
E	E.i	i2			Event ID		<id root="2baa28d6-c9e8-4e6c-93e9-5b860b314220"/>
E	E.i	i2				2.1.1.19	<code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>





E	E.i	i2	E.i.3.2e						2.1.1.19	
E	E.i	i2	E.i.3.2e							
E	E.i	i2	E.i.3.2e							
E	E.i	i2	E.i.3.2e	E.i.3.2e	Congenital Anomaly / Birth Defect					
E	E.i	i2	E.i.3.2e							
E	E.i	i2	E.i.3.2e							
E	E.i	i2	E.i.3.2f							
E	E.i	i2	E.i.3.2f	E.i.3.2f	Other Medically Important Condition					
E	E.i	i2	E.i.3.2f							
E	E.i	i2	E.i.7							
E	E.i	i2	E.i.7							
E	E.i	i2	E.i.7	E.i.7	Outcome of Reaction / Event at the Time of Last Observation				2.1.1.11	
E	E.i	i2	E.i.7							
E	E.i	i2	E.i.7							
E	E.i	i2	E.i.8							
E	E.i	i2	E.i.8	E.i.8	Medical Confirmation by Healthcare Professional				2.1.1.19	
E	E.i	i2	E.i.8							
E	E.i	i2	E.i.8							
E	E.i	i2	E.i.8							
N	E.i	i3								
N	E.i	i3								
N	E.i	i3								Event ID
N	E.i	i3								2.1.1.19
N	E.i	i3	E.i.5, 6							
N	E.i	i3	E.i.5, 6	E.i.6a	Duration of Reaction / Event (number)	E.i.6b	Duration of Reaction / Event (unit)			
N	E.i	i3	E.i.5, 6	E.i.5	Date of End of Reaction / Event					
N	E.i	i3	E.i.5, 6							
N	E.i	i3	E.i.2.1	E.i.2.1a	MedDRA Version for Reaction / Event	E.i.2.1b	Reaction / Event (MedDRA code)		2.16.840.1.113883.6.163	
N	E.i	i3	E.i.1.1	E.i.1.1a	Reaction / Event as Reported by the Primary Source in Native	E.i.1.1b	Reaction / Event as Reported by the Primary Source Language			
N	E.i	i3								
N	E.i	i3	E.i.9							
N	E.i	i3	E.i.9							
N	E.i	i3	E.i.9	E.i.9	Identification of the Country Where the Reaction / Event Occurred				1.0.3166.1.2.2	
N	E.i	i3	E.i.9							
N	E.i	i3	E.i.9							
N	E.i	i3	E.i.1.2							
N	E.i	i3	E.i.1.2							
N	E.i	i3	E.i.1.2							

```

<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
  <code code="12" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="congenitalAnomalyBirthDefect"/>
  <value xsi:type="BL" nullFlavor="NI"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
  <code code="26" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="otherMedicallyImportantCondition"/>
  <value xsi:type="BL" value="true"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
  <code code="27" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="outcome"/>
  <value xsi:type="CE" code="E.i.7" codeSystem="2.16.840.1.113883.3.989.2.1.1.11" codeSystemVersion="1.0"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
  <code code="24" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="medicalConfirmationByHealthProfessional"/>
  <value xsi:type="BL" value="true"/>
</observation>
</outboundRelationship2>
</observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
<observation classCode="OBS" moodCode="EVN">
  <id root="3a8626cb-9f1b-4ea8-8a0f-e0ff34430ad"/>
  <code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>
  <effectiveTime xsi:type="IVL_TS">
    <width value="24" unit="E.i.6b"/>
    <high value="20101201"/>
  </effectiveTime>
  <value xsi:type="CE" code="E.i.2.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="E.i.2.1a">
    <originalText language="E.i.1.1b">E.i.1.1a</originalText>
  </value>
  <location typeCode="LOC">
    <locatedEntity classCode="LOCE">
      <locatedPlace classCode="COUNTRY" determinerCode="INSTANCE">
        <code code="E.i.9" codeSystem="1.0.3166.1.2.2"/>
      </locatedPlace>
    </locatedEntity>
  </location>
</outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
  <code code="30" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reactionForTranslation"/>

```

N	E	E.i	i3	E.i.1.2	E.i.1.2	Reaction / Event as Reported by the Primary Source for		<value xsi:type="ED">E.i.1.2</value>
N	E	E.i	i3	E.i.1.2				</observation>
N	E	E.i	i3	E.i.1.2				</outboundRelationship2>
N	E	E.i	i3	E.i.3.1				<outboundRelationship2 typeCode="PERT">
N	E	E.i	i3	E.i.3.1				<observation classCode="OBS" moodCode="EVN">
N	E	E.i	i3	E.i.3.1	2.1.1.19			<code code="37" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="termHighlightedByReporter"/>
N	E	E.i	i3	E.i.3.1	E.i.3.1	Term Highlighted by the Reporter	2.1.1.10	<value xsi:type="CE" code="E.i.3.1" codeSystem="2.16.840.1.113883.3.989.2.1.1.10" codeSystemVersion="1.0"/>
N	E	E.i	i3	E.i.3.1				</observation>
N	E	E.i	i3	E.i.3.1				</outboundRelationship2>
N	E	E.i	i3	E.i.3.2a				<outboundRelationship2 typeCode="PERT">
N	E	E.i	i3	E.i.3.2a				<observation classCode="OBS" moodCode="EVN">
N	E	E.i	i3	E.i.3.2a	2.1.1.19			<code code="34" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="resultsInDeath"/>
N	E	E.i	i3	E.i.3.2a	E.i.3.2a	Results in Death		<value xsi:type="BL" value="true"/>
N	E	E.i	i3	E.i.3.2a				</observation>
N	E	E.i	i3	E.i.3.2a				</outboundRelationship2>
N	E	E.i	i3	E.i.3.2b				<outboundRelationship2 typeCode="PERT">
N	E	E.i	i3	E.i.3.2b				<observation classCode="OBS" moodCode="EVN">
N	E	E.i	i3	E.i.3.2b	2.1.1.19			<code code="21" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="isLifeThreatening"/>
N	E	E.i	i3	E.i.3.2b	E.i.3.2b	Life Threatening		<value xsi:type="BL" nullFlavor="NI"/>
N	E	E.i	i3	E.i.3.2b				</observation>
N	E	E.i	i3	E.i.3.2b				</outboundRelationship2>
N	E	E.i	i3	E.i.3.2c				<outboundRelationship2 typeCode="PERT">
N	E	E.i	i3	E.i.3.2c				<observation classCode="OBS" moodCode="EVN">
N	E	E.i	i3	E.i.3.2c	2.1.1.19			<code code="33" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="requiresInpatientHospitalization"/>
N	E	E.i	i3	E.i.3.2c	E.i.3.2c	Caused / Prolonged Hospitalisation		<value xsi:type="BL" value="true"/>
N	E	E.i	i3	E.i.3.2c				</observation>
N	E	E.i	i3	E.i.3.2c				</outboundRelationship2>
N	E	E.i	i3	E.i.3.2d				<outboundRelationship2 typeCode="PERT">
N	E	E.i	i3	E.i.3.2d				<observation classCode="OBS" moodCode="EVN">
N	E	E.i	i3	E.i.3.2d	2.1.1.19			<code code="35" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="resultsInPersistentOrSignificantDisability"/>
N	E	E.i	i3	E.i.3.2d	E.i.3.2d	Disabling / Incapacitating		<value xsi:type="BL" nullFlavor="NI"/>
N	E	E.i	i3	E.i.3.2d				</observation>
N	E	E.i	i3	E.i.3.2d				</outboundRelationship2>
N	E	E.i	i3	E.i.3.2e				<outboundRelationship2 typeCode="PERT">
N	E	E.i	i3	E.i.3.2e				<observation classCode="OBS" moodCode="EVN">
N	E	E.i	i3	E.i.3.2e	2.1.1.19			<code code="12" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="congenitalAnomalyBirthDefect"/>
N	E	E.i	i3	E.i.3.2e	E.i.3.2e	Congenital Anomaly / Birth Defect		<value xsi:type="BL" nullFlavor="NI"/>
N	E	E.i	i3	E.i.3.2e				</observation>
N	E	E.i	i3	E.i.3.2e				</outboundRelationship2>
N	E	E.i	i3	E.i.3.2f				<outboundRelationship2 typeCode="PERT">
N	E	E.i	i3	E.i.3.2f				<observation classCode="OBS" moodCode="EVN">
N	E	E.i	i3	E.i.3.2f	2.1.1.19			<code code="26" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="otherMedicallyImportantCondition"/>
N	E	E.i	i3	E.i.3.2f	E.i.3.2f	Other Medically Important Condition		<value xsi:type="BL" value="true"/>
N	E	E.i	i3	E.i.3.2f				</observation>
N	E	E.i	i3	E.i.3.2f				</outboundRelationship2>
N	E	E.i	i3	E.i.7				<outboundRelationship2 typeCode="PERT">
N	E	E.i	i3	E.i.7				<observation classCode="OBS" moodCode="EVN">
N	E	E.i	i3	E.i.7	2.1.1.19			<code code="27" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="outcome"/>
N	E	E.i	i3	E.i.7	E.i.7	Outcome of Reaction / Event at the Time of Last Observation	2.1.1.11	<value xsi:type="CE" code="E.i.7" codeSystem="2.16.840.1.113883.3.989.2.1.1.11" codeSystemVersion="1.0"/>
N	E	E.i	i3	E.i.7				</observation>
N	E	E.i	i3	E.i.7				</outboundRelationship2>
N	E	E.i	i3	E.i.8				<outboundRelationship2 typeCode="PERT">

N	E	E.i	i3	E.i.8					
N	E	E.i	i3	E.i.8				2.1.1.19	
N	E	E.i	i3	E.i.8	E.i.8		Medical Confirmation by Healthcare Professional		
N	E	E.i	i3	E.i.8					
N	E	E.i	i3	E.i.8					
N	E	E.i	i3						
N	E	E.i	i4						
N	E	E.i	i4						
N	E	E.i	i4					Event ID	
N	E	E.i	i4					2.1.1.19	
N	E	E.i	i4	E.i.4, 5, 6					
N	E	E.i	i4	E.i.4, 5, 6	E.i.4		Date of Start of Reaction / Event		
N	E	E.i	i4	E.i.4, 5, 6	E.i.5		Date of End of Reaction / Event		
N	E	E.i	i4	E.i.4, 5, 6					
N	E	E.i	i4	E.i.4, 5, 6					
N	E	E.i	i4	E.i.4, 5, 6	E.i.6a		Duration of Reaction / Event (number)	E.i.6b	Duration of Reaction / Event (unit)
N	E	E.i	i4	E.i.4, 5, 6					
N	E	E.i	i4	E.i.2.1	E.i.2.1a	E.i.2.1b	MedDRA Version for Reaction / Event	Reaction / Event (MedDRA code)	2.16.840.1.113883.6.163
N	E	E.i	i4	E.i.1.1	E.i.1.1a	E.i.1.1b	Reaction / Event as Reported by the Primary Source in Native Language	Reaction / Event as Reported by the Primary Source Language	
N	E	E.i	i4						
N	E	E.i	i4	E.i.9					
N	E	E.i	i4	E.i.9					
N	E	E.i	i4	E.i.9	E.i.9		Identification of the Country Where the Reaction / Event Occurred	1.0.3166.1.2.2	
N	E	E.i	i4	E.i.9					
N	E	E.i	i4	E.i.9					
N	E	E.i	i4	E.i.1.2					
N	E	E.i	i4	E.i.1.2					
N	E	E.i	i4	E.i.1.2	E.i.1.2		Reaction / Event as Reported by the Primary Source for	2.1.1.19	
N	E	E.i	i4	E.i.1.2					
N	E	E.i	i4	E.i.3.1					
N	E	E.i	i4	E.i.3.1					
N	E	E.i	i4	E.i.3.1	E.i.3.1		Term Highlighted by the Reporter	2.1.1.19	
N	E	E.i	i4	E.i.3.1				2.1.1.10	
N	E	E.i	i4	E.i.3.1					
N	E	E.i	i4	E.i.3.2a					
N	E	E.i	i4	E.i.3.2a					
N	E	E.i	i4	E.i.3.2a	E.i.3.2a		Results in Death	2.1.1.19	
N	E	E.i	i4	E.i.3.2a					
N	E	E.i	i4	E.i.3.2a					
N	E	E.i	i4	E.i.3.2b					

```
<observation classCode="OBS" moodCode="EVN">
  <code code="24" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="medicalConfirmationByHealthProfessional"/>
  <value xsi:type="BL" value="true"/>
</observation>
</outboundRelationship2>
</observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
  <observation classCode="OBS" moodCode="EVN">
    <id root="2e99840f-08b4-499c-80ff-dd8415f48a5"/>
    <code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>
    <effectiveTime xsi:type="SXPR_TS">
      <comp xsi:type="IVL_TS">
        <low value="20090101"/>
        <high value="20101201"/>
      </comp>
      <comp xsi:type="IVL_TS" operator="A">
        <width value="24" unit="E.i.6b"/>
      </comp>
    </effectiveTime>
    <value xsi:type="CE" code="E.i.2.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="E.i.2.1a">
      <originalText language="E.i.1.1b">E.i.1.1a</originalText>
    </value>
    <location typeCode="LOC">
      <locatedEntity classCode="LOCE">
        <locatedPlace classCode="COUNTRY" determinerCode="INSTANCE">
          <code code="E.i.9" codeSystem="1.0.3166.1.2.2"/>
        </locatedPlace>
      </locatedEntity>
    </location>
    </outboundRelationship2 typeCode="PERT">
      <observation classCode="OBS" moodCode="EVN">
        <code code="30" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reactionForTranslation"/>
        <value xsi:type="ED">E.i.1.2</value>
      </observation>
    </outboundRelationship2>
    </outboundRelationship2 typeCode="PERT">
      <observation classCode="OBS" moodCode="EVN">
        <code code="37" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="termHighlightedByReporter"/>
        <value xsi:type="CE" code="E.i.3.1" codeSystem="2.16.840.1.113883.3.989.2.1.1.10" codeSystemVersion="1.0"/>
      </observation>
    </outboundRelationship2>
    </outboundRelationship2 typeCode="PERT">
      <observation classCode="OBS" moodCode="EVN">
        <code code="34" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="resultsInDeath"/>
        <value xsi:type="BL" value="true"/>
      </observation>
    </outboundRelationship2>
  </subjectOf2 typeCode="SBJ">
  </subjectOf2 typeCode="SBJ">
</subjectOf2 typeCode="SBJ">
</subjectOf2 typeCode="SBJ">
```

N	E	E.i	i4	E.i.3.2b			
N	E	E.i	i4	E.i.3.2b		2.1.1.19	
N	E	E.i	i4	E.i.3.2b	E.i.3.2b	Life Threatening	
N	E	E.i	i4	E.i.3.2b			
N	E	E.i	i4	E.i.3.2b			
N	E	E.i	i4	E.i.3.2c			
N	E	E.i	i4	E.i.3.2c		2.1.1.19	
N	E	E.i	i4	E.i.3.2c	E.i.3.2c	Caused / Prolonged Hospitalisation	
N	E	E.i	i4	E.i.3.2c			
N	E	E.i	i4	E.i.3.2c			
N	E	E.i	i4	E.i.3.2d			
N	E	E.i	i4	E.i.3.2d		2.1.1.19	
N	E	E.i	i4	E.i.3.2d	E.i.3.2d	Disabling / Incapacitating	
N	E	E.i	i4	E.i.3.2d			
N	E	E.i	i4	E.i.3.2d			
N	E	E.i	i4	E.i.3.2e			
N	E	E.i	i4	E.i.3.2e		2.1.1.19	
N	E	E.i	i4	E.i.3.2e	E.i.3.2e	Congenital Anomaly / Birth Defect	
N	E	E.i	i4	E.i.3.2e			
N	E	E.i	i4	E.i.3.2e			
N	E	E.i	i4	E.i.3.2f			
N	E	E.i	i4	E.i.3.2f		2.1.1.19	
N	E	E.i	i4	E.i.3.2f	E.i.3.2f	Other Medically Important Condition	
N	E	E.i	i4	E.i.3.2f			
N	E	E.i	i4	E.i.3.2f			
N	E	E.i	i4	E.i.7			
N	E	E.i	i4	E.i.7		2.1.1.19	
N	E	E.i	i4	E.i.7	E.i.7	Outcome of Reaction / Event at the Time of Last Observation	
N	E	E.i	i4	E.i.7		2.1.1.11	
N	E	E.i	i4	E.i.7			
N	E	E.i	i4	E.i.8			
N	E	E.i	i4	E.i.8		2.1.1.19	
N	E	E.i	i4	E.i.8	E.i.8	Medical Confirmation by Healthcare Professional	
N	E	E.i	i4	E.i.8			
N	E	E.i	i4	E.i.8			
N	E	E.i	i4	E.i.8			
N	E	E.i	i5				
N	E	E.i	i5				
N	E	E.i	i5		Event ID		
N	E	E.i	i5			2.1.1.19	
N	E	E.i	i5	E.i.4			
N	E	E.i	i5	E.i.4	E.i.4	Date of Start of Reaction / Event	
N	E	E.i	i5	E.i.4			

<observation classCode="OBS" moodCode="EVN">
<code code="21" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="isLifeThreatening"/>
<value xsi:type="BL" nullFlavor="NI"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="33" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="requiresInpatientHospitalization"/>
<value xsi:type="BL" value="true"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="35" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="resultsInPersistentOrSignificantDisability"/>
<value xsi:type="BL" nullFlavor="NI"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="12" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="congenitalAnomalyBirthDefect"/>
<value xsi:type="BL" nullFlavor="NI"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="26" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="otherMedicallyImportantCondition"/>
<value xsi:type="BL" value="true"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="27" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="outcome"/>
<value xsi:type="CE" code="E.i.7" codeSystem="2.16.840.1.113883.3.989.2.1.1.11" codeSystemVersion="1.0"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="24" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="medicalConfirmationByHealthProfessional"/>
<value xsi:type="BL" value="true"/>
</observation>
</outboundRelationship2>
</observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
<observation classCode="OBS" moodCode="EVN">
<id root="1071064c-cf10-4a3b-83c1-34f9ddb7ea6d"/>
<code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>
<effectiveTime xsi:type="IVL_TS">
<low value="20090101"/>
</effectiveTime>

N	E	E.i	i5	E.i.2.1	E.i.2.1a	MedDRA Version for Reaction / Event	E.i.2.1b	Reaction / Event (MedDRA code)	2.16.840.1.1 13883.6.163
N	E	E.i	i5	E.i.1.1	E.i.1.1a	Reaction / Event as Reported by the Primary Source in Native	E.i.1.1b	Reaction / Event as Reported by the Primary Source Language	
N	E	E.i	i5	E.i.9	E.i.9	Identification of the Country Where the Reaction / Event Occurred	E.i.9		1.0.3166.1.2. 2
N	E	E.i	i5	E.i.9	E.i.9		E.i.9		
N	E	E.i	i5	E.i.9	E.i.9				
N	E	E.i	i5	E.i.9	E.i.9				
N	E	E.i	i5	E.i.1.2	E.i.1.2	Reaction / Event as Reported by the Primary Source for	E.i.1.2		2.1.1.19
N	E	E.i	i5	E.i.1.2	E.i.1.2				
N	E	E.i	i5	E.i.1.2	E.i.1.2				
N	E	E.i	i5	E.i.3.1	E.i.3.1	Term Highlighted by the Reporter	E.i.3.1		2.1.1.19
N	E	E.i	i5	E.i.3.1	E.i.3.1				2.1.1.10
N	E	E.i	i5	E.i.3.1	E.i.3.1				
N	E	E.i	i5	E.i.3.1	E.i.3.1				
N	E	E.i	i5	E.i.3.2a	E.i.3.2a	Results in Death	E.i.3.2a		2.1.1.19
N	E	E.i	i5	E.i.3.2a	E.i.3.2a				
N	E	E.i	i5	E.i.3.2a	E.i.3.2a				
N	E	E.i	i5	E.i.3.2a	E.i.3.2a				
N	E	E.i	i5	E.i.3.2b	E.i.3.2b	Life Threatening	E.i.3.2b		2.1.1.19
N	E	E.i	i5	E.i.3.2b	E.i.3.2b				
N	E	E.i	i5	E.i.3.2b	E.i.3.2b				
N	E	E.i	i5	E.i.3.2b	E.i.3.2b				
N	E	E.i	i5	E.i.3.2c	E.i.3.2c	Caused / Prolonged Hospitalisation	E.i.3.2c		2.1.1.19
N	E	E.i	i5	E.i.3.2c	E.i.3.2c				
N	E	E.i	i5	E.i.3.2c	E.i.3.2c				
N	E	E.i	i5	E.i.3.2c	E.i.3.2c				
N	E	E.i	i5	E.i.3.2d	E.i.3.2d	Disabling / Incapacitating	E.i.3.2d		2.1.1.19
N	E	E.i	i5	E.i.3.2d	E.i.3.2d				
N	E	E.i	i5	E.i.3.2d	E.i.3.2d				
N	E	E.i	i5	E.i.3.2d	E.i.3.2d				
N	E	E.i	i5	E.i.3.2e	E.i.3.2e	Congenital Anomaly / Birth Defect	E.i.3.2e		2.1.1.19
N	E	E.i	i5	E.i.3.2e	E.i.3.2e				
N	E	E.i	i5	E.i.3.2e	E.i.3.2e				
N	E	E.i	i5	E.i.3.2e	E.i.3.2e				

<value xsi:type="CE" code="E.i.2.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="E.i.2.1a">
<originalText language="E.i.1.1b">E.i.1.1a</originalText>
</value>
<location typeCode="LOC">
<locatedEntity classCode="LOCE">
<locatedPlace classCode="COUNTRY" determinerCode="INSTANCE">
<code code="E.i.9" codeSystem="1.0.3166.1.2.2"/>
</locatedPlace>
</locatedEntity>
</location>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="30" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reactionForTranslation"/>
<value xsi:type="ED">E.i.1.2</value>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="37" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="termHighlightedByReporter"/>
<value xsi:type="CE" code="E.i.3.1" codeSystem="2.16.840.1.113883.3.989.2.1.1.10" codeSystemVersion="1.0"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="34" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="resultsInDeath"/>
<value xsi:type="BL" value="true"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="21" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="isLifeThreatening"/>
<value xsi:type="BL" nullFlavor="NI"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="33" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="requiresInpatientHospitalization"/>
<value xsi:type="BL" value="true"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="35" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="resultsInPersistentOrSignificantDisability"/>
<value xsi:type="BL" nullFlavor="NI"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="12" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="congenitalAnomalyBirthDefect"/>
<value xsi:type="BL" nullFlavor="NI"/>

N	E	E.i	i5	E.i.3.2e					
N	E	E.i	i5	E.i.3.2e					
N	E	E.i	i5	E.i.3.2f					
N	E	E.i	i5	E.i.3.2f					
N	E	E.i	i5	E.i.3.2f	E.i.3.2f	Other Medically Important Condition		2.1.1.19	
N	E	E.i	i5	E.i.3.2f					
N	E	E.i	i5	E.i.3.2f					
N	E	E.i	i5	E.i.7					
N	E	E.i	i5	E.i.7	E.i.7	Outcome of Reaction / Event at the Time of Last Observation		2.1.1.19	
N	E	E.i	i5	E.i.7				2.1.1.11	
N	E	E.i	i5	E.i.7					
N	E	E.i	i5	E.i.7					
N	E	E.i	i5	E.i.8					
N	E	E.i	i5	E.i.8	E.i.8	Medical Confirmation by Healthcare Professional		2.1.1.19	
N	E	E.i	i5	E.i.8					
N	E	E.i	i5	E.i.8					
N	E	E.i	i5	E.i.8					
N	E	E.i	i5	E.i.8					
N	E	E.i	i5	E.i.8					
N	E	E.i	i6						
N	E	E.i	i6						
N	E	E.i	i6						Event ID
N	E	E.i	i6					2.1.1.19	
N	E	E.i	i6	E.i.5	E.i.5	Date of End of Reaction / Event			
N	E	E.i	i6	E.i.5					
N	E	E.i	i6	E.i.5					
N	E	E.i	i6	E.i.2.1	E.i.2.1a	MedDRA Version for Reaction / Event	E.i.2.1b	Reaction / Event (MedDRA code)	2.16.840.1.13883.6.163
N	E	E.i	i6	E.i.1.1	E.i.1.1a	Reaction / Event as Reported by the Primary Source in Native	E.i.1.1b	Reaction / Event as Reported by the Primary Source Language	
N	E	E.i	i6						
N	E	E.i	i6	E.i.9					
N	E	E.i	i6	E.i.9					
N	E	E.i	i6	E.i.9	E.i.9	Identification of the Country Where the Reaction / Event Occurred		1.0.3166.1.2.2	
N	E	E.i	i6	E.i.9					
N	E	E.i	i6	E.i.9					
N	E	E.i	i6	E.i.9					
N	E	E.i	i6	E.i.1.2					
N	E	E.i	i6	E.i.1.2					
N	E	E.i	i6	E.i.1.2	E.i.1.2	Reaction / Event as Reported by the Primary Source for		2.1.1.19	
N	E	E.i	i6	E.i.1.2					
N	E	E.i	i6	E.i.1.2					
N	E	E.i	i6	E.i.3.1					
N	E	E.i	i6	E.i.3.1					

```

</observation>
</outboundRelationship2>
</outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="26" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="otherMedicallyImportantCondition"/>
<value xsi:type="BL" value="true"/>
</observation>
</outboundRelationship2>
</outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="27" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="outcome"/>
<value xsi:type="CE" code="E.i.7" codeSystem="2.16.840.1.113883.3.989.2.1.1.11" codeSystemVersion="1.0"/>
</observation>
</outboundRelationship2>
</outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="24" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="medicalConfirmationByHealthProfessional"/>
<value xsi:type="BL" value="true"/>
</observation>
</outboundRelationship2>
</observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
<observation classCode="OBS" moodCode="EVN">
<id root="1f927283-10b6-4334-9d43-e925640fb18f"/>
<code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>
<effectiveTime xsi:type="IVL_TS">
<high value="20090101"/>
</effectiveTime>
<value xsi:type="CE" code="E.i.2.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="E.i.2.1a">
</value>
<originalText language="E.i.1.1b">E.i.1.a</originalText>
</value>
<location typeCode="LOC">
<locatedEntity classCode="LOCE">
<locatedPlace classCode="COUNTRY" determinerCode="INSTANCE">
<code code="E.i.9" codeSystem="1.0.3166.1.2.2"/>
</locatedPlace>
</locatedEntity>
</location>
</outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="30" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reactionForTranslation"/>
<value xsi:type="ED">E.i.1.2</value>
</observation>
</outboundRelationship2>
</outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">

```

N	E	E.i	i6	E.i.3.1			2.1.1.19
N	E	E.i	i6	E.i.3.1	E.i.3.1	Term Highlighted by the Reporter	2.1.1.10
N	E	E.i	i6	E.i.3.1			
N	E	E.i	i6	E.i.3.1			
N	E	E.i	i6	E.i.3.2a			
N	E	E.i	i6	E.i.3.2a			
N	E	E.i	i6	E.i.3.2a	E.i.3.2a	Results in Death	2.1.1.19
N	E	E.i	i6	E.i.3.2a			
N	E	E.i	i6	E.i.3.2a			
N	E	E.i	i6	E.i.3.2b			
N	E	E.i	i6	E.i.3.2b			
N	E	E.i	i6	E.i.3.2b	E.i.3.2b	Life Threatening	2.1.1.19
N	E	E.i	i6	E.i.3.2b			
N	E	E.i	i6	E.i.3.2b			
N	E	E.i	i6	E.i.3.2c			
N	E	E.i	i6	E.i.3.2c			
N	E	E.i	i6	E.i.3.2c	E.i.3.2c	Caused / Prolonged Hospitalisation	2.1.1.19
N	E	E.i	i6	E.i.3.2c			
N	E	E.i	i6	E.i.3.2c			
N	E	E.i	i6	E.i.3.2d			
N	E	E.i	i6	E.i.3.2d			
N	E	E.i	i6	E.i.3.2d	E.i.3.2d	Disabling / Incapacitating	2.1.1.19
N	E	E.i	i6	E.i.3.2d			
N	E	E.i	i6	E.i.3.2d			
N	E	E.i	i6	E.i.3.2e			
N	E	E.i	i6	E.i.3.2e			
N	E	E.i	i6	E.i.3.2e	E.i.3.2e	Congenital Anomaly / Birth Defect	2.1.1.19
N	E	E.i	i6	E.i.3.2e			
N	E	E.i	i6	E.i.3.2e			
N	E	E.i	i6	E.i.3.2f			
N	E	E.i	i6	E.i.3.2f			
N	E	E.i	i6	E.i.3.2f	E.i.3.2f	Other Medically Important Condition	2.1.1.19
N	E	E.i	i6	E.i.3.2f			
N	E	E.i	i6	E.i.3.2f			
N	E	E.i	i6	E.i.7			
N	E	E.i	i6	E.i.7			
N	E	E.i	i6	E.i.7	E.i.7	Outcome of Reaction / Event at the Time of Last Observation	2.1.1.19
N	E	E.i	i6	E.i.7			
N	E	E.i	i6	E.i.7			
N	E	E.i	i6	E.i.7			
N	E	E.i	i6	E.i.7	E.i.7		2.1.1.11
N	E	E.i	i6	E.i.7			
N	E	E.i	i6	E.i.7			
N	E	E.i	i6	E.i.8			
N	E	E.i	i6	E.i.8			
N	E	E.i	i6	E.i.8	E.i.8	Medical Confirmation by Healthcare Professional	2.1.1.19
N	E	E.i	i6	E.i.8			
N	E	E.i	i6	E.i.8			
N	E	E.i	i6	E.i.8			

```

<code code="37" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="termHighlightedByReporter"/>
<value xsi:type="CE" code="E.i.3.1" codeSystem="2.16.840.1.113883.3.989.2.1.1.10" codeSystemVersion="1.0"/>
</observation>
</outboundRelationship2>
</outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="34" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="resultsInDeath"/>
<value xsi:type="BL" value="true"/>
</observation>
</outboundRelationship2>
</outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="21" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="isLifeThreatening"/>
<value xsi:type="BL" nullFlavor="NI"/>
</observation>
</outboundRelationship2>
</outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="33" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="requiresInpatientHospitalization"/>
<value xsi:type="BL" value="true"/>
</observation>
</outboundRelationship2>
</outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="35" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="resultsInPersistentOrSignificantDisability"/>
<value xsi:type="BL" nullFlavor="NI"/>
</observation>
</outboundRelationship2>
</outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="12" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="congenitalAnomalyBirthDefect"/>
<value xsi:type="BL" nullFlavor="NI"/>
</observation>
</outboundRelationship2>
</outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="26" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="otherMedicallyImportantCondition"/>
<value xsi:type="BL" value="true"/>
</observation>
</outboundRelationship2>
</outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="27" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="outcome"/>
<value xsi:type="CE" code="E.i.7" codeSystem="2.16.840.1.113883.3.989.2.1.1.11" codeSystemVersion="1.0"/>
</observation>
</outboundRelationship2>
</outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="24" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="medicalConfirmationByHealthProfessional"/>
<value xsi:type="BL" value="true"/>
</observation>
</outboundRelationship2>

```

N	E	E.i	i6						
N	E	E.i	i6						
N	E	E.i	i7						
N	E	E.i	i7						
N	E	E.i	i7						Event ID
N	E	E.i	i7					2.1.1.19	
N	E	E.i	i7	E.i.6					
N	E	E.i	i7	E.i.6	E.i.6a	Duration of Reaction / Event (number)	E.i.6b	Duration of Reaction / Event (unit)	
N	E	E.i	i7	E.i.6					
N	E	E.i	i7	E.i.2.1	E.i.2.1a	MedDRA Version for Reaction / Event	E.i.2.1b	Reaction / Event (MedDRA code)	2.16.840.1.1 13883.6.163
N	E	E.i	i7	E.i.1.1	E.i.1.1a	Reaction / Event as Reported by the Primary Source in Native	E.i.1.1b	Reaction / Event as Reported by the Primary Source Language	
N	E	E.i	i7						
N	E	E.i	i7	E.i.9					
N	E	E.i	i7	E.i.9					
N	E	E.i	i7	E.i.9	E.i.9	Identification of the Country Where the Reaction / Event Occurred			1.0.3166.1.2. 2
N	E	E.i	i7	E.i.9					
N	E	E.i	i7	E.i.9					
N	E	E.i	i7	E.i.9					
N	E	E.i	i7	E.i.1.2					
N	E	E.i	i7	E.i.1.2					
N	E	E.i	i7	E.i.1.2	E.i.1.2	Reaction / Event as Reported by the Primary Source for			2.1.1.19
N	E	E.i	i7	E.i.1.2					
N	E	E.i	i7	E.i.1.2					
N	E	E.i	i7	E.i.3.1					
N	E	E.i	i7	E.i.3.1					
N	E	E.i	i7	E.i.3.1	E.i.3.1	Term Highlighted by the Reporter			2.1.1.19 2.1.1.10
N	E	E.i	i7	E.i.3.1					
N	E	E.i	i7	E.i.3.1					
N	E	E.i	i7	E.i.3.2a					
N	E	E.i	i7	E.i.3.2a					
N	E	E.i	i7	E.i.3.2a	E.i.3.2a	Results in Death			2.1.1.19
N	E	E.i	i7	E.i.3.2a					
N	E	E.i	i7	E.i.3.2a					
N	E	E.i	i7	E.i.3.2b					
N	E	E.i	i7	E.i.3.2b					
N	E	E.i	i7	E.i.3.2b	E.i.3.2b	Life Threatening			2.1.1.19
N	E	E.i	i7	E.i.3.2b					
N	E	E.i	i7	E.i.3.2b					
N	E	E.i	i7	E.i.3.2c					
N	E	E.i	i7	E.i.3.2c					
N	E	E.i	i7	E.i.3.2c	E.i.3.2c	Caused / Prolonged Hospitalisation			2.1.1.19
N	E	E.i	i7	E.i.3.2c					
N	E	E.i	i7	E.i.3.2c					
N	E	E.i	i7	E.i.3.2d					

```

</observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
<observation classCode="OBS" moodCode="EVN">
<id root="e0342969-38be-423f-b6bb-ce14bc279d8e"/>
<code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>
<effectiveTime xsi:type="IVL_TS">
<width value="24" unit="E.i.6b"/>
</effectiveTime>
<value xsi:type="CE" code="E.i.2.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="E.i.2.1a">
<originalText language="E.i.1.1b">E.i.1.1a</originalText>
</value>
<location typeCode="LOC">
<locatedEntity classCode="LOCE">
<locatedPlace classCode="COUNTRY" determinerCode="INSTANCE">
<code code="E.i.9" codeSystem="1.0.3166.1.2.2"/>
</locatedPlace>
</locatedEntity>
</location>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="30" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reactionForTranslation"/>
<value xsi:type="ED">E.i.1.2</value>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="37" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="termHighlightedByReporter"/>
<value xsi:type="CE" code="E.i.3.1" codeSystem="2.16.840.1.113883.3.989.2.1.1.10" codeSystemVersion="1.0"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="34" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="resultsInDeath"/>
<value xsi:type="BL" value="true"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="21" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="isLifeThreatening"/>
<value xsi:type="BL" nullFlavor="NI"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="33" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="requiresInpatientHospitalization"/>
<value xsi:type="BL" value="true"/>
</observation>
</outboundRelationship2>
</outboundRelationship2 typeCode="PERT">

```



N	E	E.i	i7	E.i.3.2d						
N	E	E.i	i7	E.i.3.2d					2.1.1.19	
N	E	E.i	i7	E.i.3.2d	E.i.3.2d	Disabling / Incapacitating				
N	E	E.i	i7	E.i.3.2d						
N	E	E.i	i7	E.i.3.2e						
N	E	E.i	i7	E.i.3.2e					2.1.1.19	
N	E	E.i	i7	E.i.3.2e	E.i.3.2e	Congenital Anomaly / Birth Defect				
N	E	E.i	i7	E.i.3.2e						
N	E	E.i	i7	E.i.3.2f						
N	E	E.i	i7	E.i.3.2f					2.1.1.19	
N	E	E.i	i7	E.i.3.2f	E.i.3.2f	Other Medically Important Condition				
N	E	E.i	i7	E.i.3.2f						
N	E	E.i	i7	E.i.7						
N	E	E.i	i7	E.i.7	E.i.7	Outcome of Reaction / Event at the Time of Last Observation			2.1.1.19	
N	E	E.i	i7	E.i.7	E.i.7				2.1.1.11	
N	E	E.i	i7	E.i.8						
N	E	E.i	i7	E.i.8					2.1.1.19	
N	E	E.i	i7	E.i.8	E.i.8	Medical Confirmation by Healthcare Professional				
N	E	E.i	i7	E.i.8						
N	E	E.i	i7	E.i.8						
N	E	E.i	i7	E.i.8						
N	E	E.i	i8							
N	E	E.i	i8							
N	E	E.i	i8							Event ID
N	E	E.i	i8						2.1.1.19	
N	E	E.i	i8	E.i.5, 6						
N	E	E.i	i8	E.i.5, 6	E.i.6a	Duration of Reaction / Event (number)	E.i.6b	Duration of Reaction / Event (unit)		
N	E	E.i	i8	E.i.5, 6	E.i.5	Date of End of Reaction / Event				
N	E	E.i	i8	E.i.5, 6						
N	E	E.i	i8	E.i.2.1	E.i.2.1a	MedDRA Version for Reaction / Event	E.i.2.1b	Reaction / Event (MedDRA code)	2.16.840.1.1.13883.6.163	
N	E	E.i	i8	E.i.1.1	E.i.1.1a	Reaction / Event as Reported by the Primary Source in Native	E.i.1.1b	Reaction / Event as Reported by the Primary Source Language		
N	E	E.i	i8							
N	E	E.i	i8	E.i.9						
N	E	E.i	i8	E.i.9						
N	E	E.i	i8	E.i.9	E.i.9	Identification of the Country Where the Reaction / Event Occurred			1.0.3166.1.2.2	
N	E	E.i	i8	E.i.9						

<observation classCode="OBS" moodCode="EVN">
<code code="35" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="resultsInPersistentOrSignificantDisability"/>
<value xsi:type="BL" nullFlavor="NI"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="12" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="congenitalAnomalyBirthDefect"/>
<value xsi:type="BL" nullFlavor="NI"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="26" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="otherMedicallyImportantCondition"/>
<value xsi:type="BL" value="true"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="27" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="outcome"/>
<value xsi:type="CE" code="E.i.7" codeSystem="2.16.840.1.113883.3.989.2.1.1.11" codeSystemVersion="1.0"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="24" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="medicalConfirmationByHealthProfessional"/>
<value xsi:type="BL" value="true"/>
</observation>
</outboundRelationship2>
</observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
<observation classCode="OBS" moodCode="EVN">
<id root="3a8626cb-9f1b-4ea8-8a0f-e0ff34430ad"/>
<code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>
<effectiveTime xsi:type="IVL_TS">
<width value="24" unit="E.i.6b"/>
<high value="20101201"/>
</effectiveTime>
<value xsi:type="CE" code="E.i.2.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="E.i.2.1a">
<originalText language="E.i.1.1b">E.i.1.1a</originalText>
</value>
<location typeCode="LOC">
<locatedEntity classCode="LOCE">
<locatedPlace classCode="COUNTRY" determinerCode="INSTANCE">
<code code="E.i.9" codeSystem="1.0.3166.1.2.2"/>
</locatedPlace>

N	E	E.i	i8	E.i.9			
N	E	E.i	i8	E.i.9			
N	E	E.i	i8	E.i.1.2			
N	E	E.i	i8	E.i.1.2			
N	E	E.i	i8	E.i.1.2		2.1.1.19	
N	E	E.i	i8	E.i.1.2	E.i.1.2		Reaction / Event as Reported by the Primary Source for
N	E	E.i	i8	E.i.1.2			
N	E	E.i	i8	E.i.1.2			
N	E	E.i	i8	E.i.3.1			
N	E	E.i	i8	E.i.3.1		2.1.1.19	
N	E	E.i	i8	E.i.3.1	E.i.3.1		Term Highlighted by the Reporter
N	E	E.i	i8	E.i.3.1		2.1.1.10	
N	E	E.i	i8	E.i.3.1			
N	E	E.i	i8	E.i.3.1			
N	E	E.i	i8	E.i.3.2a			
N	E	E.i	i8	E.i.3.2a			
N	E	E.i	i8	E.i.3.2a		2.1.1.19	
N	E	E.i	i8	E.i.3.2a	E.i.3.2a		Results in Death
N	E	E.i	i8	E.i.3.2a			
N	E	E.i	i8	E.i.3.2a			
N	E	E.i	i8	E.i.3.2b			
N	E	E.i	i8	E.i.3.2b			
N	E	E.i	i8	E.i.3.2b		2.1.1.19	
N	E	E.i	i8	E.i.3.2b	E.i.3.2b		Life Threatening
N	E	E.i	i8	E.i.3.2b			
N	E	E.i	i8	E.i.3.2b			
N	E	E.i	i8	E.i.3.2c			
N	E	E.i	i8	E.i.3.2c		2.1.1.19	
N	E	E.i	i8	E.i.3.2c			
N	E	E.i	i8	E.i.3.2c	E.i.3.2c		Caused / Prolonged Hospitalisation
N	E	E.i	i8	E.i.3.2c			
N	E	E.i	i8	E.i.3.2c			
N	E	E.i	i8	E.i.3.2d			
N	E	E.i	i8	E.i.3.2d			
N	E	E.i	i8	E.i.3.2d		2.1.1.19	
N	E	E.i	i8	E.i.3.2d	E.i.3.2d		Disabling / Incapacitating
N	E	E.i	i8	E.i.3.2d			
N	E	E.i	i8	E.i.3.2d			
N	E	E.i	i8	E.i.3.2e			
N	E	E.i	i8	E.i.3.2e		2.1.1.19	
N	E	E.i	i8	E.i.3.2e			
N	E	E.i	i8	E.i.3.2e	E.i.3.2e		Congenital Anomaly / Birth Defect
N	E	E.i	i8	E.i.3.2e			
N	E	E.i	i8	E.i.3.2e			
N	E	E.i	i8	E.i.3.2f			
N	E	E.i	i8	E.i.3.2f			
N	E	E.i	i8	E.i.3.2f		2.1.1.19	
N	E	E.i	i8	E.i.3.2f	E.i.3.2f		Other Medically Important Condition
N	E	E.i	i8	E.i.3.2f			
N	E	E.i	i8	E.i.3.2f			
N	E	E.i	i8	E.i.7			
N	E	E.i	i8	E.i.7		2.1.1.19	
N	E	E.i	i8	E.i.7			

</locatedEntity>
</location>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="30" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reactionForTranslation"/>
<value xsi:type="ED">E.i.1.2</value>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="37" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="termHighlightedByReporter"/>
<value xsi:type="CE" code="E.i.3.1" codeSystem="2.16.840.1.113883.3.989.2.1.1.10" codeSystemVersion="1.0"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="34" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="resultsInDeath"/>
<value xsi:type="BL" value="true"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="21" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="isLifeThreatening"/>
<value xsi:type="BL" nullFlavor="NI"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="33" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="requiresInpatientHospitalization"/>
<value xsi:type="BL" value="true"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="35" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="resultsInPersistentOrSignificantDisability"/>
<value xsi:type="BL" nullFlavor="NI"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="12" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="congenitalAnomalyBirthDefect"/>
<value xsi:type="BL" nullFlavor="NI"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="26" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="otherMedicallyImportantCondition"/>
<value xsi:type="BL" value="true"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="27" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="outcome"/>

N	E	E.i	i8	E.i.7	E.i.7	Outcome of Reaction / Event at the Time of Last Observation						2.1.1.11	<value xsi:type="CE" code="E.i.7" codeSystem="2.16.840.1.113883.3.989.2.1.1.11" codeSystemVersion="1.0"/>
N	E	E.i	i8	E.i.7									</observation>
N	E	E.i	i8	E.i.7									</outboundRelationship2>
N	E	E.i	i8	E.i.8									<outboundRelationship2 typeCode="PERT">
N	E	E.i	i8	E.i.8									<observation classCode="OBS" moodCode="EVN">
N	E	E.i	i8	E.i.8								2.1.1.19	<code code="24" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="medicalConfirmationByHealthProfessional"/>
N	E	E.i	i8	E.i.8	E.i.8	Medical Confirmation by Healthcare Professional							<value xsi:type="BL" value="true"/>
N	E	E.i	i8	E.i.8									</observation>
N	E	E.i	i8	E.i.8									</outboundRelationship2>
N	E	E.i	i8										</observation>
N	E	E.i	i8										</subjectOf2>
N	E	E.i	i9										<subjectOf2 typeCode="SBJ">
N	E	E.i	i9										<observation classCode="OBS" moodCode="EVN">
N	E	E.i	i9									Event ID	<id root="2e99840f-08b4-499c-80ff-dd8415f4f8a5"/>
N	E	E.i	i9									2.1.1.19	<code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>
N	E	E.i	i9										<effectiveTime xsi:type="SXPR_TS">
N	E	E.i	i9	E.i.4, 5, 6									<comp xsi:type="TVL_TS">
N	E	E.i	i9	E.i.4, 5, 6	E.i.4	Date of Start of Reaction / Event							<low value="20090101"/>
N	E	E.i	i9	E.i.4, 5, 6	E.i.5	Date of End of Reaction / Event							<high value="20101201"/>
N	E	E.i	i9	E.i.4, 5, 6									</comp>
N	E	E.i	i9	E.i.4, 5, 6									<comp xsi:type="TVL_TS" operator="A">
N	E	E.i	i9	E.i.4, 5, 6	E.i.6a	Duration of Reaction / Event (number)	E.i.6b	Duration of Reaction / Event (unit)					<width value="24" unit="E.i.6b"/>
N	E	E.i	i9	E.i.4, 5, 6									</comp>
N	E	E.i	i9										</effectiveTime>
N	E	E.i	i9	E.i.2.1	E.i.2.1a	MedDRA Version for Reaction / Event	E.i.2.1b	Reaction / Event (MedDRA code)				2.16.840.1.13883.6.163	<value xsi:type="CE" code="E.i.2.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="E.i.2.1a">
N	E	E.i	i9	E.i.1.1	E.i.1.1a	Reaction / Event as Reported by the Primary Source in Native	E.i.1.1b	Reaction / Event as Reported by the Primary Source Language					<originalText language="E.i.1.1b">E.i.1.1a</originalText>
N	E	E.i	i9										</value>
N	E	E.i	i9	E.i.9									<location typeCode="LOC">
N	E	E.i	i9	E.i.9									<locatedEntity classCode="LOCE">
N	E	E.i	i9	E.i.9									<locatedPlace classCode="COUNTRY" determinerCode="INSTANCE">
N	E	E.i	i9	E.i.9	E.i.9	Identification of the Country Where the Reaction / Event Occurred						1.0.3166.1.2.2	<code code="E.i.9" codeSystem="1.0.3166.1.2.2"/>
N	E	E.i	i9	E.i.9									</locatedPlace>
N	E	E.i	i9	E.i.9									</locatedEntity>
N	E	E.i	i9	E.i.9									</location>
N	E	E.i	i9	E.i.1.2									<outboundRelationship2 typeCode="PERT">
N	E	E.i	i9	E.i.1.2									<observation classCode="OBS" moodCode="EVN">
N	E	E.i	i9	E.i.1.2								2.1.1.19	<code code="30" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reactionForTranslation"/>
N	E	E.i	i9	E.i.1.2	E.i.1.2	Reaction / Event as Reported by the Primary Source for							<value xsi:type="ED">E.i.1.2</value>
N	E	E.i	i9	E.i.1.2									</observation>
N	E	E.i	i9	E.i.1.2									</outboundRelationship2>
N	E	E.i	i9	E.i.3.1									<outboundRelationship2 typeCode="PERT">
N	E	E.i	i9	E.i.3.1									<observation classCode="OBS" moodCode="EVN">
N	E	E.i	i9	E.i.3.1								2.1.1.19	<code code="37" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="termHighlightedByReporter"/>
N	E	E.i	i9	E.i.3.1	E.i.3.1	Term Highlighted by the Reporter						2.1.1.10	<value xsi:type="CE" code="E.i.3.1" codeSystem="2.16.840.1.113883.3.989.2.1.1.10" codeSystemVersion="1.0"/>
N	E	E.i	i9	E.i.3.1									</observation>
N	E	E.i	i9	E.i.3.1									</outboundRelationship2>
N	E	E.i	i9	E.i.3.2a									<outboundRelationship2 typeCode="PERT">

N	E	E.i	i9	E.i.3.2a		
N	E	E.i	i9	E.i.3.2a		2.1.1.19
N	E	E.i	i9	E.i.3.2a	E.i.3.2a	Results in Death
N	E	E.i	i9	E.i.3.2a		
N	E	E.i	i9	E.i.3.2a		
N	E	E.i	i9	E.i.3.2b		
N	E	E.i	i9	E.i.3.2b		2.1.1.19
N	E	E.i	i9	E.i.3.2b	E.i.3.2b	Life Threatening
N	E	E.i	i9	E.i.3.2b		
N	E	E.i	i9	E.i.3.2b		
N	E	E.i	i9	E.i.3.2c		
N	E	E.i	i9	E.i.3.2c		2.1.1.19
N	E	E.i	i9	E.i.3.2c	E.i.3.2c	Caused / Prolonged Hospitalisation
N	E	E.i	i9	E.i.3.2c		
N	E	E.i	i9	E.i.3.2c		
N	E	E.i	i9	E.i.3.2d		
N	E	E.i	i9	E.i.3.2d		2.1.1.19
N	E	E.i	i9	E.i.3.2d	E.i.3.2d	Disabling / Incapacitating
N	E	E.i	i9	E.i.3.2d		
N	E	E.i	i9	E.i.3.2e		
N	E	E.i	i9	E.i.3.2e		2.1.1.19
N	E	E.i	i9	E.i.3.2e	E.i.3.2e	Congenital Anomaly / Birth Defect
N	E	E.i	i9	E.i.3.2e		
N	E	E.i	i9	E.i.3.2e		
N	E	E.i	i9	E.i.3.2f		
N	E	E.i	i9	E.i.3.2f		2.1.1.19
N	E	E.i	i9	E.i.3.2f	E.i.3.2f	Other Medically Important Condition
N	E	E.i	i9	E.i.3.2f		
N	E	E.i	i9	E.i.3.2f		
N	E	E.i	i9	E.i.7		
N	E	E.i	i9	E.i.7		2.1.1.19
N	E	E.i	i9	E.i.7	E.i.7	Outcome of Reaction / Event at the Time of Last Observation
N	E	E.i	i9	E.i.7		2.1.1.11
N	E	E.i	i9	E.i.7		
N	E	E.i	i9	E.i.7		
N	E	E.i	i9	E.i.8		
N	E	E.i	i9	E.i.8		2.1.1.19
N	E	E.i	i9	E.i.8	E.i.8	Medical Confirmation by Healthcare Professional
N	E	E.i	i9	E.i.8		
N	E	E.i	i9	E.i.8		
N	E	E.i	i9	E.i.8		
N	E	E.i	i10			
N	E	E.i	i10			
N	E	E.i	i10			Event ID

```

<observation classCode="OBS" moodCode="EVN">
  <code code="34" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="resultsInDeath"/>
  <value xsi:type="BL" value="true"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
  <observation classCode="OBS" moodCode="EVN">
    <code code="21" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="isLifeThreatening"/>
    <value xsi:type="BL" nullFlavor="NI"/>
  </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
  <observation classCode="OBS" moodCode="EVN">
    <code code="33" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="requiresInpatientHospitalization"/>
    <value xsi:type="BL" value="true"/>
  </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
  <observation classCode="OBS" moodCode="EVN">
    <code code="35" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="resultsInPersistentOrSignificantDisability"/>
    <value xsi:type="BL" nullFlavor="NI"/>
  </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
  <observation classCode="OBS" moodCode="EVN">
    <code code="12" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="congenitalAnomalyBirthDefect"/>
    <value xsi:type="BL" nullFlavor="NI"/>
  </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
  <observation classCode="OBS" moodCode="EVN">
    <code code="26" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="otherMedicallyImportantCondition"/>
    <value xsi:type="BL" value="true"/>
  </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
  <observation classCode="OBS" moodCode="EVN">
    <code code="27" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="outcome"/>
    <value xsi:type="CE" code="E.i.7" codeSystem="2.16.840.1.113883.3.989.2.1.1.11" codeSystemVersion="1.0"/>
  </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
  <observation classCode="OBS" moodCode="EVN">
    <code code="24" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="medicalConfirmationByHealthProfessional"/>
    <value xsi:type="BL" value="true"/>
  </observation>
</outboundRelationship2>
</observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
  <observation classCode="OBS" moodCode="EVN">
    <id root="1071064c-cf10-4a3b-83c1-34f9ddb7ca6d"/>

```

N	E	E.i	i10										2.1.1.19
N	E	E.i	i10	E.i.4									
N	E	E.i	i10	E.i.4	E.i.4								Date of Start of Reaction / Event
N	E	E.i	i10	E.i.4									
N	E	E.i	i10	E.i.2.1	E.i.2.1a								MedDRA Version for Reaction / Event
N	E	E.i	i10	E.i.1.1	E.i.1.1a								Reaction / Event as Reported by the Primary Source in Native Language
N	E	E.i	i10										
N	E	E.i	i10	E.i.9									
N	E	E.i	i10	E.i.9									
N	E	E.i	i10	E.i.9	E.i.9								Identification of the Country Where the Reaction / Event Occurred
N	E	E.i	i10	E.i.9									1.0.3166.1.2.2
N	E	E.i	i10	E.i.9									
N	E	E.i	i10	E.i.9									
N	E	E.i	i10	E.i.1.2									
N	E	E.i	i10	E.i.1.2									
N	E	E.i	i10	E.i.1.2	E.i.1.2								Reaction / Event as Reported by the Primary Source for
N	E	E.i	i10	E.i.1.2									2.1.1.19
N	E	E.i	i10	E.i.1.2	E.i.1.2								
N	E	E.i	i10	E.i.3.1									
N	E	E.i	i10	E.i.3.1	E.i.3.1								Term Highlighted by the Reporter
N	E	E.i	i10	E.i.3.1									2.1.1.19
N	E	E.i	i10	E.i.3.1	E.i.3.1								2.1.1.10
N	E	E.i	i10	E.i.3.1									
N	E	E.i	i10	E.i.3.1									
N	E	E.i	i10	E.i.3.2a									
N	E	E.i	i10	E.i.3.2a									
N	E	E.i	i10	E.i.3.2a	E.i.3.2a								Results in Death
N	E	E.i	i10	E.i.3.2a									2.1.1.19
N	E	E.i	i10	E.i.3.2a									
N	E	E.i	i10	E.i.3.2a									
N	E	E.i	i10	E.i.3.2b									
N	E	E.i	i10	E.i.3.2b									
N	E	E.i	i10	E.i.3.2b	E.i.3.2b								Life Threatening
N	E	E.i	i10	E.i.3.2b									2.1.1.19
N	E	E.i	i10	E.i.3.2b									
N	E	E.i	i10	E.i.3.2b									
N	E	E.i	i10	E.i.3.2c									
N	E	E.i	i10	E.i.3.2c									
N	E	E.i	i10	E.i.3.2c	E.i.3.2c								Caused / Prolonged Hospitalisation
N	E	E.i	i10	E.i.3.2c									2.1.1.19
N	E	E.i	i10	E.i.3.2c									
N	E	E.i	i10	E.i.3.2d									
N	E	E.i	i10	E.i.3.2d									
N	E	E.i	i10	E.i.3.2d	E.i.3.2d								Disabling / Incapacitating
N	E	E.i	i10	E.i.3.2d									2.1.1.19
N	E	E.i	i10	E.i.3.2d									
N	E	E.i	i10	E.i.3.2d									
N	E	E.i	i10	E.i.3.2e									

```
<code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>
<effectiveTime xsi:type="IVL_TS">
<low value="20090101"/>
</effectiveTime>
<value xsi:type="CE" code="E.i.2.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="E.i.2.1a">
</value>
<originalText language="E.i.1.1b">E.i.1.1a</originalText>
</value>
<location typeCode="LOC">
<locatedEntity classCode="LOCE">
<locatedPlace classCode="COUNTRY" determinerCode="INSTANCE">
<code code="E.i.9" codeSystem="1.0.3166.1.2.2"/>
</locatedPlace>
</locatedEntity>
</location>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="30" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reactionForTranslation"/>
<value xsi:type="ED">E.i.1.2</value>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="37" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="termHighlightedByReporter"/>
<value xsi:type="CE" code="E.i.3.1" codeSystem="2.16.840.1.113883.3.989.2.1.1.10" codeSystemVersion="1.0"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="34" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="resultsInDeath"/>
<value xsi:type="BL" value="true"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="21" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="isLifeThreatening"/>
<value xsi:type="BL" nullFlavor="NI"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="33" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="requiresInpatientHospitalization"/>
<value xsi:type="BL" value="true"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="35" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="resultsInPersistentOrSignificantDisability"/>
<value xsi:type="BL" nullFlavor="NI"/>
</observation>
</outboundRelationship2>
</outboundRelationship2 typeCode="PERT">
```

N	E	E.i	i10	E.i.3.2c					
N	E	E.i	i10	E.i.3.2c			2.1.1.19		
N	E	E.i	i10	E.i.3.2c	E.i.3.2e	Congenital Anomaly / Birth Defect			
N	E	E.i	i10	E.i.3.2c					
N	E	E.i	i10	E.i.3.2c					
N	E	E.i	i10	E.i.3.2f					
N	E	E.i	i10	E.i.3.2f			2.1.1.19		
N	E	E.i	i10	E.i.3.2f	E.i.3.2f	Other Medically Important Condition			
N	E	E.i	i10	E.i.3.2f					
N	E	E.i	i10	E.i.3.2f					
N	E	E.i	i10	E.i.7					
N	E	E.i	i10	E.i.7			2.1.1.19		
N	E	E.i	i10	E.i.7	E.i.7	Outcome of Reaction / Event at the Time of Last Observation			
N	E	E.i	i10	E.i.7			2.1.1.11		
N	E	E.i	i10	E.i.7					
N	E	E.i	i10	E.i.8					
N	E	E.i	i10	E.i.8			2.1.1.19		
N	E	E.i	i10	E.i.8	E.i.8	Medical Confirmation by Healthcare Professional			
N	E	E.i	i10	E.i.8					
N	E	E.i	i10	E.i.8					
N	E	E.i	i10	E.i.8					
N	E	E.i	i10	E.i.8					
N	E	E.i	i11						
N	E	E.i	i11						
N	E	E.i	i11				Event ID		
N	E	E.i	i11				2.1.1.19		
N	E	E.i	i11	E.i.5					
N	E	E.i	i11	E.i.5	E.i.5	Date of End of Reaction / Event			
N	E	E.i	i11	E.i.5					
N	E	E.i	i11	E.i.2.1	E.i.2.1a	MedDRA Version for Reaction / Event	2.16.840.1.13883.6.163	E.i.2.1b	Reaction / Event (MedDRA code)
N	E	E.i	i11	E.i.1.1	E.i.1.1a	Reaction / Event as Reported by the Primary Source in Native		E.i.1.1b	Reaction / Event as Reported by the Primary Source Language
N	E	E.i	i11						
N	E	E.i	i11	E.i.9					
N	E	E.i	i11	E.i.9					
N	E	E.i	i11	E.i.9	E.i.9	Identification of the Country Where the Reaction / Event Occurred	1.0.3166.1.2.2		
N	E	E.i	i11	E.i.9					
N	E	E.i	i11	E.i.9					
N	E	E.i	i11	E.i.9					
N	E	E.i	i11	E.i.1.2					
N	E	E.i	i11	E.i.1.2			2.1.1.19		
N	E	E.i	i11	E.i.1.2	E.i.1.2	Reaction / Event as Reported by the Primary Source for			
N	E	E.i	i11	E.i.1.2					

```

<observation classCode="OBS" moodCode="EVN">
  <code code="12" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="congenitalAnomalyBirthDefect"/>
  <value xsi:type="BL" nullFlavor="NI"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
  <observation classCode="OBS" moodCode="EVN">
    <code code="26" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="otherMedicallyImportantCondition"/>
    <value xsi:type="BL" value="true"/>
  </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
  <observation classCode="OBS" moodCode="EVN">
    <code code="27" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="outcome"/>
    <value xsi:type="CE" code="E.i.7" codeSystem="2.16.840.1.113883.3.989.2.1.1.11" codeSystemVersion="1.0"/>
  </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
  <observation classCode="OBS" moodCode="EVN">
    <code code="24" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="medicalConfirmationByHealthProfessional"/>
    <value xsi:type="BL" value="true"/>
  </observation>
</outboundRelationship2>
</observation>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
  <observation classCode="OBS" moodCode="EVN">
    <id root="1f927283-10b6-4334-9443-e925640fb18f"/>
    <code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>
    <effectiveTime xsi:type="IVL_TS">
      <high value="20090101"/>
    </effectiveTime>
    <value xsi:type="CE" code="E.i.2.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="E.i.2.1a">
      <originalText language="E.i.1.1b">E.i.1.1a</originalText>
    </value>
    <location typeCode="LOC">
      <locatedEntity classCode="LOCE">
        <locatedPlace classCode="COUNTRY" determinerCode="INSTANCE">
          <code code="E.i.9" codeSystem="1.0.3166.1.2.2"/>
        </locatedPlace>
      </locatedEntity>
    </location>
    <outboundRelationship2 typeCode="PERT">
      <observation classCode="OBS" moodCode="EVN">
        <code code="30" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reactionForTranslation"/>
        <value xsi:type="ED">E.i.1.2</value>
      </observation>
    </outboundRelationship2>
  </subjectOf2>
</observation>

```

N	E	E.i	i11	E.i.1.2			
N	E	E.i	i11	E.i.1.2			
N	E	E.i	i11	E.i.3.1			
N	E	E.i	i11	E.i.3.1			
N	E	E.i	i11	E.i.3.1	2.1.1.19		
N	E	E.i	i11	E.i.3.1	E.i.3.1	Term Highlighted by the Reporter	2.1.1.10
N	E	E.i	i11	E.i.3.1			
N	E	E.i	i11	E.i.3.1			
N	E	E.i	i11	E.i.3.2a			
N	E	E.i	i11	E.i.3.2a	2.1.1.19		
N	E	E.i	i11	E.i.3.2a	E.i.3.2a	Results in Death	
N	E	E.i	i11	E.i.3.2a			
N	E	E.i	i11	E.i.3.2a			
N	E	E.i	i11	E.i.3.2b			
N	E	E.i	i11	E.i.3.2b	2.1.1.19		
N	E	E.i	i11	E.i.3.2b	E.i.3.2b	Life Threatening	
N	E	E.i	i11	E.i.3.2b			
N	E	E.i	i11	E.i.3.2b			
N	E	E.i	i11	E.i.3.2c			
N	E	E.i	i11	E.i.3.2c	2.1.1.19		
N	E	E.i	i11	E.i.3.2c	E.i.3.2c	Caused / Prolonged Hospitalisation	
N	E	E.i	i11	E.i.3.2c			
N	E	E.i	i11	E.i.3.2c			
N	E	E.i	i11	E.i.3.2d			
N	E	E.i	i11	E.i.3.2d	2.1.1.19		
N	E	E.i	i11	E.i.3.2d	E.i.3.2d	Disabling / Incapacitating	
N	E	E.i	i11	E.i.3.2d			
N	E	E.i	i11	E.i.3.2d			
N	E	E.i	i11	E.i.3.2e			
N	E	E.i	i11	E.i.3.2e	2.1.1.19		
N	E	E.i	i11	E.i.3.2e	E.i.3.2e	Congenital Anomaly / Birth Defect	
N	E	E.i	i11	E.i.3.2e			
N	E	E.i	i11	E.i.3.2e			
N	E	E.i	i11	E.i.3.2f			
N	E	E.i	i11	E.i.3.2f	2.1.1.19		
N	E	E.i	i11	E.i.3.2f	E.i.3.2f	Other Medically Important Condition	
N	E	E.i	i11	E.i.3.2f			
N	E	E.i	i11	E.i.3.2f			
N	E	E.i	i11	E.i.7			
N	E	E.i	i11	E.i.7	2.1.1.19		
N	E	E.i	i11	E.i.7	E.i.7	Outcome of Reaction / Event at the Time of Last Observation	2.1.1.11
N	E	E.i	i11	E.i.7			
N	E	E.i	i11	E.i.7			
N	E	E.i	i11	E.i.8			
N	E	E.i	i11	E.i.8	2.1.1.19		
N	E	E.i	i11	E.i.8			

</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="37" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="termHighlightedByReporter"/>
<value xsi:type="CE" code="E.i.3.1" codeSystem="2.16.840.1.113883.3.989.2.1.1.10" codeSystemVersion="1.0"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="34" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="resultsInDeath"/>
<value xsi:type="BL" value="true"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="21" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="isLifeThreatening"/>
<value xsi:type="BL" nullFlavor="NI"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="33" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="requiresInpatientHospitalization"/>
<value xsi:type="BL" value="true"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="35" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="resultsInPersistentOrSignificantDisability"/>
<value xsi:type="BL" nullFlavor="NI"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="12" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="congenitalAnomalyBirthDefect"/>
<value xsi:type="BL" nullFlavor="NI"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="26" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="otherMedicallyImportantCondition"/>
<value xsi:type="BL" value="true"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="27" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="outcome"/>
<value xsi:type="CE" code="E.i.7" codeSystem="2.16.840.1.113883.3.989.2.1.1.11" codeSystemVersion="1.0"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="24" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="medicalConfirmationByHealthProfessional"/>

N	E	E.i	i11	E.i.8	E.i.8	Medical Confirmation by Healthcare Professional							<value xsi:type="BL" value="true"/>
N	E	E.i	i11	E.i.8									</observation>
N	E	E.i	i11	E.i.8									</outboundRelationship2>
N	E	E.i	i11										</observation>
N	E	E.i	i11										</subjectOf2>
N	E	E.i	i12										<subjectOf2 typeCode="SBJ">
N	E	E.i	i12										<observation classCode="OBS" moodCode="EVN">
N	E	E.i	i12							Event ID			<id root="e0342969-38bc-423f-b6bb-ce14bc279d8e"/>
N	E	E.i	i12							2.1.1.19			<code code="29" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reaction"/>
N	E	E.i	i12	E.i.6	E.i.6a	Duration of Reaction / Event (number)	E.i.6b	Duration of Reaction / Event (unit)					<effectiveTime xsi:type="IVL_TS">
N	E	E.i	i12	E.i.6	E.i.6a	Duration of Reaction / Event (number)	E.i.6b	Duration of Reaction / Event (unit)					<width value="24" unit="E.i.6b"/>
N	E	E.i	i12	E.i.6	E.i.6a	Duration of Reaction / Event (number)	E.i.6b	Duration of Reaction / Event (unit)					</effectiveTime>
N	E	E.i	i12	E.i.2.1	E.i.2.1a	MedDRA Version for Reaction / Event	E.i.2.1b	Reaction / Event (MedDRA code)	2.16.840.1.13883.6.163				<value xsi:type="CE" code="E.i.2.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="E.i.2.1a">
N	E	E.i	i12	E.i.1.1	E.i.1.1a	Reaction / Event as Reported by the Primary Source in Native	E.i.1.1b	Reaction / Event as Reported by the Primary Source Language					<originalText language="E.i.1.1b">E.i.1.1a</originalText>
N	E	E.i	i12										</value>
N	E	E.i	i12	E.i.9									<location typeCode="LOC">
N	E	E.i	i12	E.i.9									<locatedEntity classCode="LOCE">
N	E	E.i	i12	E.i.9									<locatedPlace classCode="COUNTRY" determinerCode="INSTANCE">
N	E	E.i	i12	E.i.9	E.i.9	Identification of the Country Where the Reaction / Event Occurred			1.0.3166.1.2.2				<code code="E.i.9" codeSystem="1.0.3166.1.2.2"/>
N	E	E.i	i12	E.i.9	E.i.9	Identification of the Country Where the Reaction / Event Occurred							</locatedPlace>
N	E	E.i	i12	E.i.9	E.i.9	Identification of the Country Where the Reaction / Event Occurred							</locatedEntity>
N	E	E.i	i12	E.i.9	E.i.9	Identification of the Country Where the Reaction / Event Occurred							</location>
N	E	E.i	i12	E.i.1.2									<outboundRelationship2 typeCode="PERT">
N	E	E.i	i12	E.i.1.2									<observation classCode="OBS" moodCode="EVN">
N	E	E.i	i12	E.i.1.2						2.1.1.19			<code code="30" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="reactionForTranslation"/>
N	E	E.i	i12	E.i.1.2	E.i.1.2	Reaction / Event as Reported by the Primary Source for							<value xsi:type="ED">E.i.1.2</value>
N	E	E.i	i12	E.i.1.2	E.i.1.2	Reaction / Event as Reported by the Primary Source for							</observation>
N	E	E.i	i12	E.i.1.2	E.i.1.2	Reaction / Event as Reported by the Primary Source for							</outboundRelationship2>
N	E	E.i	i12	E.i.3.1									<outboundRelationship2 typeCode="PERT">
N	E	E.i	i12	E.i.3.1									<observation classCode="OBS" moodCode="EVN">
N	E	E.i	i12	E.i.3.1						2.1.1.19			<code code="37" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="termHighlightedByReporter"/>
N	E	E.i	i12	E.i.3.1	E.i.3.1	Term Highlighted by the Reporter				2.1.1.10			<value xsi:type="CE" code="E.i.3.1" codeSystem="2.16.840.1.113883.3.989.2.1.1.10" codeSystemVersion="1.0"/>
N	E	E.i	i12	E.i.3.1	E.i.3.1	Term Highlighted by the Reporter							</observation>
N	E	E.i	i12	E.i.3.1	E.i.3.1	Term Highlighted by the Reporter							</outboundRelationship2>
N	E	E.i	i12	E.i.3.2a									<outboundRelationship2 typeCode="PERT">
N	E	E.i	i12	E.i.3.2a									<observation classCode="OBS" moodCode="EVN">
N	E	E.i	i12	E.i.3.2a	E.i.3.2a	Results in Death				2.1.1.19			<code code="34" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="resultsInDeath"/>
N	E	E.i	i12	E.i.3.2a	E.i.3.2a	Results in Death							<value xsi:type="BL" value="true"/>
N	E	E.i	i12	E.i.3.2a	E.i.3.2a	Results in Death							</observation>
N	E	E.i	i12	E.i.3.2a	E.i.3.2a	Results in Death							</outboundRelationship2>
N	E	E.i	i12	E.i.3.2b									<outboundRelationship2 typeCode="PERT">
N	E	E.i	i12	E.i.3.2b									<observation classCode="OBS" moodCode="EVN">
N	E	E.i	i12	E.i.3.2b	E.i.3.2b	Life Threatening				2.1.1.19			<code code="21" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="isLifeThreatening"/>
N	E	E.i	i12	E.i.3.2b	E.i.3.2b	Life Threatening							<value xsi:type="BL" nullFlavor="NI"/>
N	E	E.i	i12	E.i.3.2b	E.i.3.2b	Life Threatening							</observation>
N	E	E.i	i12	E.i.3.2b	E.i.3.2b	Life Threatening							</outboundRelationship2>
N	E	E.i	i12	E.i.3.2c									<outboundRelationship2 typeCode="PERT">
N	E	E.i	i12	E.i.3.2c									<observation classCode="OBS" moodCode="EVN">
N	E	E.i	i12	E.i.3.2c						2.1.1.19			<code code="33" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="requiresInpatientHospitalization"/>



N	E	E.i	i12	E.i.3.2c	E.i.3.2c	Caused / Prolonged Hospitalisation		
N	E	E.i	i12	E.i.3.2c	E.i.3.2c			
N	E	E.i	i12	E.i.3.2d	E.i.3.2d			
N	E	E.i	i12	E.i.3.2d	E.i.3.2d			
N	E	E.i	i12	E.i.3.2d	E.i.3.2d	Disabling / Incapacitating	2.1.1.19	
N	E	E.i	i12	E.i.3.2d	E.i.3.2d			
N	E	E.i	i12	E.i.3.2d	E.i.3.2d			
N	E	E.i	i12	E.i.3.2e	E.i.3.2e	Congenital Anomaly / Birth Defect	2.1.1.19	
N	E	E.i	i12	E.i.3.2e	E.i.3.2e			
N	E	E.i	i12	E.i.3.2e	E.i.3.2e			
N	E	E.i	i12	E.i.3.2f	E.i.3.2f	Other Medically Important Condition	2.1.1.19	
N	E	E.i	i12	E.i.3.2f	E.i.3.2f			
N	E	E.i	i12	E.i.3.2f	E.i.3.2f			
N	E	E.i	i12	E.i.7	E.i.7	Outcome of Reaction / Event at the Time of Last Observation	2.1.1.19	
N	E	E.i	i12	E.i.7	E.i.7			
N	E	E.i	i12	E.i.7	E.i.7			
N	E	E.i	i12	E.i.8	E.i.8	Medical Confirmation by Healthcare Professional	2.1.1.19	
N	E	E.i	i12	E.i.8	E.i.8			
N	E	E.i	i12	E.i.8	E.i.8			
N	E	E.i	i12	E.i.8	E.i.8			

```

<value xsi:type="BL" value="true"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
  <observation classCode="OBS" moodCode="EVN">
    <code code="35" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="resultsInPersistentOrSignificantDisability"/>
    <value xsi:type="BL" nullFlavor="NI"/>
  </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
  <observation classCode="OBS" moodCode="EVN">
    <code code="12" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="congenitalAnomalyBirthDefect"/>
    <value xsi:type="BL" nullFlavor="NI"/>
  </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
  <observation classCode="OBS" moodCode="EVN">
    <code code="26" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="otherMedicallyImportantCondition"/>
    <value xsi:type="BL" value="true"/>
  </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
  <observation classCode="OBS" moodCode="EVN">
    <code code="27" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="outcome"/>
    <value xsi:type="CE" code="E.i.7" codeSystem="2.16.840.1.113883.3.989.2.1.1.11" codeSystemVersion="1.0"/>
  </observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="PERT">
  <observation classCode="OBS" moodCode="EVN">
    <code code="24" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="medicalConfirmationByHealthProfessional"/>
    <value xsi:type="BL" value="true"/>
  </observation>
</outboundRelationship2>
</outboundRelationship2>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
  <organizer classCode="CATEGORY" moodCode="EVN">
    <code code="3" codeSystem="2.16.840.1.113883.3.989.2.1.1.20" codeSystemVersion="1.0" displayName="testsAndProceduresRelevantToTheInvestigation"/>
    <component typeCode="COMP">
      <observation classCode="OBS" moodCode="EVN">
        <code code="F.r.2.2b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="F.r.2.2a">
          <originalText>F.r.2.1</originalText>
        </code>
        <effectiveTime value="20090101"/>
        <value xsi:type="IVL_PQ">
          <center value="10" unit="mg/dl"/>
        </value>
        <interpretationCode code="F.r.3.1" codeSystem="2.16.840.1.113883.3.989.2.1.1.12" codeSystemVersion="1.0"/>
        <referenceRange typeCode="REFV">
          <observationRange classCode="OBS" moodCode="EVN.CRT">

```

F								2.1.1.20
F	F.r	R1						
F	F.r	R1						
F	F.r	R1	F.r.2.1.2	F.r.2.2a	MedDRA Version for Test Name	F.r.2.2b	Test Name (MedDRA code)	2.16.840.1.13883.6.163
F	F.r	R1	F.r.2.1.2	F.r.2.1	Test Name (free text)			
F	F.r	R1	F.r.2.1.2					
F	F.r	R1	F.r.1	F.r.1	Test Date			
F	F.r	R1	F.r.3.2.3					
F	F.r	R1	F.r.3.2.3	F.r.3.2	Test Result (value / qualifier)	F.r.3.3	Test Result (unit)	
F	F.r	R1	F.r.3.2.3					
F	F.r	R1	F.r.3.1	F.r.3.1	Test Result (code)			2.1.1.12
F	F.r	R1	F.r.4					
F	F.r	R1	F.r.4					

F	F.r	R1	F.r.4	F.r.4	Normal Low Value				2.16.840.1.113883.5.83
F	F.r	R1	F.r.4						
F	F.r	R1	F.r.4						
F	F.r	R1	F.r.4						
F	F.r	R1	F.r.5						
F	F.r	R1	F.r.5	F.r.5	Normal High Value				2.16.840.1.113883.5.83
F	F.r	R1	F.r.5						
F	F.r	R1	F.r.5						
F	F.r	R1	F.r.6						
F	F.r	R1	F.r.6						
F	F.r	R1	F.r.6	F.r.6	Comments (free text)				2.1.1.19
F	F.r	R1	F.r.6						
F	F.r	R1	F.r.6						
F	F.r	R1	F.r.7						
F	F.r	R1	F.r.7						
F	F.r	R1	F.r.7	F.r.7	More Information Available				2.1.1.19
F	F.r	R1	F.r.7						
F	F.r	R1	F.r.7						
F	F.r	R1	F.r.7						
F	F.r	R1	F.r.7						
F	F.r	R2							
F	F.r	R2							
F	F.r	R2	F.r.2.1.2	F.r.2.2a	MedDRA Version for Test Name	F.r.2.2b	Test Name (MedDRA code)		2.16.840.1.113883.6.163
F	F.r	R2	F.r.2.1.2	F.r.2.1	Test Name (free text)				
F	F.r	R2	F.r.2.1.2						
F	F.r	R2	F.r.1	F.r.1	Test Date				
F	F.r	R2	F.r.3.2.3						
F	F.r	R2	F.r.3.2.3						
F	F.r	R2	F.r.3.2.3	F.r.3.2	Test Result (value / qualifier)				LT 10 mg/dl
F	F.r	R2	F.r.3.2.3						
F	F.r	R2	F.r.3.2.3						
F	F.r	R3							
F	F.r	R3							
F	F.r	R3	F.r.2.1.2	F.r.2.2a	MedDRA Version for Test Name	F.r.2.2b	Test Name (MedDRA code)		2.16.840.1.113883.6.163
F	F.r	R3	F.r.2.1.2	F.r.2.1	Test Name (free text)				
F	F.r	R3	F.r.2.1.2						
F	F.r	R3	F.r.1	F.r.1	Test Date				
F	F.r	R3	F.r.3.2.3						
F	F.r	R3	F.r.3.2.3						
F	F.r	R3	F.r.3.2.3	F.r.3.2	Test Result (value / qualifier)				LE 10 mg/dl
F	F.r	R3	F.r.3.2.3						
F	F.r	R3	F.r.3.2.3						
F	F.r	R4							
F	F.r	R4							
F	F.r	R4	F.r.2.1.2	F.r.2.2a	MedDRA Version for Test Name	F.r.2.2b	Test Name (MedDRA code)		2.16.840.1.113883.6.163
F	F.r	R4	F.r.2.1.2	F.r.2.1	Test Name (free text)				
F	F.r	R4	F.r.2.1.2						
F	F.r	R4	F.r.1	F.r.1	Test Date				

```
<value xsi:type="PQ" value="40" unit="mg/dl"/>
<interpretationCode code="L" codeSystem="2.16.840.1.113883.5.83"/>
</observationRange>
</referenceRange>
<referenceRange typeCode="REFV">
<observationRange classCode="OBS" moodCode="EVN.CRT">
<value xsi:type="PQ" value="110" unit="mg/dl"/>
<interpretationCode code="H" codeSystem="2.16.840.1.113883.5.83"/>
</observationRange>
</referenceRange>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="10" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="comment"/>
<value xsi:type="ED">F.r.6</value>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="REFR">
<observation classCode="OBS" moodCode="EVN">
<code code="25" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="moreInformationAvailable"/>
<value xsi:type="BL" value="true"/>
</observation>
</outboundRelationship2>
</observation>
</component>
<component typeCode="COMP">
<observation classCode="OBS" moodCode="EVN">
<code code="F.r.2.2b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="F.r.2.2a">
<originalText>F.r.2.1</originalText>
</code>
<effectiveTime value="20090101"/>
<value xsi:type="IVL_PQ">
<low nullFlavor="NINF"/>
<high value="10" unit="mg/dl" inclusive="false"/>
</value>
</observation>
</component>
<component typeCode="COMP">
<observation classCode="OBS" moodCode="EVN">
<code code="F.r.2.2b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="F.r.2.2a">
<originalText>F.r.2.1</originalText>
</code>
<effectiveTime value="20090101"/>
<value xsi:type="IVL_PQ">
<low nullFlavor="NINF"/>
<high value="10" unit="mg/dl" inclusive="true"/>
</value>
</observation>
</component>
<component typeCode="COMP">
<observation classCode="OBS" moodCode="EVN">
<code code="F.r.2.2b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="F.r.2.2a">
<originalText>F.r.2.1</originalText>
</code>
<effectiveTime value="20090101"/>
```

F	F.r	R4	F.r.3.2, 3								
F	F.r	R4	F.r.3.2, 3								
F	F.r	R4	F.r.3.2, 3	F.r.3.2	Test Result (value / qualifier)					GT 10 mg/dl	
F	F.r	R4	F.r.3.2, 3								
F	F.r	R4									
F	F.r	R5									
F	F.r	R5									
F	F.r	R5	F.r.2.1, 2	F.r.2.2a	MedDRA Version for Test Name	F.r.2.2b	Test Name (MedDRA code)			2.16.840.1.1 13883.6.163	
F	F.r	R5	F.r.2.1, 2	F.r.2.1	Test Name (free text)						
F	F.r	R5	F.r.2.1, 2								
F	F.r	R5	F.r.1	F.r.1	Test Date						
F	F.r	R5	F.r.3.2, 3								
F	F.r	R5	F.r.3.2, 3								
F	F.r	R5	F.r.3.2, 3	F.r.3.2	Test Result (value / qualifier)					GE 10 mg/dl	
F	F.r	R5	F.r.3.2, 3								
F	F.r	R5									
F	F.r	R6									
F	F.r	R6									
F	F.r	R6	F.r.2.1, 2	F.r.2.2a	MedDRA Version for Test Name	F.r.2.2b	Test Name (MedDRA code)			2.16.840.1.1 13883.6.163	
F	F.r	R6	F.r.2.1, 2	F.r.2.1	Test Name (free text)						
F	F.r	R6	F.r.2.1, 2								
F	F.r	R6	F.r.1	F.r.1	Test Date						
F	F.r	R6	F.r.3.4	F.r.3.4	Result Unstructured Data (free text)						
F	F.r	R6									
F	F.r	R6									

F  
F  
G  
G  
G  
G

G	G.k	k1									
G	G.k	k1									
G	G.k	k1								Drug ID	
G	G.k	k1									
G	G.k	k1									
G	G.k	k1	G.k.2.1.1	G.k.2.1.1a	MPID Version Date / Number	G.k.2.1.1b	Medicinal Product Identifier (MPID)			TBD-MPID	
G	G.k	k1	G.k.2.2	G.k.2.2	Medicinal Product Name as Reported by the Primary Source						
G	G.k	k1									
G	G.k	k1									
G	G.k	k1	G.k.3.1	G.k.3.1	Authorization / Application					2.1.3.4	
G	G.k	k1	G.k.3.3								
G	G.k	k1	G.k.3.3								
G	G.k	k1	G.k.3.3	G.k.3.3	Name of Holder / Applicant						
G	G.k	k1	G.k.3.3								
G	G.k	k1	G.k.3.3								
G	G.k	k1	G.k.3.3								
G	G.k	k1	G.k.3.2								

```

<value xsi:type="IVL_PQ">
<low value="10" unit="mg/dl" inclusive="false"/>
<high nullFlavor="PINF"/>
</value>
</observation>
</component>
<component typeCode="COMP">
<observation classCode="OBS" moodCode="EVN">
<code code="F.r.2.2b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="F.r.2.2a">
<originalText>F.r.2.1</originalText>
</code>
<effectiveTime value="20090101"/>
<value xsi:type="IVL_PQ">
<low value="10" unit="mg/dl" inclusive="true"/>
<high nullFlavor="PINF"/>
</value>
</observation>
</component>
<component typeCode="COMP">
<observation classCode="OBS" moodCode="EVN">
<code code="F.r.2.2b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="F.r.2.2a">
<originalText>F.r.2.1</originalText>
</code>
<effectiveTime value="20090101"/>
<value xsi:type="ED">F.r.3.4</value>
</observation>
</component>
</organizer>
</subjectOf2>
<subjectOf2 typeCode="SBJ">
<organizer classCode="CATEGORY" moodCode="EVN">
<code code="4" codeSystem="2.16.840.1.113883.3.989.2.1.1.20" codeSystemVersion="1.0" displayName="drugInformation"/>
<component typeCode="COMP">
<substanceAdministration classCode="SBADM" moodCode="EVN">
<id root="3c91b4d5-e039-4a7a-9c30-67671b0ef9e4"/>
<consumable typeCode="CSM">
<instanceOfKind classCode="INST">
<kindOfProduct classCode="MMAT" determinerCode="KIND">
<code code="G.k.2.1.1b" codeSystem="TBD-MPID" codeSystemVersion="G.k.2.1.1a"/>
<name>G.k.2.2</name>
<asManufacturedProduct classCode="MANU">
<subjectOf typeCode="SBJ">
<approval classCode="CNTRCT" moodCode="EVN">
<id extension="G.k.3.1" root="2.16.840.1.113883.3.989.2.1.3.4"/>
<holder typeCode="HLD">
<role classCode="HLD">
<playingOrganization classCode="ORG" determinerCode="INSTANCE">
<name>G.k.3.3</name>
</playingOrganization>
</role>
</holder>
<author typeCode="AUT">

```

G	G.k	k1	G.k.3.2							
G	G.k	k1	G.k.3.2							
G	G.k	k1	G.k.3.2	G.k.3.2	Country of Authorization / Application		1.0.3166.1.2.2			
G	G.k	k1	G.k.3.2							
G	G.k	k1	G.k.3.2							
G	G.k	k1	G.k.3.2							
G	G.k	k1	G.k.2.3.r R1							
G	G.k	k1	G.k.2.3.r R1	G.k.2.3.r.3						
G	G.k	k1	G.k.2.3.r R1	G.k.2.3.r.3	G.k.2.3.r.3a Strength (number)	G.k.2.3.r.3b Strength (unit)				
G	G.k	k1	G.k.2.3.r R1	G.k.2.3.r.3						
G	G.k	k1	G.k.2.3.r R1	G.k.2.3.r.3						
G	G.k	k1	G.k.2.3.r R1	G.k.2.3.r.1, 2	Substance/Specified SubstanceTermIDVersionDate/Number	G.k.2.3.r.2 Substance / Specified Substance TermID			TBD-Substance	
G	G.k	k1	G.k.2.3.r R1	G.k.2.3.r.1, 2	G.k.2.3.r.1 Specified Substance Name					
G	G.k	k1	G.k.2.3.r R1	G.k.2.3.r.1, 2						
G	G.k	k1	G.k.2.3.r R2							
G	G.k	k1	G.k.2.3.r R2	G.k.2.3.r.3						
G	G.k	k1	G.k.2.3.r R2	G.k.2.3.r.3	G.k.2.3.r.3a Strength (number)	G.k.2.3.r.3b Strength (unit)				
G	G.k	k1	G.k.2.3.r R2	G.k.2.3.r.3						
G	G.k	k1	G.k.2.3.r R2	G.k.2.3.r.3						
G	G.k	k1	G.k.2.3.r R2	G.k.2.3.r.1, 2	Substance/Specified SubstanceTermIDVersionDate/Number	G.k.2.3.r.2 Substance / Specified Substance TermID			TBD-Substance	
G	G.k	k1	G.k.2.3.r R2	G.k.2.3.r.1, 2	G.k.2.3.r.1 Specified Substance Name					
G	G.k	k1	G.k.2.3.r R2	G.k.2.3.r.1, 2						
G	G.k	k1	G.k.2.3.r R2							
G	G.k	k1								
G	G.k	k1	G.k.2.4							
G	G.k	k1	G.k.2.4							
G	G.k	k1	G.k.2.4				2.1.1.18			
G	G.k	k1	G.k.2.4							
G	G.k	k1	G.k.2.4							
G	G.k	k1	G.k.2.4							
G	G.k	k1	G.k.2.4	G.k.2.4	Identification of the Country Where the Drug Was Obtained					
G	G.k	k1	G.k.2.4							
G	G.k	k1	G.k.2.4							
G	G.k	k1	G.k.2.4							
G	G.k	k1	G.k.2.4							
G	G.k	k1	G.k.2.4							
G	G.k	k1	G.k.2.4							
G	G.k	k1	G.k.9.i il G.k.9.i.3.1							
G	G.k	k1	G.k.9.i il	G.k.9.i.3.1	G.k.9.i.3.1a Time Interval between Beginning of Drug Administration and Start of Reaction / Event (number)	G.k.9.i.3.1b Time Interval between Beginning of Drug Administration and Start of Reaction / Event (unit)				

```

</territorialAuthority classCode="TERR">
</territory classCode="NAT" determinerCode="INSTANCE">
<code code="G.k.3.2" codeSystem="1.0.3166.1.2.2"/>
</territory>
</territorialAuthority>
</author>
</approval>
</subjectOf>
</asManufacturedProduct>
<ingredient classCode="ACTI">
<quantity>
<numerator value="10" unit="G.k.2.3.r.3b"/>
<denominator value="1"/>
</quantity>
<ingredientSubstance classCode="MMAT" determinerCode="KIND">
<code code="G.k.2.3.r.2b" codeSystem="TBD-Substance" codeSystemVersion="G.k.2.3.r.2a"/>
<name>G.k.2.3.r.1</name>
</ingredientSubstance>
</ingredient>
<ingredient classCode="ACTI">
<quantity>
<numerator value="10" unit="G.k.2.3.r.3b"/>
<denominator value="1"/>
</quantity>
<ingredientSubstance classCode="MMAT" determinerCode="KIND">
<code code="G.k.2.3.r.2b" codeSystem="TBD-Substance" codeSystemVersion="G.k.2.3.r.2a"/>
<name>G.k.2.3.r.1</name>
</ingredientSubstance>
</ingredient>
</kindOfProduct>
<subjectOf typeCode="SBJ">
<productEvent classCode="ACT" moodCode="EVN">
<code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.18" codeSystemVersion="1.0" displayName="retailSupply"/>
<performer typeCode="PRF">
<assignedEntity classCode="ASSIGNED">
<representedOrganization classCode="ORG" determinerCode="INSTANCE">
<addr>
<country>G.k.2.4</country>
</addr>
</representedOrganization>
</assignedEntity>
</performer>
</productEvent>
</subjectOf>
</instanceOfKind>
</consumable>
<outboundRelationship1 typeCode="SAS">
<pauseQuantity value="10" unit="G.k.9.i.3.1b"/>

```

G	Gk	k1	G.k.9.i i1	G.k.9.i.3.1						
G	Gk	k1	G.k.9.i i1	G.k.9.i.3.1				Event ID		
G	Gk	k1	G.k.9.i i1	G.k.9.i.3.1						
G	Gk	k1	G.k.9.i i1	G.k.9.i.3.2						
G	Gk	k1	G.k.9.i i1	G.k.9.i.3.2	G.k.9.i.3.2a	Time Interval between Last Dose of Drug and Start of Reaction / Event (number)	G.k.9.i.3.2b	Time Interval between Last Dose of Drug and Start of Reaction / Event (unit)		
G	Gk	k1	G.k.9.i i1	G.k.9.i.3.2						
G	Gk	k1	G.k.9.i i1	G.k.9.i.3.2				Event ID		
G	Gk	k1	G.k.9.i i1	G.k.9.i.3.2						
G	Gk	k1	G.k.9.i i1	G.k.9.i.3.2						
G	Gk	k1	G.k.9.i i2	G.k.9.i.3.1						
G	Gk	k1	G.k.9.i i2	G.k.9.i.3.1	G.k.9.i.3.1a	Time Interval between Beginning of Drug Administration and Start of Reaction / Event (number)	G.k.9.i.3.1b	Time Interval between Beginning of Drug Administration and Start of Reaction / Event (unit)		
G	Gk	k1	G.k.9.i i2	G.k.9.i.3.1						
G	Gk	k1	G.k.9.i i2	G.k.9.i.3.1				Event ID		
G	Gk	k1	G.k.9.i i2	G.k.9.i.3.1						
G	Gk	k1	G.k.9.i i2	G.k.9.i.3.2						
G	Gk	k1	G.k.9.i i2	G.k.9.i.3.2	G.k.9.i.3.2a	Time Interval between Last Dose of Drug and Start of Reaction / Event (number)	G.k.9.i.3.2b	Time Interval between Last Dose of Drug and Start of Reaction / Event (unit)		
G	Gk	k1	G.k.9.i i2	G.k.9.i.3.2						
N	G	Gk	G.k.9.i i2	G.k.9.i.3.2				Event ID		
N	G	Gk	G.k.9.i i2	G.k.9.i.3.2						
N	G	Gk	G.k.9.i i2	G.k.9.i.3.2						
N	G	Gk	G.k.9.i i2	G.k.9.i.3.2						
N	G	Gk	G.k.9.i i3	G.k.9.i.3.1						
N	G	Gk	G.k.9.i i3	G.k.9.i.3.1	G.k.9.i.3.1a	Time Interval between Beginning of Drug Administration and Start of Reaction / Event (number)	G.k.9.i.3.1b	Time Interval between Beginning of Drug Administration and Start of Reaction / Event (unit)		
N	G	Gk	G.k.9.i i3	G.k.9.i.3.1						
N	G	Gk	G.k.9.i i3	G.k.9.i.3.1				Event ID		
N	G	Gk	G.k.9.i i3	G.k.9.i.3.1						
N	G	Gk	G.k.9.i i3	G.k.9.i.3.2						
N	G	Gk	G.k.9.i i3	G.k.9.i.3.2	G.k.9.i.3.2a	Time Interval between Last Dose of Drug and Start of Reaction / Event (number)	G.k.9.i.3.2b	Time Interval between Last Dose of Drug and Start of Reaction / Event (unit)		
N	G	Gk	G.k.9.i i3	G.k.9.i.3.2						
N	G	Gk	G.k.9.i i3	G.k.9.i.3.2				Event ID		
N	G	Gk	G.k.9.i i3	G.k.9.i.3.2						
N	G	Gk	G.k.9.i i3	G.k.9.i.3.2						
N	G	Gk	G.k.9.i i4	G.k.9.i.3.1						
N	G	Gk	G.k.9.i i4	G.k.9.i.3.1	G.k.9.i.3.1a	Time Interval between Beginning of Drug Administration and Start of Reaction / Event (number)	G.k.9.i.3.1b	Time Interval between Beginning of Drug Administration and Start of Reaction / Event (unit)		
N	G	Gk	G.k.9.i i4	G.k.9.i.3.1						
N	G	Gk	G.k.9.i i4	G.k.9.i.3.1				Event ID		
N	G	Gk	G.k.9.i i4	G.k.9.i.3.1						
N	G	Gk	G.k.9.i i4	G.k.9.i.3.1						
N	G	Gk	G.k.9.i i4	G.k.9.i.3.2						

<actReference classCode="OBS" moodCode="EVN">
<id root="154eb889-958b-45f2-a02f-42d4d6f4657f"/>
</actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAE">
<pauseQuantity value="10" unit="G.k.9.i.3.2b"/>
</actReference classCode="OBS" moodCode="EVN">
<id root="154eb889-958b-45f2-a02f-42d4d6f4657f"/>
</actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAS">
<pauseQuantity value="10" unit="G.k.9.i.3.1b"/>
</actReference classCode="OBS" moodCode="EVN">
<id root="2baa28d6-c9e8-4e6c-93e9-5b860b314220"/>
</actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAE">
<pauseQuantity value="10" unit="G.k.9.i.3.2b"/>
</actReference classCode="OBS" moodCode="EVN">
<id root="2baa28d6-c9e8-4e6c-93e9-5b860b314220"/>
</actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAS">
<pauseQuantity value="10" unit="G.k.9.i.3.1b"/>
</actReference classCode="OBS" moodCode="EVN">
<id root="3a8626cb-9f1b-4ea8-8a0f-e0ff34430adf"/>
</actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAE">
<pauseQuantity value="10" unit="G.k.9.i.3.2b"/>
</actReference classCode="OBS" moodCode="EVN">
<id root="3a8626cb-9f1b-4ea8-8a0f-e0ff34430adf"/>
</actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAS">
<pauseQuantity value="10" unit="G.k.9.i.3.1b"/>
</actReference classCode="OBS" moodCode="EVN">
<id root="2e99840f-08b4-499c-80ff-dd8415f4f8a5"/>
</actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAE">

N	G	Gk	k1	G.k.9.i	i4	G.k.9.i.3.2	G.k.9.i.3.2a	Time Interval between Last Dose of Drug and Start of Reaction / Event (number)	G.k.9.i.3.2b	Time Interval between Last Dose of Drug and Start of Reaction / Event (unit)	
N	G	Gk	k1	G.k.9.i	i4	G.k.9.i.3.2					Event ID
N	G	Gk	k1	G.k.9.i	i4	G.k.9.i.3.2					
N	G	Gk	k1	G.k.9.i	i4	G.k.9.i.3.2					
N	G	Gk	k1	G.k.9.i	i5	G.k.9.i.3.1					
N	G	Gk	k1	G.k.9.i	i5	G.k.9.i.3.1	G.k.9.i.3.1a	Time Interval between Beginning of Drug Administration and Start of Reaction / Event (number)	G.k.9.i.3.1b	Time Interval between Beginning of Drug Administration and Start of Reaction / Event (unit)	
N	G	Gk	k1	G.k.9.i	i5	G.k.9.i.3.1					Event ID
N	G	Gk	k1	G.k.9.i	i5	G.k.9.i.3.1					
N	G	Gk	k1	G.k.9.i	i5	G.k.9.i.3.1					
N	G	Gk	k1	G.k.9.i	i5	G.k.9.i.3.2					
N	G	Gk	k1	G.k.9.i	i5	G.k.9.i.3.2	G.k.9.i.3.2a	Time Interval between Last Dose of Drug and Start of Reaction / Event (number)	G.k.9.i.3.2b	Time Interval between Last Dose of Drug and Start of Reaction / Event (unit)	
N	G	Gk	k1	G.k.9.i	i5	G.k.9.i.3.2					Event ID
N	G	Gk	k1	G.k.9.i	i5	G.k.9.i.3.2					
N	G	Gk	k1	G.k.9.i	i5	G.k.9.i.3.2					
N	G	Gk	k1	G.k.9.i	i6	G.k.9.i.3.1					
N	G	Gk	k1	G.k.9.i	i6	G.k.9.i.3.1	G.k.9.i.3.1a	Time Interval between Beginning of Drug Administration and Start of Reaction / Event (number)	G.k.9.i.3.1b	Time Interval between Beginning of Drug Administration and Start of Reaction / Event (unit)	
N	G	Gk	k1	G.k.9.i	i6	G.k.9.i.3.1					Event ID
N	G	Gk	k1	G.k.9.i	i6	G.k.9.i.3.1					
N	G	Gk	k1	G.k.9.i	i6	G.k.9.i.3.1					
N	G	Gk	k1	G.k.9.i	i6	G.k.9.i.3.2					
N	G	Gk	k1	G.k.9.i	i6	G.k.9.i.3.2	G.k.9.i.3.2a	Time Interval between Last Dose of Drug and Start of Reaction / Event (number)	G.k.9.i.3.2b	Time Interval between Last Dose of Drug and Start of Reaction / Event (unit)	
N	G	Gk	k1	G.k.9.i	i6	G.k.9.i.3.2					Event ID
N	G	Gk	k1	G.k.9.i	i6	G.k.9.i.3.2					
N	G	Gk	k1	G.k.9.i	i6	G.k.9.i.3.2					
N	G	Gk	k1	G.k.9.i	i7	G.k.9.i.3.1					
N	G	Gk	k1	G.k.9.i	i7	G.k.9.i.3.1	G.k.9.i.3.1a	Time Interval between Beginning of Drug Administration and Start of Reaction / Event (number)	G.k.9.i.3.1b	Time Interval between Beginning of Drug Administration and Start of Reaction / Event (unit)	
N	G	Gk	k1	G.k.9.i	i7	G.k.9.i.3.1					Event ID
N	G	Gk	k1	G.k.9.i	i7	G.k.9.i.3.1					
N	G	Gk	k1	G.k.9.i	i7	G.k.9.i.3.1					
N	G	Gk	k1	G.k.9.i	i7	G.k.9.i.3.2					
N	G	Gk	k1	G.k.9.i	i7	G.k.9.i.3.2	G.k.9.i.3.2a	Time Interval between Last Dose of Drug and Start of Reaction / Event (number)	G.k.9.i.3.2b	Time Interval between Last Dose of Drug and Start of Reaction / Event (unit)	
G	Gk	k1		G.k.9.i	i7	G.k.9.i.3.2					
G	Gk	k1		G.k.9.i	i7	G.k.9.i.3.2					Event ID
G	Gk	k1		G.k.9.i	i7	G.k.9.i.3.2					

```

<pauseQuantity value="10" unit="G.k.9.i.3.2b"/>
<actReference classCode="OBS" moodCode="EVN">
<id root="2e99840f-08b4-499c-80ff-dd8415f4f8a5"/>
</actReference>
</outboundRelationship1>
</outboundRelationship1 typeCode="SAS">
<pauseQuantity value="10" unit="G.k.9.i.3.1b"/>
<actReference classCode="OBS" moodCode="EVN">
<id root="1071064c-cf10-4a3b-83c1-34f9ddb7ea6d"/>
</actReference>
</outboundRelationship1>
</outboundRelationship1 typeCode="SAE">
<pauseQuantity value="10" unit="G.k.9.i.3.2b"/>
<actReference classCode="OBS" moodCode="EVN">
<id root="1071064c-cf10-4a3b-83c1-34f9ddb7ea6d"/>
</actReference>
</outboundRelationship1>
</outboundRelationship1 typeCode="SAS">
<pauseQuantity value="10" unit="G.k.9.i.3.1b"/>
<actReference classCode="OBS" moodCode="EVN">
<id root="1f927283-10b6-4334-9d43-e925640fb18f"/>
</actReference>
</outboundRelationship1>
</outboundRelationship1 typeCode="SAE">
<pauseQuantity value="10" unit="G.k.9.i.3.2b"/>
<actReference classCode="OBS" moodCode="EVN">
<id root="1f927283-10b6-4334-9d43-e925640fb18f"/>
</actReference>
</outboundRelationship1>
</outboundRelationship1 typeCode="SAS">
<pauseQuantity value="10" unit="G.k.9.i.3.1b"/>
<actReference classCode="OBS" moodCode="EVN">
<id root="e0342969-38be-423f-b6bb-ce14bc279d8e"/>
</actReference>
</outboundRelationship1>
</outboundRelationship1 typeCode="SAE">
<pauseQuantity value="10" unit="G.k.9.i.3.2b"/>
<actReference classCode="OBS" moodCode="EVN">
<id root="e0342969-38be-423f-b6bb-ce14bc279d8e"/>
</actReference>

```

G	G.k	k1	G.k.9.i	i7	G.k.9.i.3.2														
G	G.k	k1			G.k.2.5														
G	G.k	k1			G.k.2.5														
G	G.k	k1			G.k.2.5		2.1.1.19												
G	G.k	k1			G.k.2.5	G.k.2.5		Investigational Product Blinded											
G	G.k	k1			G.k.2.5														
G	G.k	k1			G.k.2.5														
G	G.k	k1			G.k.4.r	R1													
G	G.k	k1			G.k.4.r	R1													
G	G.k	k1			G.k.4.r	R1	G.k.4.r.8	G.k.4.r.8	Dosage Text										
G	G.k	k1			G.k.4.r	R1													
G	G.k	k1			G.k.4.r	R1	G.k.4.r.2,3,4,5												
G	G.k	k1			G.k.4.r	R1	G.k.4.r.2,3,4; G.k.4.r.2	Number of Units in the Interval	G.k.4.r.3	Definition of the Time Interval Unit									
G	G.k	k1			G.k.4.r	R1	G.k.4.r.2,3,4,5												
N	G	G.k	k1		G.k.4.r	R1	G.k.4.r.2,3,4,5												
N	G	G.k	k1		G.k.4.r	R1	G.k.4.r.2,3,4; G.k.4.r.4	Date and Time of Start of Drug											
N	G	G.k	k1		G.k.4.r	R1	G.k.4.r.2,3,4; G.k.4.r.5	Date and Time of Last											
G	G.k	k1			G.k.4.r	R1	G.k.4.r.2,3,4,5												
G	G.k	k1			G.k.4.r	R1													
G	G.k	k1			G.k.4.r	R1	G.k.4.r.10.1; G.k.4.r.10.2	Route of Administration TermID Version Date / Number	G.k.4.r.10.2	Route of Administration TermID		1.1.14							
G	G.k	k1			G.k.4.r	R1	G.k.4.r.10.1; G.k.4.r.10.1	Route of Administration (free text)											
G	G.k	k1			G.k.4.r	R1	G.k.4.r.10.1, 2												
G	G.k	k1			G.k.4.r	R1	G.k.4.r.1	G.k.4.r.1a	Dose(number)	G.k.4.r.1b	Dose (unit)								
G	G.k	k1			G.k.4.r	R1													
G	G.k	k1			G.k.4.r	R1	G.k.4.r.7												
G	G.k	k1			G.k.4.r	R1	G.k.4.r.7	G.k.4.r.7	Batch / Lot Number										
G	G.k	k1			G.k.4.r	R1	G.k.4.r.7												
G	G.k	k1			G.k.4.r	R1	G.k.4.r.9.1, 2												
G	G.k	k1			G.k.4.r	R1	G.k.4.r.9.1, 2; G.k.4.r.9.2a	Pharmaceutical Dose Form TermID Version Date / Number	G.k.4.r.9.2b	Pharmaceutical Dose Form TermID		TBD- DoseForm							
G	G.k	k1			G.k.4.r	R1	G.k.4.r.9.1, 2; G.k.4.r.9.1	Pharmaceutical Dose Form (free text)											
G	G.k	k1			G.k.4.r	R1	G.k.4.r.9.1, 2												
G	G.k	k1			G.k.4.r	R1	G.k.4.r.9.1, 2												
G	G.k	k1			G.k.4.r	R1	G.k.4.r.11.1												
G	G.k	k1			G.k.4.r	R1	G.k.4.r.11.1, 2												
G	G.k	k1			G.k.4.r	R1	G.k.4.r.11.1, 2												
G	G.k	k1			G.k.4.r	R1	G.k.4.r.11.1, 2												
G	G.k	k1			G.k.4.r	R1	G.k.4.r.11.1; G.k.4.r.11.2	Parent Route of Administration TermID Version Date / Number	G.k.4.r.11.2	Parent Route of Administration TermID		2.1.1.19							
G	G.k	k1			G.k.4.r	R1	G.k.4.r.11.1; G.k.4.r.11.1	Parent Route of Administration (free text)				2.1.1.14							
G	G.k	k1			G.k.4.r	R1	G.k.4.r.11.1, 2												
G	G.k	k1			G.k.4.r	R1	G.k.4.r.11.1, 2												
G	G.k	k1			G.k.4.r	R1	G.k.4.r.11.1, 2												
G	G.k	k1			G.k.4.r	R1													
G	G.k	k1			G.k.4.r	R1													
G	G.k	k1			G.k.4.r	R1													
G	G.k	k1			G.k.4.r	R2													

```

</outboundRelationship1>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="6" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="blinded"/>
<value xsi:type="BL" value="true"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
<substanceAdministration classCode="SBADM" moodCode="EVN">
<text>G.k.4.r.8</text>
<effectiveTime xsi:type="SXPR_TS">
<comp xsi:type="PVLV_TS">
<period value="10" unit="G.k.4.r.3"/>
</comp>
<comp xsi:type="TVL_TS" operator="A">
<low value="20090101"/>
<high value="20090101"/>
</comp>
<comp xsi:type="TVL_TS" operator="A">
<width value="4" unit="G.k.4.r.6b"/>
</comp>
</effectiveTime>
<routeCode code="G.k.4.r.10.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" codeSystemVersion="G.k.4.r.10.2a">
<originalText>G.k.4.r.10.1</originalText>
</routeCode>
<doseQuantity value="10" unit="G.k.4.r.1b"/>
<consumable typeCode="CSM">
<instanceOfKind classCode="INST">
<productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
<lotNumberText>G.k.4.r.7</lotNumberText>
</productInstanceInstance>
<kindOfProduct classCode="MMAT" determinerCode="KIND">
<formCode code="G.k.4.r.9.2b" codeSystem="TBD-DoseForm" codeSystemVersion="G.k.4.r.9.2a">
<originalText>G.k.4.r.9.1</originalText>
</formCode>
</kindOfProduct>
</instanceOfKind>
</consumable>
<inboundRelationship typeCode="REFR">
<observation classCode="OBS" moodCode="EVN">
<code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="parentRouteOfAdministration"/>
<value xsi:type="CE" code="G.k.4.r.11.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" codeSystemVersion="G.k.4.r.11.2a">
<originalText>G.k.4.r.11.1</originalText>
</value>
</observation>
</inboundRelationship>
</substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">

```

G	G.k	k1	G.k.4.r R2							
G	G.k	k1	G.k.4.r R2	G.k.4.r.8	G.k.4.r.8	Dosage Text				
G	G.k	k1	G.k.4.r R2							
G	G.k	k1	G.k.4.r R2	G.k.4.r.2,3,4,5						
G	G.k	k1	G.k.4.r R2	G.k.4.r.2,3,4,	G.k.4.r.2	Number of Units in the Interval	G.k.4.r.3	Definition of the Time Interval Unit		
G	G.k	k1	G.k.4.r R2	G.k.4.r.2,3,4,5						
G	G.k	k1	G.k.4.r R2	G.k.4.r.2,3,4,	G.k.4.r.4	Date and Time of Start of Drug				
G	G.k	k1	G.k.4.r R2	G.k.4.r.2,3,4,	G.k.4.r.5	Date and Time of Last				
G	G.k	k1	G.k.4.r R2	G.k.4.r.2,3,4,5						
G	G.k	k1	G.k.4.r R2							
G	G.k	k1	G.k.4.r R2	G.k.4.r.10.1,	G.k.4.r.10.2	Route of Administration TermID Version Date / Number Route of Administration	G.k.4.r.10.2	Route of Administration TermID	2.1.1.14	
G	G.k	k1	G.k.4.r R2	G.k.4.r.10.1,	G.k.4.r.10.1	Administration (free text)				
G	G.k	k1	G.k.4.r R2	G.k.4.r.10.1, 2						
G	G.k	k1	G.k.4.r R2	G.k.4.r.1	G.k.4.r.1a	Dose(number)	G.k.4.r.1b	Dose (unit)		
G	G.k	k1	G.k.4.r R2							
G	G.k	k1	G.k.4.r R2							
G	G.k	k1	G.k.4.r R2	G.k.4.r.7						
G	G.k	k1	G.k.4.r R2	G.k.4.r.7	G.k.4.r.7	Batch / Lot Number				
G	G.k	k1	G.k.4.r R2	G.k.4.r.7						
G	G.k	k1	G.k.4.r R2	G.k.4.r.9.1, 2						
G	G.k	k1	G.k.4.r R2	G.k.4.r.9.1, 2	G.k.4.r.9.2a	Pharmaceutical Dose Form TermID Version Date / Number Pharmaceutical	G.k.4.r.9.2b	Pharmaceutical Dose Form TermID	TBD- DoseForm	
G	G.k	k1	G.k.4.r R2	G.k.4.r.9.1, 2	G.k.4.r.9.1	Dose Form (free text)				
G	G.k	k1	G.k.4.r R2	G.k.4.r.9.1, 2						
G	G.k	k1	G.k.4.r R2	G.k.4.r.9.1, 2						
G	G.k	k1	G.k.4.r R2							
G	G.k	k1	G.k.4.r R2							
G	G.k	k1	G.k.4.r R2	G.k.4.r.11.1, 2						
G	G.k	k1	G.k.4.r R2	G.k.4.r.11.1, 2						
G	G.k	k1	G.k.4.r R2	G.k.4.r.11.1, 2					2.1.1.19	
G	G.k	k1	G.k.4.r R2	G.k.4.r.11.1,	G.k.4.r.11.2	Parent Route of Administration TermID Version Date / Number Parent Route of	G.k.4.r.11.2	Parent Route of Administration TermID	2.1.1.14	
G	G.k	k1	G.k.4.r R2	G.k.4.r.11.1,	G.k.4.r.11.1	Administration (free text)				
G	G.k	k1	G.k.4.r R2	G.k.4.r.11.1, 2						
N	G	G.k	G.k.4.r R2	G.k.4.r.11.1, 2						
N	G	G.k	G.k.4.r R2	G.k.4.r.11.1, 2						
N	G	G.k	G.k.4.r R2	G.k.4.r.11.1, 2						
N	G	G.k	G.k.4.r R2							
N	G	G.k	G.k.4.r R2							
N	G	G.k	G.k.4.r R3							
N	G	G.k	G.k.4.r R3							
N	G	G.k	G.k.4.r R3	G.k.4.r.8	G.k.4.r.8	Dosage Text				
N	G	G.k	G.k.4.r R3							
N	G	G.k	G.k.4.r R3	G.k.4.r.2,3,4,6						
N	G	G.k	G.k.4.r R3	G.k.4.r.2,3,4,	G.k.4.r.2	Number of Units in the Interval	G.k.4.r.3	Definition of the Time Interval Unit		
N	G	G.k	G.k.4.r R3	G.k.4.r.2,3,4,6						
N	G	G.k	G.k.4.r R3	G.k.4.r.2,3,4,6						
N	G	G.k	G.k.4.r R3	G.k.4.r.2,3,4,	G.k.4.r.4	Date and Time of Start of Drug				
N	G	G.k	G.k.4.r R3	G.k.4.r.2,3,4,	G.k.4.r.6a	Duration of Drug Administration (number)	G.k.4.r.6b	Duration of Drug Administration (unit)		

```

<substanceAdministration classCode="SBADM" moodCode="EVN">
<text>G.k.4.r.8</text>
<effectiveTime xsi:type="SXPR_TS">
<comp xsi:type="PIVL_TS">
<period value="10" unit="G.k.4.r.3"/>
</comp>
<comp xsi:type="TVL_TS" operator="A">
<low value="20090101"/>
<high value="20090101"/>
</comp>
</effectiveTime>
<routeCode code="G.k.4.r.10.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" codeSystemVersion="G.k.4.r.10.2a">
<originalText>G.k.4.r.10.1</originalText>
</routeCode>
<doseQuantity value="10" unit="G.k.4.r.1b"/>
<consumable typeCode="CSM">
<instanceOfKind classCode="INST">
<productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
<lotNumberText>G.k.4.r.7</lotNumberText>
</productInstanceInstance>
<kindOfProduct classCode="MMAT" determinerCode="KIND">
<formCode code="G.k.4.r.9.2b" codeSystem="TBD-DoseForm" codeSystemVersion="G.k.4.r.9.2a">
<originalText>G.k.4.r.9.1</originalText>
</formCode>
</kindOfProduct>
</instanceOfKind>
</consumable>
<inboundRelationship typeCode="REFR">
<observation classCode="OBS" moodCode="EVN">
<code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="parentRouteOfAdministration"/>
<value xsi:type="CE" code="G.k.4.r.11.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" codeSystemVersion="G.k.4.r.11.2a">
<originalText>G.k.4.r.11.1</originalText>
</value>
</observation>
</inboundRelationship>
</substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
<substanceAdministration classCode="SBADM" moodCode="EVN">
<text>G.k.4.r.8</text>
<effectiveTime xsi:type="SXPR_TS">
<comp xsi:type="PIVL_TS">
<period value="10" unit="G.k.4.r.3"/>
</comp>
<comp xsi:type="TVL_TS" operator="A">
<low value="20090101"/>
<width value="4" unit="G.k.4.r.6b"/>

```



N	G	G.k	k1	G.k.4.r	R3	G.k.4.r.2,3,4,6			
N	G	G.k	k1	G.k.4.r	R3				
N	G	G.k	k1	G.k.4.r	R3	G.k.4.r.10.1.1 ; G.k.4.r.10.2	Route of Administration TermID Version	G.k.4.r.10.2 Administration TermID	2.1.1.14
N	G	G.k	k1	G.k.4.r	R3	G.k.4.r.10.1.1 ; G.k.4.r.10.1	Route of Administration (free text)		
N	G	G.k	k1	G.k.4.r	R3	G.k.4.r.10.1.2			
N	G	G.k	k1	G.k.4.r	R3	G.k.4.r.1	G.k.4.r.1a Dose(number)	G.k.4.r.1b Dose (unit)	
N	G	G.k	k1	G.k.4.r	R3				
N	G	G.k	k1	G.k.4.r	R3				
N	G	G.k	k1	G.k.4.r	R3	G.k.4.r.7			
N	G	G.k	k1	G.k.4.r	R3	G.k.4.r.7	G.k.4.r.7 Batch / Lot Number		
N	G	G.k	k1	G.k.4.r	R3	G.k.4.r.7			
N	G	G.k	k1	G.k.4.r	R3	G.k.4.r.9.1, 2			
N	G	G.k	k1	G.k.4.r	R3	G.k.4.r.9.1, 2 G.k.4.r.9.2a	Pharmaceutical Dose Form TermID Version Date / Number	G.k.4.r.9.2b Pharmaceutical Dose Form TermID	TBD- DoseForm
N	G	G.k	k1	G.k.4.r	R3	G.k.4.r.9.1, 2 G.k.4.r.9.1	Pharmaceutical Dose Form (free text)		
N	G	G.k	k1	G.k.4.r	R3	G.k.4.r.9.1, 2			
N	G	G.k	k1	G.k.4.r	R3	G.k.4.r.9.1, 2			
N	G	G.k	k1	G.k.4.r	R3	G.k.4.r.9.1, 2			
N	G	G.k	k1	G.k.4.r	R3	G.k.4.r.11.1.2			
N	G	G.k	k1	G.k.4.r	R3	G.k.4.r.11.1.2			
N	G	G.k	k1	G.k.4.r	R3	G.k.4.r.11.1.2			2.1.1.19
N	G	G.k	k1	G.k.4.r	R3	G.k.4.r.11.1.1 ; G.k.4.r.11.2	Parent Route of Administration TermID Version Date / Number Parent Route of Administration (free text)	G.k.4.r.11.2 Administration TermID	2.1.1.14
N	G	G.k	k1	G.k.4.r	R3	G.k.4.r.11.1.1 ; G.k.4.r.11.1	Parent Route of Administration (free text)		
N	G	G.k	k1	G.k.4.r	R3	G.k.4.r.11.1.2			
N	G	G.k	k1	G.k.4.r	R3	G.k.4.r.11.1.2			
N	G	G.k	k1	G.k.4.r	R3	G.k.4.r.11.1.2			
N	G	G.k	k1	G.k.4.r	R3	G.k.4.r.11.1.2			
N	G	G.k	k1	G.k.4.r	R3	G.k.4.r.11.1.2			
N	G	G.k	k1	G.k.4.r	R4				
N	G	G.k	k1	G.k.4.r	R4				
N	G	G.k	k1	G.k.4.r	R4	G.k.4.r.8	G.k.4.r.8 Dosage Text		
N	G	G.k	k1	G.k.4.r	R4				
N	G	G.k	k1	G.k.4.r	R4	G.k.4.r.2,3,5,6			
N	G	G.k	k1	G.k.4.r	R4	G.k.4.r.2,3,5 ; G.k.4.r.2	Number of Units in the Interval	G.k.4.r.3 Definition of the Time Interval Unit	
N	G	G.k	k1	G.k.4.r	R4	G.k.4.r.2,3,5,6			
N	G	G.k	k1	G.k.4.r	R4	G.k.4.r.2,3,5,6			
N	G	G.k	k1	G.k.4.r	R4	G.k.4.r.2,3,5 ; G.k.4.r.6a	Duration of Drug Administration (number)	G.k.4.r.6b Duration of Drug Administration (unit)	
N	G	G.k	k1	G.k.4.r	R4	G.k.4.r.2,3,5 ; G.k.4.r.5	Date and Time of Last		
N	G	G.k	k1	G.k.4.r	R4	G.k.4.r.2,3,5,6			
N	G	G.k	k1	G.k.4.r	R4				
N	G	G.k	k1	G.k.4.r	R4	G.k.4.r.10.1.1 ; G.k.4.r.10.2	Route of Administration TermID Version Date / Number Route of Administration (free text)	G.k.4.r.10.2 Administration TermID	2.1.1.14
N	G	G.k	k1	G.k.4.r	R4	G.k.4.r.10.1.1 ; G.k.4.r.10.1	Route of Administration (free text)		
N	G	G.k	k1	G.k.4.r	R4	G.k.4.r.10.1.2			
N	G	G.k	k1	G.k.4.r	R4	G.k.4.r.1	G.k.4.r.1a Dose(number)	G.k.4.r.1b Dose (unit)	
N	G	G.k	k1	G.k.4.r	R4				
N	G	G.k	k1	G.k.4.r	R4				

```

</comp>
</effectiveTime>
<routeCode code="G.k.4.r.10.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" codeSystemVersion="G.k.4.r.10.2a">
  <originalText>G.k.4.r.10.1</originalText>
</routeCode>
<doseQuantity value="10" unit="G.k.4.r.1b"/>
<consumable typeCode="CSM">
  <instanceOfKind classCode="INST">
    <productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
      <lotNumberText>G.k.4.r.7</lotNumberText>
    </productInstanceInstance>
    <kindOfProduct classCode="MMAT" determinerCode="KIND">
      <formCode code="G.k.4.r.9.2b" codeSystem="TBD-DoseForm" codeSystemVersion="G.k.4.r.9.2a">
        <originalText>G.k.4.r.9.1</originalText>
      </formCode>
    </kindOfProduct>
  </instanceOfKind>
</consumable>
<inboundRelationship typeCode="REFR">
  <observation classCode="OBS" moodCode="EVN">
    <code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="parentRouteOfAdministration"/>
    <value xsi:type="CE" code="G.k.4.r.11.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" codeSystemVersion="G.k.4.r.11.2a">
      <originalText>G.k.4.r.11.1</originalText>
    </value>
  </observation>
</inboundRelationship>
</substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
  <substanceAdministration classCode="SBADM" moodCode="EVN">
    <text>G.k.4.r.8</text>
    <effectiveTime xsi:type="SXPR_TS">
      <comp xsi:type="PIVL_TS">
        <period value="10" unit="G.k.4.r.3"/>
      </comp>
      <comp xsi:type="IVL_TS" operator="A">
        <width value="4" unit="G.k.4.r.6b"/>
        <high value="20090101"/>
      </comp>
    </effectiveTime>
    <routeCode code="G.k.4.r.10.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" codeSystemVersion="G.k.4.r.10.2a">
      <originalText>G.k.4.r.10.1</originalText>
    </routeCode>
    <doseQuantity value="10" unit="G.k.4.r.1b"/>
    <consumable typeCode="CSM">
      <instanceOfKind classCode="INST">

```

N	G	G.k	k1	G.k.4.r	R4	G.k.4.r.7						<productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
N	G	G.k	k1	G.k.4.r	R4	G.k.4.r.7	G.k.4.r.7	Batch / Lot Number				<lotNumberText>G.k.4.r.7</lotNumberText>
N	G	G.k	k1	G.k.4.r	R4	G.k.4.r.7						</productInstanceInstance>
N	G	G.k	k1	G.k.4.r	R4	G.k.4.r.9.1, 2						<kindOfProduct classCode="MMAT" determinerCode="KIND">
N	G	G.k	k1	G.k.4.r	R4	G.k.4.r.9.1, 2	G.k.4.r.9.2a	Pharmaceutical Dose Form TermID Version Date / Number	G.k.4.r.9.2b	Pharmaceutical Dose Form TermID	TBD-DoseForm	<formCode code="G.k.4.r.9.2b" codeSystem="TBD-DoseForm" codeSystemVersion="G.k.4.r.9.2a">
N	G	G.k	k1	G.k.4.r	R4	G.k.4.r.9.1, 2	G.k.4.r.9.1	Pharmaceutical Dose Form (free text)				<originalText>G.k.4.r.9.1</originalText>
N	G	G.k	k1	G.k.4.r	R4	G.k.4.r.9.1, 2						</formCode>
N	G	G.k	k1	G.k.4.r	R4	G.k.4.r.9.1, 2						</kindOfProduct>
N	G	G.k	k1	G.k.4.r	R4	G.k.4.r.9.1, 2						</instanceOfKind>
N	G	G.k	k1	G.k.4.r	R4	G.k.4.r.9.1, 2						</consumable>
N	G	G.k	k1	G.k.4.r	R4	G.k.4.r.11.1, 2						<inboundRelationship typeCode="REFR">
N	G	G.k	k1	G.k.4.r	R4	G.k.4.r.11.1, 2						<observation classCode="OBS" moodCode="EVN">
N	G	G.k	k1	G.k.4.r	R4	G.k.4.r.11.1, 2					2.1.1.19	<code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="parentRouteOfAdministration"/>
N	G	G.k	k1	G.k.4.r	R4	G.k.4.r.11.1, 2	G.k.4.r.11.2	Parent Route of Administration TermID Version Date / Number	G.k.4.r.11.2	Parent Route of Administration TermID	2.1.1.14	<value xsi:type="CE" code="G.k.4.r.11.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" codeSystemVersion="G.k.4.r.11.2a">
N	G	G.k	k1	G.k.4.r	R4	G.k.4.r.11.1, 2	G.k.4.r.11.1	Parent Route of Administration (free text)				<originalText>G.k.4.r.11.1</originalText>
N	G	G.k	k1	G.k.4.r	R4	G.k.4.r.11.1, 2						</value>
N	G	G.k	k1	G.k.4.r	R4	G.k.4.r.11.1, 2						</observation>
N	G	G.k	k1	G.k.4.r	R4	G.k.4.r.11.1, 2						</inboundRelationship>
N	G	G.k	k1	G.k.4.r	R4	G.k.4.r.11.1, 2						</substanceAdministration>
N	G	G.k	k1	G.k.4.r	R4	G.k.4.r.11.1, 2						</outboundRelationship2>
N	G	G.k	k1	G.k.4.r	R5	G.k.4.r.8	G.k.4.r.8	Dosage Text				<outboundRelationship2 typeCode="COMP">
N	G	G.k	k1	G.k.4.r	R5	G.k.4.r.4,5,6	G.k.4.r.4	Date and Time of Start of Drug				<substanceAdministration classCode="SBADM" moodCode="EVN">
N	G	G.k	k1	G.k.4.r	R5	G.k.4.r.4,5,6	G.k.4.r.5	Date and Time of Last				<text>G.k.4.r.8</text>
N	G	G.k	k1	G.k.4.r	R5	G.k.4.r.4,5,6	G.k.4.r.6a	Duration of Drug Administration (number)	G.k.4.r.6b	Duration of Drug Administration (unit)		<effectiveTime xsi:type="SXPR_TS">
N	G	G.k	k1	G.k.4.r	R5	G.k.4.r.4,5,6	G.k.4.r.6b	Duration of Drug Administration (unit)				<comp xsi:type="IVL_TS">
N	G	G.k	k1	G.k.4.r	R5	G.k.4.r.4,5,6	G.k.4.r.6b	Duration of Drug Administration (unit)				<low value="20090101"/>
N	G	G.k	k1	G.k.4.r	R5	G.k.4.r.4,5,6	G.k.4.r.6b	Duration of Drug Administration (unit)				<high value="20090101"/>
N	G	G.k	k1	G.k.4.r	R5	G.k.4.r.4,5,6	G.k.4.r.6b	Duration of Drug Administration (unit)				</comp>
N	G	G.k	k1	G.k.4.r	R5	G.k.4.r.4,5,6	G.k.4.r.6b	Duration of Drug Administration (unit)				<comp xsi:type="IVL_TS" operator="A">
N	G	G.k	k1	G.k.4.r	R5	G.k.4.r.4,5,6	G.k.4.r.6b	Duration of Drug Administration (unit)				<width value="4" unit="G.k.4.r.6b"/>
N	G	G.k	k1	G.k.4.r	R5	G.k.4.r.4,5,6	G.k.4.r.6b	Duration of Drug Administration (unit)				</comp>
N	G	G.k	k1	G.k.4.r	R5	G.k.4.r.4,5,6	G.k.4.r.6b	Duration of Drug Administration (unit)				</effectiveTime>
N	G	G.k	k1	G.k.4.r	R5	G.k.4.r.10.1, 2	G.k.4.r.10.2	Route of Administration TermID Version Date / Number	G.k.4.r.10.2	Route of Administration TermID	2.1.1.14	<routeCode code="G.k.4.r.10.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" codeSystemVersion="G.k.4.r.10.2a">
N	G	G.k	k1	G.k.4.r	R5	G.k.4.r.10.1, 2	G.k.4.r.10.1	Route of Administration (free text)				<originalText>G.k.4.r.10.1</originalText>
N	G	G.k	k1	G.k.4.r	R5	G.k.4.r.10.1, 2						</routeCode>
N	G	G.k	k1	G.k.4.r	R5	G.k.4.r.1	G.k.4.r.1a	Dose (number)	G.k.4.r.1b	Dose (unit)		<doseQuantity value="10" unit="G.k.4.r.1b"/>
N	G	G.k	k1	G.k.4.r	R5	G.k.4.r.1						<consumable typeCode="CSM">
N	G	G.k	k1	G.k.4.r	R5	G.k.4.r.1						<instanceOfKind classCode="INST">
N	G	G.k	k1	G.k.4.r	R5	G.k.4.r.7						<productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
N	G	G.k	k1	G.k.4.r	R5	G.k.4.r.7	G.k.4.r.7	Batch / Lot Number				<lotNumberText>G.k.4.r.7</lotNumberText>
N	G	G.k	k1	G.k.4.r	R5	G.k.4.r.7						</productInstanceInstance>
N	G	G.k	k1	G.k.4.r	R5	G.k.4.r.9.1, 2						<kindOfProduct classCode="MMAT" determinerCode="KIND">
N	G	G.k	k1	G.k.4.r	R5	G.k.4.r.9.1, 2	G.k.4.r.9.2a	Pharmaceutical Dose Form TermID Version Date / Number	G.k.4.r.9.2b	Pharmaceutical Dose Form TermID	TBD-DoseForm	<formCode code="G.k.4.r.9.2b" codeSystem="TBD-DoseForm" codeSystemVersion="G.k.4.r.9.2a">
N	G	G.k	k1	G.k.4.r	R5	G.k.4.r.9.1, 2	G.k.4.r.9.1	Pharmaceutical Dose Form (free text)				<originalText>G.k.4.r.9.1</originalText>
N	G	G.k	k1	G.k.4.r	R5	G.k.4.r.9.1, 2						</formCode>

N	G	G.k	k1	G.k.4.r	R5	G.k.4.r.9.1, 2															</kindOfProduct>
N	G	G.k	k1	G.k.4.r	R5																</instanceOfKind>
N	G	G.k	k1	G.k.4.r	R5																</consumable>
N	G	G.k	k1	G.k.4.r	R5	G.k.4.r.11.1, 2															<inboundRelationship typeCode="REFR">
N	G	G.k	k1	G.k.4.r	R5	G.k.4.r.11.1, 2															<observation classCode="OBS" moodCode="EVN">
N	G	G.k	k1	G.k.4.r	R5	G.k.4.r.11.1, 2				2.1.1.19											<code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="parentRouteOfAdministration"/>
N	G	G.k	k1	G.k.4.r	R5	G.k.4.r.11.1, 2	G.k.4.r.11.2	Parent Route of Administration TermID Version Date / Number	Parent Route of Administration TermID		2.1.1.14										<value xsi:type="CE" code="G.k.4.r.11.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" codeSystemVersion="G.k.4.r.11.2a">
N	G	G.k	k1	G.k.4.r	R5	G.k.4.r.11.1, 2	G.k.4.r.11.1	Parent Route of Administration (free text)													<originalText>G.k.4.r.11.1</originalText>
N	G	G.k	k1	G.k.4.r	R5	G.k.4.r.11.1, 2															</value>
N	G	G.k	k1	G.k.4.r	R5	G.k.4.r.11.1, 2															</observation>
N	G	G.k	k1	G.k.4.r	R5	G.k.4.r.11.1, 2															</inboundRelationship>
N	G	G.k	k1	G.k.4.r	R5	G.k.4.r.11.1, 2															</substanceAdministration>
N	G	G.k	k1	G.k.4.r	R5	G.k.4.r.11.1, 2															</outboundRelationship2>
N	G	G.k	k1	G.k.5		G.k.5															<outboundRelationship2 typeCode="SUMM">
N	G	G.k	k1	G.k.5		G.k.5				2.1.1.19											<observation classCode="OBS" moodCode="EVN">
N	G	G.k	k1	G.k.5	G.k.5a	Cumulative Dose to First Reaction (number)	G.k.5b	Cumulative Dose to First Reaction (unit)													<code code="14" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="cumulativeDoseToReaction"/>
N	G	G.k	k1	G.k.5		G.k.5															<value xsi:type="PQ" value="10" unit="G.k.5b"/>
N	G	G.k	k1	G.k.5		G.k.5															</observation>
N	G	G.k	k1	G.k.6		G.k.6															</outboundRelationship2>
N	G	G.k	k1	G.k.6		G.k.6															<outboundRelationship2 typeCode="PERT">
N	G	G.k	k1	G.k.6		G.k.6				2.1.1.19											<observation classCode="OBS" moodCode="EVN">
N	G	G.k	k1	G.k.6	G.k.6a	Gestation Period at Time of Exposure (number)	G.k.6b	Gestation Period at Time of Exposure (unit)													<code code="16" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="gestationPeriod"/>
N	G	G.k	k1	G.k.6		G.k.6															<value xsi:type="PQ" value="10" unit="G.k.6b"/>
N	G	G.k	k1	G.k.6		G.k.6															</observation>
N	G	G.k	k1	G.k.9.i	i1	G.k.9.i.4															</outboundRelationship2>
N	G	G.k	k1	G.k.9.i	i1	G.k.9.i.4															<outboundRelationship2 typeCode="PERT">
N	G	G.k	k1	G.k.9.i	i1	G.k.9.i.4				2.1.1.19											<observation classCode="OBS" moodCode="EVN">
N	G	G.k	k1	G.k.9.i	i1	G.k.9.i.4															<code code="31" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="recurrenceOfReaction"/>
N	G	G.k	k1	G.k.9.i	i1	G.k.9.i.4	G.k.9.i.4	Did Reaction Recur on Re-administration?			2.1.1.16										<value xsi:type="CE" code="G.k.9.i.4" codeSystem="2.16.840.1.113883.3.989.2.1.1.16" codeSystemVersion="1.0"/>
N	G	G.k	k1	G.k.9.i	i1	G.k.9.i.4															</outboundRelationship1 typeCode="REFR">
N	G	G.k	k1	G.k.9.i	i1	G.k.9.i.4															<actReference classCode="OBS" moodCode="EVN">
N	G	G.k	k1	G.k.9.i	i1	G.k.9.i.4															<id root="154eb889-958b-45f2-a02f-42d4d6f4657"/>
N	G	G.k	k1	G.k.9.i	i1	G.k.9.i.4															</actReference>
N	G	G.k	k1	G.k.9.i	i1	G.k.9.i.4															</outboundRelationship1>
N	G	G.k	k1	G.k.9.i	i1	G.k.9.i.4															</observation>
N	G	G.k	k1	G.k.9.i	i1	G.k.9.i.4															</outboundRelationship2>
N	G	G.k	k1	G.k.9.i	i2	G.k.9.i.4															<outboundRelationship2 typeCode="PERT">
N	G	G.k	k1	G.k.9.i	i2	G.k.9.i.4															<observation classCode="OBS" moodCode="EVN">
N	G	G.k	k1	G.k.9.i	i2	G.k.9.i.4				2.1.1.19											<code code="31" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="recurrenceOfReaction"/>
N	G	G.k	k1	G.k.9.i	i2	G.k.9.i.4	G.k.9.i.4	Did Reaction Recur on Re-administration?			2.1.1.16										<value xsi:type="CE" code="G.k.9.i.4" codeSystem="2.16.840.1.113883.3.989.2.1.1.16" codeSystemVersion="1.0"/>
N	G	G.k	k1	G.k.9.i	i2	G.k.9.i.4															</outboundRelationship1 typeCode="REFR">
N	G	G.k	k1	G.k.9.i	i2	G.k.9.i.4															<actReference classCode="OBS" moodCode="EVN">
N	G	G.k	k1	G.k.9.i	i2	G.k.9.i.4															<id root="2baa28d6-c9e8-4efc-93e9-5b860b314220"/>
N	G	G.k	k1	G.k.9.i	i2	G.k.9.i.4															</actReference>
N	G	G.k	k1	G.k.9.i	i2	G.k.9.i.4															</outboundRelationship1>
N	G	G.k	k1	G.k.9.i	i2	G.k.9.i.4															</observation>
N	G	G.k	k1	G.k.9.i	i2	G.k.9.i.4															</outboundRelationship2>
N	G	G.k	k1	G.k.10.r	R1	G.k.10.r															<outboundRelationship2 typeCode="REFR">
N	G	G.k	k1	G.k.10.r	R1	G.k.10.r															<observation classCode="OBS" moodCode="EVN">
N	G	G.k	k1	G.k.10.r	R1	G.k.10.r				2.1.1.19											<code code="9" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="codedDrugInformation"/>

G	G.k	k1	G.k.10.r R1	G.k.10.r	G.k.10.r	Additional Information on Drug (coded)	2.1.1.17			
G	G.k	k1	G.k.10.r R1	G.k.10.r						
G	G.k	k1	G.k.10.r R1	G.k.10.r						
G	G.k	k1	G.k.10.r R2	G.k.10.r						
G	G.k	k1	G.k.10.r R2	G.k.10.r			2.1.1.19			
G	G.k	k1	G.k.10.r R2	G.k.10.r	G.k.10.r	Additional Information on Drug (coded)	2.1.1.17			
G	G.k	k1	G.k.10.r R2	G.k.10.r						
G	G.k	k1	G.k.10.r R2	G.k.10.r						
G	G.k	k1		G.k.11						
G	G.k	k1		G.k.11						
G	G.k	k1		G.k.11			2.1.1.19			
G	G.k	k1		G.k.11	G.k.11	Additional Information on Drug (free text)				
G	G.k	k1		G.k.11						
G	G.k	k1		G.k.11						
G	G.k	k1	G.k.7.r R1	G.k.7.r.1.2						
G	G.k	k1	G.k.7.r R1	G.k.7.r.1.2						
G	G.k	k1	G.k.7.r R1	G.k.7.r.1.2			2.1.1.19			
G	G.k	k1	G.k.7.r R1	G.k.7.r.1.2	G.k.7.r.2a	MedDRA Version for Indication Indication as Reported by the Primary Source	2.16.840.1.1 13883.6.163	G.k.7.r.2b	Indication (MedDRA code)	
G	G.k	k1	G.k.7.r R1	G.k.7.r.1.2	G.k.7.r.1					
G	G.k	k1	G.k.7.r R1	G.k.7.r.1.2						
G	G.k	k1	G.k.7.r R1	G.k.7.r.1.2						
G	G.k	k1	G.k.7.r R1	G.k.7.r.1.2			2.1.1.21			
G	G.k	k1	G.k.7.r R1	G.k.7.r.1.2						
G	G.k	k1	G.k.7.r R1	G.k.7.r.1.2						
G	G.k	k1	G.k.7.r R1	G.k.7.r.1.2						
G	G.k	k1	G.k.7.r R2	G.k.7.r.1.2						
G	G.k	k1	G.k.7.r R2	G.k.7.r.1.2						
G	G.k	k1	G.k.7.r R2	G.k.7.r.1.2			2.1.1.19			
G	G.k	k1	G.k.7.r R2	G.k.7.r.1.2	G.k.7.r.2a	MedDRA Version for Indication Indication as Reported by the Primary Source	2.16.840.1.1 13883.6.163	G.k.7.r.2b	Indication (MedDRA code)	
G	G.k	k1	G.k.7.r R2	G.k.7.r.1.2	G.k.7.r.1					
G	G.k	k1	G.k.7.r R2	G.k.7.r.1.2						
G	G.k	k1	G.k.7.r R2	G.k.7.r.1.2						
G	G.k	k1	G.k.7.r R2	G.k.7.r.1.2			2.1.1.21			
G	G.k	k1	G.k.7.r R2	G.k.7.r.1.2						
G	G.k	k1	G.k.7.r R2	G.k.7.r.1.2						
G	G.k	k1	G.k.7.r R2	G.k.7.r.1.2						
G	G.k	k1		G.k.8						
G	G.k	k1		G.k.8						
G	G.k	k1		G.k.8	G.k.8	Action(s) Taken with Drug	2.1.1.15			
G	G.k	k1		G.k.8						
G	G.k	k1		G.k.8						
G	G.k	k2								
G	G.k	k2								
G	G.k	k2				Drug ID				
G	G.k	k2								

<value xsi:type="CE" code="G.k.10.r" codeSystem="2.16.840.1.113883.3.989.2.1.1.17" codeSystemVersion="1.0"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="REFR">
<observation classCode="OBS" moodCode="EVN">
<code code="9" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="codedDrugInformation"/>
<value xsi:type="CE" code="G.k.10.r" codeSystem="2.16.840.1.113883.3.989.2.1.1.17" codeSystemVersion="1.0"/>
</observation>
</outboundRelationship2>
</outboundRelationship2 typeCode="REFR">
<observation classCode="OBS" moodCode="EVN">
<code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="additionalInformation"/>
<value xsi:type="ST">G.k.11</value>
</observation>
</outboundRelationship2>
<inboundRelationship typeCode="RSON">
<observation classCode="OBS" moodCode="EVN">
<code code="19" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="indication"/>
<value xsi:type="CE" code="G.k.7.r.2b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="G.k.7.r.2a">
<originalText>G.k.7.r.1</originalText>
</value>
<performer typeCode="PRF">
<assignedEntity classCode="ASSIGNED">
<code code="3" codeSystem="2.16.840.1.113883.3.989.2.1.1.21" codeSystemVersion="1.0" displayName="sourceReporter"/>
</assignedEntity>
</performer>
</observation>
</inboundRelationship>
<inboundRelationship typeCode="RSON">
<observation classCode="OBS" moodCode="EVN">
<code code="19" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="indication"/>
<value xsi:type="CE" code="G.k.7.r.2b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="G.k.7.r.2a">
<originalText>G.k.7.r.1</originalText>
</value>
<performer typeCode="PRF">
<assignedEntity classCode="ASSIGNED">
<code code="3" codeSystem="2.16.840.1.113883.3.989.2.1.1.21" codeSystemVersion="1.0" displayName="sourceReporter"/>
</assignedEntity>
</performer>
</observation>
</inboundRelationship>
<inboundRelationship typeCode="CAUS">
<act classCode="ACT" moodCode="EVN">
<code code="G.k.8" codeSystem="2.16.840.1.113883.3.989.2.1.1.15" codeSystemVersion="1.0"/>
</act>
</inboundRelationship>
</substanceAdministration>
</component>
<component typeCode="COMP">
<substanceAdministration classCode="SBADM" moodCode="EVN">
<id root="68d6f5ce-3b3b-45c7-92dd-69e06730c3a9"/>
<consumable typeCode="CSM">

G	G.k	k2						
G	G.k	k2						
G	G.k	k2	G.k.2.1.2	G.k.2.1.2a	PhPID Version Date / Number	G.k.2.1.2b	Pharmaceutical Product Identifier (PhPID)	TBD-PhPID
G	G.k	k2	G.k.2.2	G.k.2.2	Medicinal Product Name as Reported by the Primary Source			
G	G.k	k2						
G	G.k	k2						
G	G.k	k2	G.k.3.1	G.k.3.1	Authorization / Application			2.1.3.4
G	G.k	k2	G.k.3.3					
G	G.k	k2	G.k.3.3					
G	G.k	k2	G.k.3.3	G.k.3.3	Name of Holder / Applicant			
G	G.k	k2	G.k.3.3					
G	G.k	k2	G.k.3.3					
G	G.k	k2	G.k.3.3					
G	G.k	k2	G.k.3.2					
G	G.k	k2	G.k.3.2					
G	G.k	k2	G.k.3.2					
G	G.k	k2	G.k.3.2	G.k.3.2	Country of Authorization / Application			1.0.3166.1.2.2
G	G.k	k2	G.k.3.2					
G	G.k	k2	G.k.3.2					
G	G.k	k2	G.k.3.2					
G	G.k	k2						
G	G.k	k2						
G	G.k	k2	G.k.2.3.r R1					
G	G.k	k2	G.k.2.3.r R1	G.k.2.3.r.3				
G	G.k	k2	G.k.2.3.r R1	G.k.2.3.r.3	G.k.2.3.r.3a Strength (number)	G.k.2.3.r.3b Strength (unit)		
G	G.k	k2	G.k.2.3.r R1	G.k.2.3.r.3				
G	G.k	k2	G.k.2.3.r R1	G.k.2.3.r.3				
G	G.k	k2	G.k.2.3.r R1	G.k.2.3.r.1, 2	Substance / Specified Substance	G.k.2.3.r.2	Substance / Specified Substance	TBD-Substance
G	G.k	k2	G.k.2.3.r R1	G.k.2.3.r.1, 2	TermID Version Date/Number	b	Specified Substance TermID	
G	G.k	k2	G.k.2.3.r R1	G.k.2.3.r.1, 2	G.k.2.3.r.1 Specified Substance Name			
G	G.k	k2	G.k.2.3.r R1	G.k.2.3.r.1, 2				
G	G.k	k2	G.k.2.3.r R2					
G	G.k	k2	G.k.2.3.r R2	G.k.2.3.r.3				
G	G.k	k2	G.k.2.3.r R2	G.k.2.3.r.3	G.k.2.3.r.3a Strength (number)	G.k.2.3.r.3b Strength (unit)		
G	G.k	k2	G.k.2.3.r R2	G.k.2.3.r.3				
G	G.k	k2	G.k.2.3.r R2	G.k.2.3.r.3				
G	G.k	k2	G.k.2.3.r R2	G.k.2.3.r.1, 2	Substance / Specified Substance	G.k.2.3.r.2	Substance / Specified Substance	TBD-Substance
G	G.k	k2	G.k.2.3.r R2	G.k.2.3.r.1, 2	TermID Version Date/Number	b	Specified Substance TermID	
G	G.k	k2	G.k.2.3.r R2	G.k.2.3.r.1, 2	G.k.2.3.r.1 Specified Substance Name			
G	G.k	k2	G.k.2.3.r R2	G.k.2.3.r.1, 2				
G	G.k	k2	G.k.2.3.r R2					
G	G.k	k2						
G	G.k	k2	G.k.2.4					
G	G.k	k2	G.k.2.4					

```

</instanceOfKind classCode="INST">
</kindOfProduct classCode="MMAT" determinerCode="KIND">
<code code="G.k.2.1.2b" codeSystem="TBD-PhPID" codeSystemVersion="G.k.2.1.2a"/>
</name>G.k.2.2</name>
</asManufacturedProduct classCode="MANU">
</subjectOf typeCode="SBJ">
</approval classCode="CNTRCT" moodCode="EVN">
<id extension="G.k.3.1" root="2.16.840.1.113883.3.989.2.1.3.4"/>
</holder typeCode="HLD">
</role classCode="HLD">
</playingOrganization classCode="ORG" determinerCode="INSTANCE">
</playingOrganization>
</role>
</holder>
</author typeCode="AUT">
</territorialAuthority classCode="TERR">
</territory classCode="NAT" determinerCode="INSTANCE">
<code code="G.k.3.2" codeSystem="1.0.3166.1.2.2"/>
</territory>
</territorialAuthority>
</author>
</approval>
</subjectOf>
</asManufacturedProduct>
</ingredient classCode="ACTI">
</quantity>
<numerator value="10" unit="G.k.2.3.r.3b"/>
<denominator value="1"/>
</quantity>
</ingredientSubstance classCode="MMAT" determinerCode="KIND">
<code code="G.k.2.3.r.2b" codeSystem="TBD-Substance" codeSystemVersion="G.k.2.3.r.2a"/>
</name>G.k.2.3.r.1</name>
</ingredientSubstance>
</ingredient>
</ingredient classCode="ACTI">
</quantity>
<numerator value="10" unit="G.k.2.3.r.3b"/>
<denominator value="1"/>
</quantity>
</ingredientSubstance classCode="MMAT" determinerCode="KIND">
<code code="G.k.2.3.r.2b" codeSystem="TBD-Substance" codeSystemVersion="G.k.2.3.r.2a"/>
</name>G.k.2.3.r.1</name>
</ingredientSubstance>
</ingredient>
</kindOfProduct>
</subjectOf typeCode="SBJ">
</productEvent classCode="ACT" moodCode="EVN">

```



N	G	Gk	k2	G.k.9.i	i3	G.k.9.i.3.1				
N	G	Gk	k2	G.k.9.i	i3	G.k.9.i.3.2				
N	G	Gk	k2	G.k.9.i	i3	G.k.9.i.3.2	Time Interval between Last Dose of Drug and Start of Reaction / Event (number)	G.k.9.i.3.2a	Time Interval between Last Dose of Drug and Start of Reaction / Event (unit)	G.k.9.i.3.2b
N	G	Gk	k2	G.k.9.i	i3	G.k.9.i.3.2				Event ID
N	G	Gk	k2	G.k.9.i	i3	G.k.9.i.3.2				
N	G	Gk	k2	G.k.9.i	i3	G.k.9.i.3.2				
N	G	Gk	k2	G.k.9.i	i4	G.k.9.i.3.1				
N	G	Gk	k2	G.k.9.i	i4	G.k.9.i.3.1	Time Interval between Beginning of Drug Administration and Start of Reaction / Event (number)	G.k.9.i.3.1a	Time Interval between Beginning of Drug Administration and Start of Reaction / Event (unit)	G.k.9.i.3.1b
N	G	Gk	k2	G.k.9.i	i4	G.k.9.i.3.1				Event ID
N	G	Gk	k2	G.k.9.i	i4	G.k.9.i.3.1				
N	G	Gk	k2	G.k.9.i	i4	G.k.9.i.3.1				
N	G	Gk	k2	G.k.9.i	i4	G.k.9.i.3.2				
N	G	Gk	k2	G.k.9.i	i4	G.k.9.i.3.2	Time Interval between Last Dose of Drug and Start of Reaction / Event (number)	G.k.9.i.3.2a	Time Interval between Last Dose of Drug and Start of Reaction / Event (unit)	G.k.9.i.3.2b
N	G	Gk	k2	G.k.9.i	i4	G.k.9.i.3.2				Event ID
N	G	Gk	k2	G.k.9.i	i4	G.k.9.i.3.2				
N	G	Gk	k2	G.k.9.i	i4	G.k.9.i.3.2				
N	G	Gk	k2	G.k.9.i	i5	G.k.9.i.3.1				
N	G	Gk	k2	G.k.9.i	i5	G.k.9.i.3.1	Time Interval between Beginning of Drug Administration and Start of Reaction / Event (number)	G.k.9.i.3.1a	Time Interval between Beginning of Drug Administration and Start of Reaction / Event (unit)	G.k.9.i.3.1b
N	G	Gk	k2	G.k.9.i	i5	G.k.9.i.3.1				Event ID
N	G	Gk	k2	G.k.9.i	i5	G.k.9.i.3.1				
N	G	Gk	k2	G.k.9.i	i5	G.k.9.i.3.1				
N	G	Gk	k2	G.k.9.i	i5	G.k.9.i.3.2				
N	G	Gk	k2	G.k.9.i	i5	G.k.9.i.3.2	Time Interval between Last Dose of Drug and Start of Reaction / Event (number)	G.k.9.i.3.2a	Time Interval between Last Dose of Drug and Start of Reaction / Event (unit)	G.k.9.i.3.2b
N	G	Gk	k2	G.k.9.i	i5	G.k.9.i.3.2				Event ID
N	G	Gk	k2	G.k.9.i	i5	G.k.9.i.3.2				
N	G	Gk	k2	G.k.9.i	i5	G.k.9.i.3.2				
N	G	Gk	k2	G.k.9.i	i6	G.k.9.i.3.1				
N	G	Gk	k2	G.k.9.i	i6	G.k.9.i.3.1	Time Interval between Beginning of Drug Administration and Start of Reaction / Event (number)	G.k.9.i.3.1a	Time Interval between Beginning of Drug Administration and Start of Reaction / Event (unit)	G.k.9.i.3.1b
N	G	Gk	k2	G.k.9.i	i6	G.k.9.i.3.1				Event ID
N	G	Gk	k2	G.k.9.i	i6	G.k.9.i.3.1				
N	G	Gk	k2	G.k.9.i	i6	G.k.9.i.3.1				
N	G	Gk	k2	G.k.9.i	i6	G.k.9.i.3.2				
N	G	Gk	k2	G.k.9.i	i6	G.k.9.i.3.2	Time Interval between Last Dose of Drug and Start of Reaction / Event (number)	G.k.9.i.3.2a	Time Interval between Last Dose of Drug and Start of Reaction / Event (unit)	G.k.9.i.3.2b
N	G	Gk	k2	G.k.9.i	i6	G.k.9.i.3.2				Event ID

```
</outboundRelationship1>  
<outboundRelationship1 typeCode="SAS">  
<pauseQuantity value="10" unit="G.k.9.i.3.2b"/>  
<actReference classCode="OBS" moodCode="EVN">  
<id root="3a8626cb-9f1b-4ea8-8a0f-e0ff34430ad"/>  
</actReference>  
</outboundRelationship1>  
<outboundRelationship1 typeCode="SAS">  
<pauseQuantity value="10" unit="G.k.9.i.3.1b"/>  
<actReference classCode="OBS" moodCode="EVN">  
<id root="2e99840f-08b4-499c-80ff-dd8415f4f8a5"/>  
</actReference>  
</outboundRelationship1>  
<outboundRelationship1 typeCode="SAS">  
<pauseQuantity value="10" unit="G.k.9.i.3.2b"/>  
<actReference classCode="OBS" moodCode="EVN">  
<id root="2e99840f-08b4-499c-80ff-dd8415f4f8a5"/>  
</actReference>  
</outboundRelationship1>  
<outboundRelationship1 typeCode="SAS">  
<pauseQuantity value="10" unit="G.k.9.i.3.1b"/>  
<actReference classCode="OBS" moodCode="EVN">  
<id root="1071064c-cf10-4a3b-83c1-34f9ddb7ea6d"/>  
</actReference>  
</outboundRelationship1>  
<outboundRelationship1 typeCode="SAS">  
<pauseQuantity value="10" unit="G.k.9.i.3.2b"/>  
<actReference classCode="OBS" moodCode="EVN">  
<id root="1071064c-cf10-4a3b-83c1-34f9ddb7ea6d"/>  
</actReference>  
</outboundRelationship1>  
<outboundRelationship1 typeCode="SAS">  
<pauseQuantity value="10" unit="G.k.9.i.3.1b"/>  
<actReference classCode="OBS" moodCode="EVN">  
<id root="1f927283-10b6-4334-9d43-e925640fb18f"/>  
</actReference>  
</outboundRelationship1>  
<outboundRelationship1 typeCode="SAS">  
<pauseQuantity value="10" unit="G.k.9.i.3.2b"/>  
<actReference classCode="OBS" moodCode="EVN">
```

N	G	G.k	k2	G.k.9.i	i6	G.k.9.i.3.2			Event ID	
N	G	G.k	k2	G.k.9.i	i6	G.k.9.i.3.2				
N	G	G.k	k2	G.k.9.i	i6	G.k.9.i.3.2				
N	G	G.k	k2	G.k.9.i	i7	G.k.9.i.3.1				
N	G	G.k	k2	G.k.9.i	i7	G.k.9.i.3.1	G.k.9.i.3.1a	Time Interval between Beginning of Drug Administration and Start of Reaction / Event (number)	G.k.9.i.3.1b	Time Interval between Beginning of Drug Administration and Start of Reaction / Event (unit)
N	G	G.k	k2	G.k.9.i	i7	G.k.9.i.3.1				
N	G	G.k	k2	G.k.9.i	i7	G.k.9.i.3.1			Event ID	
N	G	G.k	k2	G.k.9.i	i7	G.k.9.i.3.1				
N	G	G.k	k2	G.k.9.i	i7	G.k.9.i.3.1				
N	G	G.k	k2	G.k.9.i	i7	G.k.9.i.3.2				
N	G	G.k	k2	G.k.9.i	i7	G.k.9.i.3.2	G.k.9.i.3.2a	Time Interval between Last Dose of Drug and Start of Reaction / Event (number)	G.k.9.i.3.2b	Time Interval between Last Dose of Drug and Start of Reaction / Event (unit)
G	G.k	k2		G.k.9.i	i7	G.k.9.i.3.2				
G	G.k	k2		G.k.9.i	i7	G.k.9.i.3.2			Event ID	
G	G.k	k2		G.k.9.i	i7	G.k.9.i.3.2				
G	G.k	k2		G.k.9.i	i7	G.k.9.i.3.2				
G	G.k	k2		G.k.2.5						
G	G.k	k2		G.k.2.5						
G	G.k	k2		G.k.2.5						2.1.1.19
G	G.k	k2		G.k.2.5	G.k.2.5			Investigational Product Blinded		
G	G.k	k2		G.k.2.5						
G	G.k	k2		G.k.2.5						
G	G.k	k2		G.k.4.r	R1					
G	G.k	k2		G.k.4.r	R1					
G	G.k	k2		G.k.4.r	R1	G.k.4.r.8	G.k.4.r.8	Dosage Text		
G	G.k	k2		G.k.4.r	R1					
G	G.k	k2		G.k.4.r	R1	G.k.4.r.4, 5	G.k.4.r.4	Date and Time of Start of Drug		
G	G.k	k2		G.k.4.r	R1	G.k.4.r.4, 5	G.k.4.r.5	Date and Time of Last		
G	G.k	k2		G.k.4.r	R1					
G	G.k	k2		G.k.4.r	R1	G.k.4.r.10.1, 2	G.k.4.r.10.2	Route of Administration TermID Version Date / Number	G.k.4.r.10.2	Route of Administration TermID
G	G.k	k2		G.k.4.r	R1	G.k.4.r.10.1, 2	G.k.4.r.10.1	Route of Administration (free text)		1.1.14
G	G.k	k2		G.k.4.r	R1	G.k.4.r.10.1, 2				
G	G.k	k2		G.k.4.r	R1	G.k.4.r.1	G.k.4.r.1a	Dose(number)	G.k.4.r.1b	Dose (unit)
G	G.k	k2		G.k.4.r	R1					
G	G.k	k2		G.k.4.r	R1					
G	G.k	k2		G.k.4.r	R1	G.k.4.r.7				
G	G.k	k2		G.k.4.r	R1	G.k.4.r.7	G.k.4.r.7	Batch / Lot Number		
G	G.k	k2		G.k.4.r	R1	G.k.4.r.7				
G	G.k	k2		G.k.4.r	R1	G.k.4.r.9.1, 2				
G	G.k	k2		G.k.4.r	R1	G.k.4.r.9.1, 2	G.k.4.r.9.2a	Pharmaceutical Dose Form TermID Version Date / Number	G.k.4.r.9.2b	Pharmaceutical Dose Form TermID
G	G.k	k2		G.k.4.r	R1	G.k.4.r.9.1, 2	G.k.4.r.9.1	Pharmaceutical Dose Form (free text)		
G	G.k	k2		G.k.4.r	R1	G.k.4.r.9.1, 2				
G	G.k	k2		G.k.4.r	R1	G.k.4.r.9.1, 2				
G	G.k	k2		G.k.4.r	R1					
G	G.k	k2		G.k.4.r	R1	G.k.4.r.11.1, 2				
G	G.k	k2		G.k.4.r	R1	G.k.4.r.11.1, 2				

```

<id root="1f927283-10b6-4334-9d43-e925640fb18f"/>
</actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAS">
<pauseQuantity value="10" unit="G.k.9.i.3.1b"/>
<actReference classCode="OBS" moodCode="EVN">
<id root="e0342969-38be-423f-b6bb-cc14bc279d8e"/>
</actReference>
</outboundRelationship1>
<outboundRelationship1 typeCode="SAS">
<pauseQuantity value="10" unit="G.k.9.i.3.2b"/>
<actReference classCode="OBS" moodCode="EVN">
<id root="e0342969-38be-423f-b6bb-cc14bc279d8e"/>
</actReference>
</outboundRelationship1>
<outboundRelationship2 typeCode="PERT">
<observation classCode="OBS" moodCode="EVN">
<code code="6" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="blinded"/>
<value xsi:type="BL" value="true"/>
</observation>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
<substanceAdministration classCode="SBADM" moodCode="EVN">
<text>G.k.4.r.8</text>
<effectiveTime xsi:type="TVL_TS">
<low value="20090101"/>
<high value="20090101"/>
</effectiveTime>
<routeCode code="G.k.4.r.10.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" codeSystemVersion="G.k.4.r.10.2a">
<originalText>G.k.4.r.10.1</originalText>
</routeCode>
<doseQuantity value="10" unit="G.k.4.r.1b"/>
<consumable typeCode="CSM">
<instanceOfKind classCode="INST">
<productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
<lotNumberText>G.k.4.r.7</lotNumberText>
</productInstanceInstance>
<kindOfProduct classCode="MMAT" determinerCode="KIND">
<formCode code="G.k.4.r.9.2b" codeSystem="TBD-DoseForm" codeSystemVersion="G.k.4.r.9.2a">
<originalText>G.k.4.r.9.1</originalText>
</formCode>
</kindOfProduct>
</instanceOfKind>
</consumable>
<inboundRelationship typeCode="REFR">
<observation classCode="OBS" moodCode="EVN">

```



G	G.k	k2	G.k.4.r	R1	G.k.4.r.11.1, 2				2.1.1.19	<code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="parentRouteOfAdministration"/>
G	G.k	k2	G.k.4.r	R1	G.k.4.r.11.1, G.k.4.r.11.2	Parent Route of Administration TermID Version Date / Number Parent Route of Administration (free text)	G.k.4.r.11.2	Parent Route of Administration TermID	1.1.14	<value xsi:type="CE" code="G.k.4.r.11.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" codeSystemVersion="G.k.4.r.11.2a">
G	G.k	k2	G.k.4.r	R1	G.k.4.r.11.1, G.k.4.r.11.1					<originalText>G.k.4.r.11.1</originalText>
G	G.k	k2	G.k.4.r	R1	G.k.4.r.11.1, 2					</value>
N	G	G.k	k2	G.k.4.r	R1	G.k.4.r.11.1, 2				</observation>
N	G	G.k	k2	G.k.4.r	R1	G.k.4.r.11.1, 2				</inboundRelationship>
N	G	G.k	k2	G.k.4.r	R1					</substanceAdministration>
N	G	G.k	k2	G.k.4.r	R1					</outboundRelationship2>
N	G	G.k	k2	G.k.4.r	R2					<outboundRelationship2 typeCode="COMP">
N	G	G.k	k2	G.k.4.r	R2					<substanceAdministration classCode="SBADM" moodCode="EVN">
N	G	G.k	k2	G.k.4.r	R2	G.k.4.r.8	G.k.4.r.8	Dosage Text		<text>G.k.4.r.8</text>
N	G	G.k	k2	G.k.4.r	R2					<effectiveTime xsi:type="TVL_TS">
N	G	G.k	k2	G.k.4.r	R2	G.k.4.r.4, 6	G.k.4.r.4	Date and Time of Start of Drug Administration (number)		<low value="20090101"/>
N	G	G.k	k2	G.k.4.r	R2	G.k.4.r.4, 6	G.k.4.r.6a	Duration of Drug Administration (unit)	G.k.4.r.6b	<width value="4" unit="G.k.4.r.6b"/>
N	G	G.k	k2	G.k.4.r	R2					</effectiveTime>
N	G	G.k	k2	G.k.4.r	R2	G.k.4.r.10.1, G.k.4.r.10.2	G.k.4.r.10.2	Route of Administration TermID Version Date / Number Route of Administration (free text)	G.k.4.r.10.2	<routeCode code="G.k.4.r.10.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" codeSystemVersion="G.k.4.r.10.2a">
N	G	G.k	k2	G.k.4.r	R2	G.k.4.r.10.1, G.k.4.r.10.1				<originalText>G.k.4.r.10.1</originalText>
N	G	G.k	k2	G.k.4.r	R2	G.k.4.r.10.1, 2				</routeCode>
N	G	G.k	k2	G.k.4.r	R2	G.k.4.r.1	G.k.4.r.1a	Dose(number)	G.k.4.r.1b	<doseQuantity value="10" unit="G.k.4.r.1b"/>
N	G	G.k	k2	G.k.4.r	R2					<consumable typeCode="CSM">
N	G	G.k	k2	G.k.4.r	R2					<instanceOfKind classCode="INST">
N	G	G.k	k2	G.k.4.r	R2	G.k.4.r.7				<productInstance classCode="MMAT" determinerCode="INSTANCE">
N	G	G.k	k2	G.k.4.r	R2	G.k.4.r.7	G.k.4.r.7	Batch / Lot Number		<lotNumberText>G.k.4.r.7</lotNumberText>
N	G	G.k	k2	G.k.4.r	R2	G.k.4.r.7				</productInstance>
N	G	G.k	k2	G.k.4.r	R2	G.k.4.r.9.1, 2				<kindOfProduct classCode="MMAT" determinerCode="KIND">
N	G	G.k	k2	G.k.4.r	R2	G.k.4.r.9.1, 2	G.k.4.r.9.2a	Pharmaceutical Dose Form TermID Version Date / Number Pharmaceutical Dose Form (free text)	G.k.4.r.9.2b	<formCode code="G.k.4.r.9.2b" codeSystem="TBD-DoseForm" codeSystemVersion="G.k.4.r.9.2a">
N	G	G.k	k2	G.k.4.r	R2	G.k.4.r.9.1, 2	G.k.4.r.9.1			<originalText>G.k.4.r.9.1</originalText>
N	G	G.k	k2	G.k.4.r	R2	G.k.4.r.9.1, 2				</formCode>
N	G	G.k	k2	G.k.4.r	R2	G.k.4.r.9.1, 2				</kindOfProduct>
N	G	G.k	k2	G.k.4.r	R2					</instanceOfKind>
N	G	G.k	k2	G.k.4.r	R2					</consumable>
N	G	G.k	k2	G.k.4.r	R2	G.k.4.r.11.1, 2				<inboundRelationship typeCode="REFR">
N	G	G.k	k2	G.k.4.r	R2	G.k.4.r.11.1, 2				<observation classCode="OBS" moodCode="EVN">
N	G	G.k	k2	G.k.4.r	R2	G.k.4.r.11.1, 2				<code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="parentRouteOfAdministration"/>
N	G	G.k	k2	G.k.4.r	R2	G.k.4.r.11.1, G.k.4.r.11.2	G.k.4.r.11.2	Parent Route of Administration TermID Version Date / Number Parent Route of Administration (free text)	G.k.4.r.11.2	<value xsi:type="CE" code="G.k.4.r.11.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" codeSystemVersion="G.k.4.r.11.2a">
N	G	G.k	k2	G.k.4.r	R2	G.k.4.r.11.1, G.k.4.r.11.1				<originalText>G.k.4.r.11.1</originalText>
N	G	G.k	k2	G.k.4.r	R2	G.k.4.r.11.1, 2				</value>
N	G	G.k	k2	G.k.4.r	R2	G.k.4.r.11.1, 2				</observation>
N	G	G.k	k2	G.k.4.r	R2	G.k.4.r.11.1, 2				</inboundRelationship>
N	G	G.k	k2	G.k.4.r	R2					</substanceAdministration>
N	G	G.k	k2	G.k.4.r	R2					</outboundRelationship2>
N	G	G.k	k2	G.k.4.r	R3					<outboundRelationship2 typeCode="COMP">
N	G	G.k	k2	G.k.4.r	R3					<substanceAdministration classCode="SBADM" moodCode="EVN">
N	G	G.k	k2	G.k.4.r	R3	G.k.4.r.8	G.k.4.r.8	Dosage Text		<text>G.k.4.r.8</text>
N	G	G.k	k2	G.k.4.r	R3					<effectiveTime xsi:type="TVL_TS">

N	G	G.k	k2	G.k.4.r	R3	G.k.4.r.5, 6	G.k.4.r.6a	Duration of Drug Administration (number)	G.k.4.r.6b	Duration of Drug Administration (unit)					</width value="4" unit="G.k.4.r.6b"/>
N	G	G.k	k2	G.k.4.r	R3	G.k.4.r.5, 6	G.k.4.r.5	Date and Time of Last							</high value="20090101"/>
N	G	G.k	k2	G.k.4.r	R3										</effectiveTime>
N	G	G.k	k2	G.k.4.r	R3	G.k.4.r.10.1, G.k.4.r.10.2	G.k.4.r.10.2	Route of Administration TermID Version Date / Number	G.k.4.r.10.2	Route of Administration TermID	1.1.14				<routeCode code="G.k.4.r.10.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" codeSystemVersion="G.k.4.r.10.2a">
N	G	G.k	k2	G.k.4.r	R3	G.k.4.r.10.1, G.k.4.r.10.1	G.k.4.r.10.1	Route of Administration (free text)							<originalText>G.k.4.r.10.1</originalText>
N	G	G.k	k2	G.k.4.r	R3	G.k.4.r.10.1, 2									</routeCode>
N	G	G.k	k2	G.k.4.r	R3	G.k.4.r.1	G.k.4.r.1a	Dose (number)	G.k.4.r.1b	Dose (unit)					<doseQuantity value="10" unit="G.k.4.r.1b"/>
N	G	G.k	k2	G.k.4.r	R3										</consumable typeCode="CSM">
N	G	G.k	k2	G.k.4.r	R3										</instanceOfKind classCode="INST">
N	G	G.k	k2	G.k.4.r	R3	G.k.4.r.7									<productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
N	G	G.k	k2	G.k.4.r	R3	G.k.4.r.7	G.k.4.r.7	Batch / Lot Number							</lotNumberText>G.k.4.r.7</lotNumberText>
N	G	G.k	k2	G.k.4.r	R3	G.k.4.r.7									</productInstanceInstance>
N	G	G.k	k2	G.k.4.r	R3	G.k.4.r.9.1, 2									</kindOfProduct classCode="MMAT" determinerCode="KIND">
N	G	G.k	k2	G.k.4.r	R3	G.k.4.r.9.1, 2	G.k.4.r.9.2a	Pharmaceutical Dose Form TermID Version Date / Number	G.k.4.r.9.2b	Pharmaceutical Dose Form TermID					</formCode code="G.k.4.r.9.2b" codeSystem="TBD-DoseForm" codeSystemVersion="G.k.4.r.9.2a">
N	G	G.k	k2	G.k.4.r	R3	G.k.4.r.9.1, 2	G.k.4.r.9.1	Pharmaceutical Dose Form (free text)							<originalText>G.k.4.r.9.1</originalText>
N	G	G.k	k2	G.k.4.r	R3	G.k.4.r.9.1, 2									</formCode>
N	G	G.k	k2	G.k.4.r	R3	G.k.4.r.9.1, 2									</kindOfProduct>
N	G	G.k	k2	G.k.4.r	R3										</instanceOfKind>
N	G	G.k	k2	G.k.4.r	R3										</consumable>
N	G	G.k	k2	G.k.4.r	R3	G.k.4.r.11.1, 2									<inboundRelationship typeCode="REFR">
N	G	G.k	k2	G.k.4.r	R3	G.k.4.r.11.1, 2									<observation classCode="OBS" moodCode="EVN">
N	G	G.k	k2	G.k.4.r	R3	G.k.4.r.11.1, 2									<code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="parentRouteOfAdministration"/>
N	G	G.k	k2	G.k.4.r	R3	G.k.4.r.11.1, G.k.4.r.11.2	G.k.4.r.11.2	Parent Route of Administration TermID Version Date / Number	G.k.4.r.11.2	Parent Route of Administration TermID	1.1.14				<value xsi:type="CE" code="G.k.4.r.11.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" codeSystemVersion="G.k.4.r.11.2a">
N	G	G.k	k2	G.k.4.r	R3	G.k.4.r.11.1, G.k.4.r.11.1	G.k.4.r.11.1	Parent Route of Administration (free text)							<originalText>G.k.4.r.11.1</originalText>
N	G	G.k	k2	G.k.4.r	R3	G.k.4.r.11.1, 2									</value>
N	G	G.k	k2	G.k.4.r	R3	G.k.4.r.11.1, 2									</observation>
N	G	G.k	k2	G.k.4.r	R3	G.k.4.r.11.1, 2									</inboundRelationship>
N	G	G.k	k2	G.k.4.r	R3										</substanceAdministration>
N	G	G.k	k2	G.k.4.r	R3										</outboundRelationship2>
N	G	G.k	k2	G.k.4.r	R4										<outboundRelationship2 typeCode="COMP">
N	G	G.k	k2	G.k.4.r	R4										<substanceAdministration classCode="SBADM" moodCode="EVN">
N	G	G.k	k2	G.k.4.r	R4	G.k.4.r.8	G.k.4.r.8	Dosage Text							<text>G.k.4.r.8</text>
N	G	G.k	k2	G.k.4.r	R4										<effectiveTime xsi:type="SXPR_TS">
N	G	G.k	k2	G.k.4.r	R4	G.k.4.r.2,3,4									<comp xsi:type="PIVL_TS">
N	G	G.k	k2	G.k.4.r	R4	G.k.4.r.2,3,4	G.k.4.r.2	Number of Units in the Interval	G.k.4.r.3	Definition of the Time Interval Unit					<period value="10" unit="G.k.4.r.3"/>
N	G	G.k	k2	G.k.4.r	R4	G.k.4.r.2,3,4									</comp>
N	G	G.k	k2	G.k.4.r	R4	G.k.4.r.2,3,4									<comp xsi:type="IVL_TS" operator="A">
N	G	G.k	k2	G.k.4.r	R4	G.k.4.r.2,3,4	G.k.4.r.4	Date and Time of Start of Drug							<low value="20090101"/>
N	G	G.k	k2	G.k.4.r	R4	G.k.4.r.2,3,4									</comp>
N	G	G.k	k2	G.k.4.r	R4										</effectiveTime>
N	G	G.k	k2	G.k.4.r	R4	G.k.4.r.10.1, G.k.4.r.10.2	G.k.4.r.10.2	Route of Administration TermID Version Date / Number	G.k.4.r.10.2	Route of Administration TermID	1.1.14				<routeCode code="G.k.4.r.10.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" codeSystemVersion="G.k.4.r.10.2a">
N	G	G.k	k2	G.k.4.r	R4	G.k.4.r.10.1, G.k.4.r.10.1	G.k.4.r.10.1	Route of Administration (free text)							<originalText>G.k.4.r.10.1</originalText>
N	G	G.k	k2	G.k.4.r	R4	G.k.4.r.10.1, 2									</routeCode>
N	G	G.k	k2	G.k.4.r	R4	G.k.4.r.1	G.k.4.r.1a	Dose (number)	G.k.4.r.1b	Dose (unit)					<doseQuantity value="10" unit="G.k.4.r.1b"/>
N	G	G.k	k2	G.k.4.r	R4										</consumable typeCode="CSM">


G	G.k	k2	G.k.4.r	R4																	
G	G.k	k2	G.k.4.r	R4	G.k.4.r.7																
G	G.k	k2	G.k.4.r	R4	G.k.4.r.7	G.k.4.r.7	Batch / Lot Number														
G	G.k	k2	G.k.4.r	R4	G.k.4.r.7																
G	G.k	k2	G.k.4.r	R4	G.k.4.r.9.1, 2																
G	G.k	k2	G.k.4.r	R4	G.k.4.r.9.1, 2	G.k.4.r.9.2a	Pharmaceutical Dose Form TermID Version Date / Number Pharmaceutical Dose Form (free text)	G.k.4.r.9.2b	Pharmaceutical Dose Form TermID										TBD-DoseForm		
G	G.k	k2	G.k.4.r	R4	G.k.4.r.9.1, 2	G.k.4.r.9.1	Pharmaceutical Dose Form (free text)														
G	G.k	k2	G.k.4.r	R4	G.k.4.r.9.1, 2																
G	G.k	k2	G.k.4.r	R4	G.k.4.r.9.1, 2																
G	G.k	k2	G.k.4.r	R4	G.k.4.r.11.1, 2																
G	G.k	k2	G.k.4.r	R4	G.k.4.r.11.1, 2																
G	G.k	k2	G.k.4.r	R4	G.k.4.r.11.1, 2																
G	G.k	k2	G.k.4.r	R4	G.k.4.r.11.1, 2	G.k.4.r.11.2	Parent Route of Administration TermID Version Date / Number Parent Route of Administration (free text)	G.k.4.r.11.2	Parent Route of Administration TermID												
G	G.k	k2	G.k.4.r	R4	G.k.4.r.11.1, 2	G.k.4.r.11.1	Parent Route of Administration (free text)														
G	G.k	k2	G.k.4.r	R4	G.k.4.r.11.1, 2																
N	G	G.k	G.k.4.r	R4	G.k.4.r.11.1, 2																
N	G	G.k	G.k.4.r	R4	G.k.4.r.11.1, 2																
N	G	G.k	G.k.4.r	R4	G.k.4.r.11.1, 2																
N	G	G.k	G.k.4.r	R4	G.k.4.r.11.1, 2																
N	G	G.k	G.k.4.r	R4	G.k.4.r.11.1, 2																
N	G	G.k	G.k.4.r	R5																	
N	G	G.k	G.k.4.r	R5																	
N	G	G.k	G.k.4.r	R5	G.k.4.r.8	G.k.4.r.8	Dosage Text														
N	G	G.k	G.k.4.r	R5																	
N	G	G.k	G.k.4.r	R5	G.k.4.r.2,3,5																
N	G	G.k	G.k.4.r	R5	G.k.4.r.2,3,5	G.k.4.r.2	Number of Units in the Interval	G.k.4.r.3	Definition of the Time Interval Unit												
N	G	G.k	G.k.4.r	R5	G.k.4.r.2,3,5																
N	G	G.k	G.k.4.r	R5	G.k.4.r.2,3,5																
N	G	G.k	G.k.4.r	R5	G.k.4.r.2,3,5	G.k.4.r.5	Date and Time of Last														
N	G	G.k	G.k.4.r	R5	G.k.4.r.2,3,5																
N	G	G.k	G.k.4.r	R5																	
N	G	G.k	G.k.4.r	R5	G.k.4.r.10.1, 2	G.k.4.r.10.2	Route of Administration TermID Version Date / Number Route of Administration (free text)	G.k.4.r.10.2	Route of Administration TermID												
N	G	G.k	G.k.4.r	R5	G.k.4.r.10.1, 2	G.k.4.r.10.1	Route of Administration (free text)														
N	G	G.k	G.k.4.r	R5	G.k.4.r.10.1, 2																
N	G	G.k	G.k.4.r	R5	G.k.4.r.1	G.k.4.r.1a	Dose(number)	G.k.4.r.1b	Dose(unit)												
N	G	G.k	G.k.4.r	R5																	
N	G	G.k	G.k.4.r	R5	G.k.4.r.7																
N	G	G.k	G.k.4.r	R5	G.k.4.r.7	G.k.4.r.7	Batch / Lot Number														
N	G	G.k	G.k.4.r	R5	G.k.4.r.7																
N	G	G.k	G.k.4.r	R5	G.k.4.r.9.1, 2																
N	G	G.k	G.k.4.r	R5	G.k.4.r.9.1, 2	G.k.4.r.9.2a	Pharmaceutical Dose Form TermID Version Date / Number Pharmaceutical Dose Form (free text)	G.k.4.r.9.2b	Pharmaceutical Dose Form TermID												
N	G	G.k	G.k.4.r	R5	G.k.4.r.9.1, 2	G.k.4.r.9.1	Pharmaceutical Dose Form (free text)														
N	G	G.k	G.k.4.r	R5	G.k.4.r.9.1, 2																
N	G	G.k	G.k.4.r	R5	G.k.4.r.9.1, 2																

```

<instanceOfKind classCode="INST">
  <productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
    <lotNumberText>G.k.4.r.7</lotNumberText>
  </productInstanceInstance>
  <kindOfProduct classCode="MMAT" determinerCode="KIND">
    <formCode code="G.k.4.r.9.2b" codeSystem="TBD-DoseForm" codeSystemVersion="G.k.4.r.9.2a">
      <originalText>G.k.4.r.9.1</originalText>
    </formCode>
  </kindOfProduct>
</instanceOfKind>
</consumable>
<inboundRelationship typeCode="REFR">
  <observation classCode="OBS" moodCode="EVN">
    <code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="parentRouteOfAdministration"/>
    <value xsi:type="CE" code="G.k.4.r.11.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" codeSystemVersion="G.k.4.r.11.2a">
      <originalText>G.k.4.r.11.1</originalText>
    </value>
  </observation>
</inboundRelationship>
</substanceAdministration>
</outboundRelationship2>
outboundRelationship2 typeCode="COMP">
  <substanceAdministration classCode="SBADM" moodCode="EVN">
    <text>G.k.4.r.8</text>
    <effectiveTime xsi:type="SXPR_TS">
      <comp xsi:type="PVL_TS">
        <period value="10" unit="G.k.4.r.3"/>
      </comp>
      <comp xsi:type="TVL_TS" operator="A">
        <high value="20090101"/>
      </comp>
    </effectiveTime>
    <routeCode code="G.k.4.r.10.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" codeSystemVersion="G.k.4.r.10.2a">
      <originalText>G.k.4.r.10.1</originalText>
    </routeCode>
    <doseQuantity value="10" unit="G.k.4.r.1b"/>
  </substanceAdministration>
</consumable typeCode="CSM">
<instanceOfKind classCode="INST">
  <productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
    <lotNumberText>G.k.4.r.7</lotNumberText>
  </productInstanceInstance>
  <kindOfProduct classCode="MMAT" determinerCode="KIND">
    <formCode code="G.k.4.r.9.2b" codeSystem="TBD-DoseForm" codeSystemVersion="G.k.4.r.9.2a">
      <originalText>G.k.4.r.9.1</originalText>
    </formCode>
  </kindOfProduct>

```

N	G	G.k	k2	G.k.4.r R5						
N	G	G.k	k2	G.k.4.r R5						
N	G	G.k	k2	G.k.4.r R5	G.k.4.r.11.1.2					
N	G	G.k	k2	G.k.4.r R5	G.k.4.r.11.1.2					
N	G	G.k	k2	G.k.4.r R5	G.k.4.r.11.1.2			2.1.1.19		
N	G	G.k	k2	G.k.4.r R5	G.k.4.r.11.1.2; G.k.4.r.11.2	Parent Route of Administration TermID Version Date / Number Parent Route of Administration (free text)		G.k.4.r.11.2 Administration TermID	1.1.14	
N	G	G.k	k2	G.k.4.r R5	G.k.4.r.11.1.2; G.k.4.r.11.1	Parent Route of Administration (free text)				
N	G	G.k	k2	G.k.4.r R5	G.k.4.r.11.1.2					
N	G	G.k	k2	G.k.4.r R5	G.k.4.r.11.1.2					
N	G	G.k	k2	G.k.4.r R5	G.k.4.r.11.1.2					
N	G	G.k	k2	G.k.4.r R5						
N	G	G.k	k2	G.k.4.r R5						
N	G	G.k	k2	G.k.4.r R6						
N	G	G.k	k2	G.k.4.r R6						
N	G	G.k	k2	G.k.4.r R6	G.k.4.r.8	G.k.4.r.8	Dosage Text			
N	G	G.k	k2	G.k.4.r R6						
N	G	G.k	k2	G.k.4.r R6	G.k.4.r.2,3,6					
N	G	G.k	k2	G.k.4.r R6	G.k.4.r.2,3,6	G.k.4.r.2	Number of Units in the Interval	G.k.4.r.3	Definition of the Time Interval Unit	
N	G	G.k	k2	G.k.4.r R6	G.k.4.r.2,3,6					
N	G	G.k	k2	G.k.4.r R6	G.k.4.r.2,3,6	G.k.4.r.6a	Duration of Drug Administration (number)	G.k.4.r.6b	Duration of Drug Administration (unit)	
N	G	G.k	k2	G.k.4.r R6	G.k.4.r.2,3,6					
N	G	G.k	k2	G.k.4.r R6	G.k.4.r.10.1.2; G.k.4.r.10.2	Route of Administration TermID Version Date / Number Route of Administration (free text)		G.k.4.r.10.2 Administration TermID	1.1.14	
N	G	G.k	k2	G.k.4.r R6	G.k.4.r.10.1.2; G.k.4.r.10.1	Route of Administration (free text)				
N	G	G.k	k2	G.k.4.r R6	G.k.4.r.10.1.2					
N	G	G.k	k2	G.k.4.r R6	G.k.4.r.1	G.k.4.r.1a	Dose (number)	G.k.4.r.1b	Dose (unit)	
N	G	G.k	k2	G.k.4.r R6						
N	G	G.k	k2	G.k.4.r R6	G.k.4.r.7					
N	G	G.k	k2	G.k.4.r R6	G.k.4.r.7	G.k.4.r.7	Batch / Lot Number			
N	G	G.k	k2	G.k.4.r R6	G.k.4.r.7					
N	G	G.k	k2	G.k.4.r R6	G.k.4.r.9.1.2					
N	G	G.k	k2	G.k.4.r R6	G.k.4.r.9.1.2	G.k.4.r.9.2a	Pharmaceutical Dose Form TermID Version Date / Number Pharmaceutical Dose Form (free text)	G.k.4.r.9.2b	Pharmaceutical Dose Form TermID	TBD-DoseForm
N	G	G.k	k2	G.k.4.r R6	G.k.4.r.9.1.2	G.k.4.r.9.1	Pharmaceutical Dose Form (free text)			
N	G	G.k	k2	G.k.4.r R6	G.k.4.r.9.1.2					
N	G	G.k	k2	G.k.4.r R6	G.k.4.r.9.1.2					
N	G	G.k	k2	G.k.4.r R6	G.k.4.r.11.1.2					
N	G	G.k	k2	G.k.4.r R6	G.k.4.r.11.1.2					
N	G	G.k	k2	G.k.4.r R6	G.k.4.r.11.1.2			2.1.1.19		
N	G	G.k	k2	G.k.4.r R6	G.k.4.r.11.1.2; G.k.4.r.11.2	Parent Route of Administration TermID Version Date / Number Parent Route of Administration (free text)		G.k.4.r.11.2 Administration TermID	1.1.14	
N	G	G.k	k2	G.k.4.r R6	G.k.4.r.11.1.2; G.k.4.r.11.1	Parent Route of Administration (free text)				
N	G	G.k	k2	G.k.4.r R6	G.k.4.r.11.1.2					
N	G	G.k	k2	G.k.4.r R6	G.k.4.r.11.1.2					



```

</instanceOfKind>
</consumable>
<inboundRelationship typeCode="REFR">
  <observation classCode="OBS" moodCode="EVN">
    <code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="parentRouteOfAdministration"/>
    <value xsi:type="CE" code="G.k.4.r.11.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" codeSystemVersion="G.k.4.r.11.2a">
      <originalText>G.k.4.r.11.1</originalText>
    </value>
  </observation>
</inboundRelationship>
</substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
  <substanceAdministration classCode="SBADM" moodCode="EVN">
    <text>G.k.4.r.8</text>
    <effectiveTime xsi:type="SXPR_TS">
      <comp xsi:type="PIVL_TS">
        <period value="10" unit="G.k.4.r.3"/>
      </comp>
      <comp xsi:type="TVL_TS" operator="A">
        <width value="4" unit="G.k.4.r.6b"/>
      </comp>
    </effectiveTime>
    <routeCode code="G.k.4.r.10.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" codeSystemVersion="G.k.4.r.10.2a">
      <originalText>G.k.4.r.10.1</originalText>
    </routeCode>
    <doseQuantity value="10" unit="G.k.4.r.1b"/>
    <consumable typeCode="CSM">
      <instanceOfKind classCode="INST">
        <productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
          <lotNumberText>G.k.4.r.7</lotNumberText>
        </productInstanceInstance>
        <kindOfProduct classCode="MMAT" determinerCode="KIND">
          <formCode code="G.k.4.r.9.2b" codeSystem="TBD-DoseForm" codeSystemVersion="G.k.4.r.9.2a">
            <originalText>G.k.4.r.9.1</originalText>
          </formCode>
        </kindOfProduct>
      </instanceOfKind>
    </consumable>
  </outboundRelationship2>
  <inboundRelationship typeCode="REFR">
    <observation classCode="OBS" moodCode="EVN">
      <code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="parentRouteOfAdministration"/>
      <value xsi:type="CE" code="G.k.4.r.11.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" codeSystemVersion="G.k.4.r.11.2a">
        <originalText>G.k.4.r.11.1</originalText>
      </value>
    </observation>
  </inboundRelationship>

```

N	G	G.k	k2	G.k.4.r R6	G.k.4.r.11.1, 2						
N	G	G.k	k2	G.k.4.r R6							
N	G	G.k	k2	G.k.4.r R6							
N	G	G.k	k2	G.k.4.r R7							
N	G	G.k	k2	G.k.4.r R7							
N	G	G.k	k2	G.k.4.r R7	G.k.4.r.8	G.k.4.r.8	Dosage Text				
N	G	G.k	k2	G.k.4.r R7	G.k.4.r.2, 3						
N	G	G.k	k2	G.k.4.r R7	G.k.4.r.2, 3	G.k.4.r.2	Number of Units in the Interval	G.k.4.r.3	Definition of the Time Interval Unit		
N	G	G.k	k2	G.k.4.r R7	G.k.4.r.2, 3						
N	G	G.k	k2	G.k.4.r R7	G.k.4.r.10.1, ;G.k.4.r.10.2	G.k.4.r.10.2	Route of Administration TermID Version Date / Number Route of Administration	G.k.4.r.10.2	Route of Administration TermID	1.1.14	
N	G	G.k	k2	G.k.4.r R7	G.k.4.r.10.1, ;G.k.4.r.10.1	G.k.4.r.10.1	Administration (free text)				
N	G	G.k	k2	G.k.4.r R7	G.k.4.r.10.1, 2						
N	G	G.k	k2	G.k.4.r R7	G.k.4.r.1	G.k.4.r.1a	Dose(number)	G.k.4.r.1b	Dose (unit)		
N	G	G.k	k2	G.k.4.r R7							
N	G	G.k	k2	G.k.4.r R7							
N	G	G.k	k2	G.k.4.r R7	G.k.4.r.7						
N	G	G.k	k2	G.k.4.r R7	G.k.4.r.7	G.k.4.r.7	Batch / Lot Number				
N	G	G.k	k2	G.k.4.r R7	G.k.4.r.7						
N	G	G.k	k2	G.k.4.r R7	G.k.4.r.9.1, 2						
N	G	G.k	k2	G.k.4.r R7	G.k.4.r.9.1, 2	G.k.4.r.9.2a	Pharmaceutical Dose Form TermID Version Date / Number	G.k.4.r.9.2b	Pharmaceutical Dose Form TermID		
N	G	G.k	k2	G.k.4.r R7	G.k.4.r.9.1, 2	G.k.4.r.9.1	Pharmaceutical Dose Form (free text)				
N	G	G.k	k2	G.k.4.r R7	G.k.4.r.9.1, 2						
N	G	G.k	k2	G.k.4.r R7	G.k.4.r.9.1, 2						
N	G	G.k	k2	G.k.4.r R7							
N	G	G.k	k2	G.k.4.r R7							
N	G	G.k	k2	G.k.4.r R7	G.k.4.r.11.1, 2						
N	G	G.k	k2	G.k.4.r R7	G.k.4.r.11.1, 2						
N	G	G.k	k2	G.k.4.r R7	G.k.4.r.11.1, 2					2.1.1.19	
N	G	G.k	k2	G.k.4.r R7	G.k.4.r.11.1, ;G.k.4.r.11.2	G.k.4.r.11.2	Parent Route of Administration TermID Version Date / Number Parent Route of Administration	G.k.4.r.11.2	Parent Route of Administration TermID	1.1.14	
N	G	G.k	k2	G.k.4.r R7	G.k.4.r.11.1, ;G.k.4.r.11.1	G.k.4.r.11.1	Administration (free text)				
N	G	G.k	k2	G.k.4.r R7	G.k.4.r.11.1, 2						
N	G	G.k	k2	G.k.4.r R7	G.k.4.r.11.1, 2						
N	G	G.k	k2	G.k.4.r R7	G.k.4.r.11.1, 2						
N	G	G.k	k2	G.k.4.r R7							
N	G	G.k	k2	G.k.4.r R7							
N	G	G.k	k2	G.k.4.r R8							
N	G	G.k	k2	G.k.4.r R8							
N	G	G.k	k2	G.k.4.r R8	G.k.4.r.8	G.k.4.r.8	Dosage Text				
N	G	G.k	k2	G.k.4.r R8	G.k.4.r.4						
N	G	G.k	k2	G.k.4.r R8	G.k.4.r.4	G.k.4.r.4	Date and Time of Start of Drug				
N	G	G.k	k2	G.k.4.r R8	G.k.4.r.4						
N	G	G.k	k2	G.k.4.r R8	G.k.4.r.10.1, ;G.k.4.r.10.2	G.k.4.r.10.2	Route of Administration TermID Version Date / Number Route of Administration	G.k.4.r.10.2	Route of Administration TermID	1.1.14	
N	G	G.k	k2	G.k.4.r R8	G.k.4.r.10.1, ;G.k.4.r.10.1	G.k.4.r.10.1	Administration (free text)				
N	G	G.k	k2	G.k.4.r R8	G.k.4.r.10.1, 2						
N	G	G.k	k2	G.k.4.r R8	G.k.4.r.1	G.k.4.r.1a	Dose(number)	G.k.4.r.1b	Dose (unit)		
N	G	G.k	k2	G.k.4.r R8							
N	G	G.k	k2	G.k.4.r R8							

```

</inboundRelationship>
</substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
<substanceAdministration classCode="SBADM" moodCode="EVN">
<text>G.k.4.r.8</text>
<effectiveTime xsi:type="PIVL_TS">
<period value="10" unit="G.k.4.r.3"/>
</effectiveTime>
<routeCode code="G.k.4.r.10.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" codeSystemVersion="G.k.4.r.10.2a">
<originalText>G.k.4.r.10.1</originalText>
</routeCode>
<doseQuantity value="10" unit="G.k.4.r.1b"/>
<consumable typeCode="CSM">
<instanceOfKind classCode="INST">
<productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
<lotNumberText>G.k.4.r.7</lotNumberText>
</productInstanceInstance>
<kindOfProduct classCode="MMAT" determinerCode="KIND">
<formCode code="G.k.4.r.9.2b" codeSystem="TBD-DoseForm" codeSystemVersion="G.k.4.r.9.2a">
<originalText>G.k.4.r.9.1</originalText>
</formCode>
</kindOfProduct>
</instanceOfKind>
</consumable>
<inboundRelationship typeCode="REFR">
<observation classCode="OBS" moodCode="EVN">
<code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="parentRouteOfAdministration"/>
<value xsi:type="CE" code="G.k.4.r.11.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" codeSystemVersion="G.k.4.r.11.2a">
<originalText>G.k.4.r.11.1</originalText>
</value>
</observation>
</inboundRelationship>
</substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
<substanceAdministration classCode="SBADM" moodCode="EVN">
<text>G.k.4.r.8</text>
<effectiveTime xsi:type="TVL_TS">
<low value="20090101"/>
</effectiveTime>
<routeCode code="G.k.4.r.10.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" codeSystemVersion="G.k.4.r.10.2a">
<originalText>G.k.4.r.10.1</originalText>
</routeCode>
<doseQuantity value="10" unit="G.k.4.r.1b"/>
<consumable typeCode="CSM">
<instanceOfKind classCode="INST">

```

N	G	G.k	k2	G.k.4.r	R8	G.k.4.r.7						
N	G	G.k	k2	G.k.4.r	R8	G.k.4.r.7	G.k.4.r.7	Batch / Lot Number				
N	G	G.k	k2	G.k.4.r	R8	G.k.4.r.7						
N	G	G.k	k2	G.k.4.r	R8	G.k.4.r.9.1, 2						
N	G	G.k	k2	G.k.4.r	R8	G.k.4.r.9.1, 2	G.k.4.r.9.2a	Pharmaceutical Dose Form TermID / Version Date / Number	G.k.4.r.9.2b	Pharmaceutical Dose Form TermID		
N	G	G.k	k2	G.k.4.r	R8	G.k.4.r.9.1, 2	G.k.4.r.9.1	Pharmaceutical Dose Form (free text)				
N	G	G.k	k2	G.k.4.r	R8	G.k.4.r.9.1, 2						
N	G	G.k	k2	G.k.4.r	R8	G.k.4.r.9.1, 2						
N	G	G.k	k2	G.k.4.r	R8	G.k.4.r.11.1, 2						
N	G	G.k	k2	G.k.4.r	R8	G.k.4.r.11.1, 2						
N	G	G.k	k2	G.k.4.r	R8	G.k.4.r.11.1, 2				2.1.1.19		
N	G	G.k	k2	G.k.4.r	R8	G.k.4.r.11.1, 2	G.k.4.r.11.2	Parent Route of Administration TermID / Version Date / Number	G.k.4.r.11.2	Parent Route of Administration TermID		1.1.14
N	G	G.k	k2	G.k.4.r	R8	G.k.4.r.11.1, 2	G.k.4.r.11.1	Parent Route of Administration (free text)				
N	G	G.k	k2	G.k.4.r	R8	G.k.4.r.11.1, 2						
N	G	G.k	k2	G.k.4.r	R8	G.k.4.r.11.1, 2						
N	G	G.k	k2	G.k.4.r	R8	G.k.4.r.11.1, 2						
N	G	G.k	k2	G.k.4.r	R8	G.k.4.r.11.1, 2						
N	G	G.k	k2	G.k.4.r	R9	G.k.4.r.5						
N	G	G.k	k2	G.k.4.r	R9	G.k.4.r.5						
N	G	G.k	k2	G.k.4.r	R9	G.k.4.r.8	G.k.4.r.8	Dosage Text				
N	G	G.k	k2	G.k.4.r	R9	G.k.4.r.5						
N	G	G.k	k2	G.k.4.r	R9	G.k.4.r.5	G.k.4.r.5	Date and Time of Last				
N	G	G.k	k2	G.k.4.r	R9	G.k.4.r.5						
N	G	G.k	k2	G.k.4.r	R9	G.k.4.r.10.1, 2	G.k.4.r.10.2	Route of Administration TermID / Version Date / Number	G.k.4.r.10.2	Route of Administration TermID		1.1.14
N	G	G.k	k2	G.k.4.r	R9	G.k.4.r.10.1, 2	G.k.4.r.10.1	Route of Administration (free text)				
N	G	G.k	k2	G.k.4.r	R9	G.k.4.r.10.1, 2						
N	G	G.k	k2	G.k.4.r	R9	G.k.4.r.1	G.k.4.r.1a	Dose(number)	G.k.4.r.1b	Dose (unit)		
N	G	G.k	k2	G.k.4.r	R9	G.k.4.r.7						
N	G	G.k	k2	G.k.4.r	R9	G.k.4.r.7	G.k.4.r.7	Batch / Lot Number				
N	G	G.k	k2	G.k.4.r	R9	G.k.4.r.7						
N	G	G.k	k2	G.k.4.r	R9	G.k.4.r.9.1, 2						
N	G	G.k	k2	G.k.4.r	R9	G.k.4.r.9.1, 2	G.k.4.r.9.2a	Pharmaceutical Dose Form TermID / Version Date / Number	G.k.4.r.9.2b	Pharmaceutical Dose Form TermID		
N	G	G.k	k2	G.k.4.r	R9	G.k.4.r.9.1, 2	G.k.4.r.9.1	Pharmaceutical Dose Form (free text)				
N	G	G.k	k2	G.k.4.r	R9	G.k.4.r.9.1, 2						
N	G	G.k	k2	G.k.4.r	R9	G.k.4.r.9.1, 2						
N	G	G.k	k2	G.k.4.r	R9	G.k.4.r.9.1, 2						
N	G	G.k	k2	G.k.4.r	R9	G.k.4.r.11.1, 2						
N	G	G.k	k2	G.k.4.r	R9	G.k.4.r.11.1, 2						
N	G	G.k	k2	G.k.4.r	R9	G.k.4.r.11.1, 2						

```

<productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
  <lotNumberText>G.k.4.r.7</lotNumberText>
</productInstanceInstance>
<kindOfProduct classCode="MMAT" determinerCode="KIND">
  <formCode code="G.k.4.r.9.2b" codeSystem="TBD-DoseForm" codeSystemVersion="G.k.4.r.9.2a">
  </formCode>
  <originalText>G.k.4.r.9.1</originalText>
</formCode>
</kindOfProduct>
</instanceOfKind>
</consumable>
<inboundRelationship typeCode="REFR">
  <observation classCode="OBS" moodCode="EVN">
    <code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="parentRouteOfAdministration"/>
    <value xsi:type="CE" code="G.k.4.r.11.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" codeSystemVersion="G.k.4.r.11.2a">
      <originalText>G.k.4.r.11.1</originalText>
    </value>
  </observation>
</inboundRelationship>
</substanceAdministration>
</outboundRelationship2>
<outboundRelationship2 typeCode="COMP">
<substanceAdministration classCode="SBADM" moodCode="EVN">
  <text>G.k.4.r.8</text>
  <effectiveTime xsi:type="IVL_TS">
    <high value="20090101"/>
  </effectiveTime>
  <routeCode code="G.k.4.r.10.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" codeSystemVersion="G.k.4.r.10.2a">
    <originalText>G.k.4.r.10.1</originalText>
  </routeCode>
  <doseQuantity value="10" unit="G.k.4.r.1b"/>
</consumable typeCode="CSM">
<instanceOfKind classCode="INST">
  <productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
    <lotNumberText>G.k.4.r.7</lotNumberText>
  </productInstanceInstance>
  <kindOfProduct classCode="MMAT" determinerCode="KIND">
    <formCode code="G.k.4.r.9.2b" codeSystem="TBD-DoseForm" codeSystemVersion="G.k.4.r.9.2a">
    </formCode>
    <originalText>G.k.4.r.9.1</originalText>
  </formCode>
  </kindOfProduct>
</instanceOfKind>
</consumable>
<inboundRelationship typeCode="REFR">
  <observation classCode="OBS" moodCode="EVN">
    <code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="parentRouteOfAdministration"/>

```

N	G	G.k	k2	G.k.4.r	R9	G.k.4.r.11.1, G.k.4.r.11.2	Parent Route of Administration TermID Version Date / Number Parent Route of Administration (free text)	G.k.4.r.11.2	Parent Route of Administration TermID	1.1.14	<value xsi:type="CE" code="G.k.4.r.11.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" codeSystemVersion="G.k.4.r.11.2a">
N	G	G.k	k2	G.k.4.r	R9	G.k.4.r.11.1, G.k.4.r.11.1	Administration (free text)				<originalText>G.k.4.r.11.1</originalText>
N	G	G.k	k2	G.k.4.r	R9	G.k.4.r.11.1, 2					</value>
N	G	G.k	k2	G.k.4.r	R9	G.k.4.r.11.1, 2					</observation>
N	G	G.k	k2	G.k.4.r	R9	G.k.4.r.11.1, 2					</inboundRelationship>
N	G	G.k	k2	G.k.4.r	R9						</substanceAdministration>
N	G	G.k	k2	G.k.4.r	R9						</outboundRelationship2>
N	G	G.k	k2	G.k.4.r	R10						<outboundRelationship2 typeCode="COMP">
N	G	G.k	k2	G.k.4.r	R10						<substanceAdministration classCode="SBADM" moodCode="EVN">
N	G	G.k	k2	G.k.4.r	R10	G.k.4.r.8	G.k.4.r.8 Dosage Text				<text>G.k.4.r.8</text>
N	G	G.k	k2	G.k.4.r	R10	G.k.4.r.6					<effectiveTime xsi:type="IVL_TS">
N	G	G.k	k2	G.k.4.r	R10	G.k.4.r.6	G.k.4.r.6a Duration of Drug Administration (number)	G.k.4.r.6b	Duration of Drug Administration (unit)		<width value="4" unit="G.k.4.r.6b"/>
N	G	G.k	k2	G.k.4.r	R10	G.k.4.r.6					</effectiveTime>
N	G	G.k	k2	G.k.4.r	R10	G.k.4.r.10.1, G.k.4.r.10.2	Route of Administration TermID Version Date / Number Route of Administration (free text)	G.k.4.r.10.2	Route of Administration TermID	1.1.14	<routeCode code="G.k.4.r.10.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" codeSystemVersion="G.k.4.r.10.2a">
N	G	G.k	k2	G.k.4.r	R10	G.k.4.r.10.1, G.k.4.r.10.1	Administration (free text)				<originalText>G.k.4.r.10.1</originalText>
N	G	G.k	k2	G.k.4.r	R10	G.k.4.r.10.1, 2					</routeCode>
N	G	G.k	k2	G.k.4.r	R10	G.k.4.r.1	G.k.4.r.1a Dose (number)	G.k.4.r.1b	Dose (unit)		<doseQuantity value="10" unit="G.k.4.r.1b"/>
N	G	G.k	k2	G.k.4.r	R10						<consumable typeCode="CSM">
N	G	G.k	k2	G.k.4.r	R10						<instanceOfKind classCode="INST">
N	G	G.k	k2	G.k.4.r	R10	G.k.4.r.7					<productInstanceInstance classCode="MMAT" determinerCode="INSTANCE">
N	G	G.k	k2	G.k.4.r	R10	G.k.4.r.7	G.k.4.r.7 Batch / Lot Number				<lotNumberText>G.k.4.r.7</lotNumberText>
N	G	G.k	k2	G.k.4.r	R10	G.k.4.r.7					</productInstanceInstance>
N	G	G.k	k2	G.k.4.r	R10	G.k.4.r.9.1, 2					<kindOfProduct classCode="MMAT" determinerCode="KIND">
N	G	G.k	k2	G.k.4.r	R10	G.k.4.r.9.1, 2	G.k.4.r.9.2a Pharmaceutical Dose Form TermID Version Date / Number Pharmaceutical Dose Form (free text)	G.k.4.r.9.2b	Pharmaceutical Dose Form TermID		<formCode code="G.k.4.r.9.2b" codeSystem="TBD-DoseForm" codeSystemVersion="G.k.4.r.9.2a">
N	G	G.k	k2	G.k.4.r	R10	G.k.4.r.9.1, 2	G.k.4.r.9.1				<originalText>G.k.4.r.9.1</originalText>
N	G	G.k	k2	G.k.4.r	R10	G.k.4.r.9.1, 2					</formCode>
N	G	G.k	k2	G.k.4.r	R10	G.k.4.r.9.1, 2					</kindOfProduct>
N	G	G.k	k2	G.k.4.r	R10						</instanceOfKind>
N	G	G.k	k2	G.k.4.r	R10						</consumable>
N	G	G.k	k2	G.k.4.r	R10	G.k.4.r.11.1, 2					<inboundRelationship typeCode="REFR">
N	G	G.k	k2	G.k.4.r	R10	G.k.4.r.11.1, 2					<observation classCode="OBS" moodCode="EVN">
N	G	G.k	k2	G.k.4.r	R10	G.k.4.r.11.1, 2					<code code="28" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="parentRouteOfAdministration"/>
N	G	G.k	k2	G.k.4.r	R10	G.k.4.r.11.1, G.k.4.r.11.2	Parent Route of Administration TermID Version Date / Number Parent Route of Administration (free text)	G.k.4.r.11.2	Parent Route of Administration TermID	1.1.14	<value xsi:type="CE" code="G.k.4.r.11.2b" codeSystem="2.16.840.1.113883.3.989.2.1.1.14" codeSystemVersion="G.k.4.r.11.2a">
N	G	G.k	k2	G.k.4.r	R10	G.k.4.r.11.1, G.k.4.r.11.1	Administration (free text)				<originalText>G.k.4.r.11.1</originalText>
N	G	G.k	k2	G.k.4.r	R10	G.k.4.r.11.1, 2					</value>
N	G	G.k	k2	G.k.4.r	R10	G.k.4.r.11.1, 2					</observation>
N	G	G.k	k2	G.k.4.r	R10	G.k.4.r.11.1, 2					</inboundRelationship>
N	G	G.k	k2	G.k.4.r	R10						</substanceAdministration>
N	G	G.k	k2	G.k.4.r	R10						</outboundRelationship2>
N	G	G.k	k2	G.k.5							<outboundRelationship2 typeCode="SUMM">
N	G	G.k	k2	G.k.5							<observation classCode="OBS" moodCode="EVN">
N	G	G.k	k2	G.k.5							<code code="14" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="cumulativeDoseToReaction"/>
N	G	G.k	k2	G.k.5	G.k.5a	G.k.5a Cumulative Dose to First Reaction (number)		G.k.5b	Cumulative Dose to First Reaction (unit)		<value xsi:type="PQ" value="10" unit="G.k.5b"/>
N	G	G.k	k2	G.k.5							</observation>
N	G	G.k	k2	G.k.5							</outboundRelationship2>

G	G.k	k2	G.k.6												<outboundRelationship2 typeCode="PERT">
G	G.k	k2	G.k.6												<observation classCode="OBS" moodCode="EVN">
G	G.k	k2	G.k.6					2.1.1.19							<code code="16" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="gestationPeriod"/>
G	G.k	k2	G.k.6	G.k.6a	Gestations Period at Time of Exposure (number)	G.k.6b	Gestations Period at Time of Exposure (unit)								<value xsi:type="PQ" value="10" unit="G.k.6b"/>
G	G.k	k2	G.k.6												</observation>
G	G.k	k2	G.k.6												</outboundRelationship2>
G	G.k	k2	G.k.9.i	i1	G.k.9.i.4										<outboundRelationship2 typeCode="PERT">
G	G.k	k2	G.k.9.i	i1	G.k.9.i.4										<observation classCode="OBS" moodCode="EVN">
G	G.k	k2	G.k.9.i	i1	G.k.9.i.4			2.1.1.19							<code code="31" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="recurrenceOfReaction"/>
G	G.k	k2	G.k.9.i	i1	G.k.9.i.4	G.k.9.i.4	Did Reaction Recur on Re-administration?	2.1.1.16							<value xsi:type="CE" code="G.k.9.i.4" codeSystem="2.16.840.1.113883.3.989.2.1.1.16" codeSystemVersion="1.0"/>
G	G.k	k2	G.k.9.i	i1	G.k.9.i.4										<outboundRelationship1 typeCode="REFR">
G	G.k	k2	G.k.9.i	i1	G.k.9.i.4				Event ID						<actReference classCode="OBS" moodCode="EVN">
G	G.k	k2	G.k.9.i	i1	G.k.9.i.4										<id root="154eb889-958b-45f2-a02f-42d4d6f4657f"/>
G	G.k	k2	G.k.9.i	i1	G.k.9.i.4										</actReference>
G	G.k	k2	G.k.9.i	i1	G.k.9.i.4										</outboundRelationship1>
G	G.k	k2	G.k.9.i	i1	G.k.9.i.4										</observation>
G	G.k	k2	G.k.9.i	i1	G.k.9.i.4										</outboundRelationship2>
G	G.k	k2	G.k.9.i	i2	G.k.9.i.4										<outboundRelationship2 typeCode="PERT">
G	G.k	k2	G.k.9.i	i2	G.k.9.i.4										<observation classCode="OBS" moodCode="EVN">
G	G.k	k2	G.k.9.i	i2	G.k.9.i.4			2.1.1.19							<code code="31" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="recurrenceOfReaction"/>
G	G.k	k2	G.k.9.i	i2	G.k.9.i.4	G.k.9.i.4	Did Reaction Recur on Re-administration?	2.1.1.16							<value xsi:type="CE" code="G.k.9.i.4" codeSystem="2.16.840.1.113883.3.989.2.1.1.16" codeSystemVersion="1.0"/>
G	G.k	k2	G.k.9.i	i2	G.k.9.i.4										<outboundRelationship1 typeCode="REFR">
G	G.k	k2	G.k.9.i	i2	G.k.9.i.4				event ID						<actReference classCode="OBS" moodCode="EVN">
G	G.k	k2	G.k.9.i	i2	G.k.9.i.4										<id root="2baa28d6-c9e8-4efc-93e9-5b860b314220"/>
G	G.k	k2	G.k.9.i	i2	G.k.9.i.4										</actReference>
G	G.k	k2	G.k.9.i	i2	G.k.9.i.4										</outboundRelationship1>
G	G.k	k2	G.k.9.i	i2	G.k.9.i.4										</observation>
G	G.k	k2	G.k.9.i	i2	G.k.9.i.4										</outboundRelationship2>
G	G.k	k2	G.k.10.r	R1	G.k.10.r										<outboundRelationship2 typeCode="REFR">
G	G.k	k2	G.k.10.r	R1	G.k.10.r										<observation classCode="OBS" moodCode="EVN">
G	G.k	k2	G.k.10.r	R1	G.k.10.r			2.1.1.19							<code code="9" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="codedDrugInformation"/>
G	G.k	k2	G.k.10.r	R1	G.k.10.r	G.k.10.r	Additional Information on Drug (coded)	2.1.1.17							<value xsi:type="CE" code="G.k.10.r" codeSystem="2.16.840.1.113883.3.989.2.1.1.17" codeSystemVersion="1.0"/>
G	G.k	k2	G.k.10.r	R1	G.k.10.r										</observation>
G	G.k	k2	G.k.10.r	R1	G.k.10.r										</outboundRelationship2>
G	G.k	k2	G.k.10.r	R2	G.k.10.r										<outboundRelationship2 typeCode="REFR">
G	G.k	k2	G.k.10.r	R2	G.k.10.r										<observation classCode="OBS" moodCode="EVN">
G	G.k	k2	G.k.10.r	R2	G.k.10.r			2.1.1.19							<code code="9" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="codedDrugInformation"/>
G	G.k	k2	G.k.10.r	R2	G.k.10.r	G.k.10.r	Additional Information on Drug (coded)	2.1.1.17							<value xsi:type="CE" code="G.k.10.r" codeSystem="2.16.840.1.113883.3.989.2.1.1.17" codeSystemVersion="1.0"/>
G	G.k	k2	G.k.10.r	R2	G.k.10.r										</observation>
G	G.k	k2	G.k.10.r	R2	G.k.10.r										</outboundRelationship2>
G	G.k	k2	G.k.11		G.k.11										<outboundRelationship2 typeCode="REFR">
G	G.k	k2	G.k.11		G.k.11										<observation classCode="OBS" moodCode="EVN">
G	G.k	k2	G.k.11		G.k.11			2.1.1.19							<code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="additionalInformation"/>
G	G.k	k2	G.k.11	G.k.11	Additional Information on Drug (free text)										<value xsi:type="ST">G.k.11</value>
G	G.k	k2	G.k.11		G.k.11										</observation>
G	G.k	k2	G.k.11		G.k.11										</outboundRelationship2>
G	G.k	k2	G.k.7.r	R1	G.k.7.r.1.2										<inboundRelationship typeCode="RSON">
G	G.k	k2	G.k.7.r	R1	G.k.7.r.1.2										<observation classCode="OBS" moodCode="EVN">
G	G.k	k2	G.k.7.r	R1	G.k.7.r.1.2			2.1.1.19							<code code="19" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="indication"/>
G	G.k	k2	G.k.7.r	R1	G.k.7.r.1.2	G.k.7.r.2a	MedDRA Version for Indication Reported by the Primary Source	2.16.840.1.113883.6.163	G.k.7.r.2b	Indication (MedDRA code)					<value xsi:type="CE" code="G.k.7.r.2b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="G.k.7.r.2a">
G	G.k	k2	G.k.7.r	R1	G.k.7.r.1.2	G.k.7.r.1	Indication as Reported by the Primary Source								<originalText>G.k.7.r.1</originalText>



G	G.k	k2	G.k.7.r	R1	G.k.7.r.1.2					
G	G.k	k2	G.k.7.r	R1	G.k.7.r.1.2					
G	G.k	k2	G.k.7.r	R1	G.k.7.r.1.2				2.1.1.21	
G	G.k	k2	G.k.7.r	R1	G.k.7.r.1.2					
G	G.k	k2	G.k.7.r	R1	G.k.7.r.1.2					
G	G.k	k2	G.k.7.r	R1	G.k.7.r.1.2					
G	G.k	k2	G.k.7.r	R2	G.k.7.r.1.2					
G	G.k	k2	G.k.7.r	R2	G.k.7.r.1.2				2.1.1.19	
G	G.k	k2	G.k.7.r	R2	G.k.7.r.1.2	G.k.7.r.2a	MedDRA Version for Indication as Reported by the Primary Source	G.k.7.r.2b	Indication (MedDRA code)	2.16.840.1.113883.6.163
G	G.k	k2	G.k.7.r	R2	G.k.7.r.1.2	G.k.7.r.1				
G	G.k	k2	G.k.7.r	R2	G.k.7.r.1.2					
G	G.k	k2	G.k.7.r	R2	G.k.7.r.1.2				2.1.1.21	
G	G.k	k2	G.k.7.r	R2	G.k.7.r.1.2					
G	G.k	k2	G.k.7.r	R2	G.k.7.r.1.2					
G	G.k	k2	G.k.7.r	R2	G.k.7.r.1.2					
G	G.k	k2			G.k.8					
G	G.k	k2			G.k.8	G.k.8	Action(s) Taken with Drug		2.1.1.15	
G	G.k	k2			G.k.8					
G	G.k	k2			G.k.8					
G	G.k	k2			G.k.8					
G	G.k	k2								
G	G.k	k2								

G  
G  
G  
G

G	G.k.1	k1			G.k.1					
G	G.k.1	k1			G.k.1					
G	G.k.1	k1			G.k.1				2.1.1.19	
G	G.k.1	k1			G.k.1	G.k.1	Characterization of Drug Role		2.1.1.13	
G	G.k.1	k1			G.k.1					
G	G.k.1	k1			G.k.1			drug ID		
G	G.k.1	k1			G.k.1					
G	G.k.1	k1			G.k.1					
G	G.k.1	k1			G.k.1					
G	G.k.1	k2			G.k.1					
G	G.k.1	k2			G.k.1					
G	G.k.1	k2			G.k.1	G.k.1	Characterization of Drug Role		2.1.1.19	
G	G.k.1	k2			G.k.1	G.k.1	Characterization of Drug Role		2.1.1.13	
G	G.k.1	k2			G.k.1					
G	G.k.1	k2			G.k.1			drug ID		
G	G.k.1	k2			G.k.1					
G	G.k.1	k2			G.k.1					
G	G.k.1	k2			G.k.1					
G	G.k.1	k2			G.k.1					
G	G.k.9.i.2.r		k1, il, r1							
G	G.k.9.i.2.r		k1, il, r1							

```

</value>
<performer typeCode="PRF">
  <assignedEntity classCode="ASSIGNED">
    <code code="3" codeSystem="2.16.840.1.113883.3.989.2.1.1.21" codeSystemVersion="1.0" displayName="sourceReporter"/>
  </assignedEntity>
</performer>
</observation>
</inboundRelationship>
<inboundRelationship typeCode="RSON">
  <observation classCode="OBS" moodCode="EVN">
    <code code="19" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="indication"/>
    <value xsi:type="CE" code="G.k.7.r.2b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="G.k.7.r.2a">
      <originalText>G.k.7.r.1</originalText>
    </value>
  </observation>
</inboundRelationship>
<inboundRelationship typeCode="CAUS">
  <act classCode="ACT" moodCode="EVN">
    <code code="G.k.8" codeSystem="2.16.840.1.113883.3.989.2.1.1.15" codeSystemVersion="1.0"/>
  </act>
</inboundRelationship>
</substanceAdministration>
</component>
</organizer>
</subjectOf2>
</primaryRole>
</subject1>
<component typeCode="COMP">
  <causalityAssessment classCode="OBS" moodCode="EVN">
    <code code="20" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="interventionCharacterization"/>
    <value xsi:type="CE" code="G.k.1" codeSystem="2.16.840.1.113883.3.989.2.1.1.13" codeSystemVersion="1.0"/>
  </value>
  <subject2 typeCode="SUBJ">
    <productUseReference classCode="SBADM" moodCode="EVN">
      <id root="3c91b4d5-e039-4a7a-9c30-67671b0e9e4"/>
    </productUseReference>
  </subject2>
</causalityAssessment>
</component>
<component typeCode="COMP">
  <causalityAssessment classCode="OBS" moodCode="EVN">
    <code code="20" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="interventionCharacterization"/>
    <value xsi:type="CE" code="G.k.1" codeSystem="2.16.840.1.113883.3.989.2.1.1.13" codeSystemVersion="1.0"/>
  </value>
  <subject2 typeCode="SUBJ">
    <productUseReference classCode="SBADM" moodCode="EVN">
      <id root="68d6f5ce-3b3b-45c7-92dd-69e06730c3a9"/>
    </productUseReference>
  </subject2>
</causalityAssessment>
</component>
<component typeCode="COMP">
  <causalityAssessment classCode="OBS" moodCode="EVN">

```

G	G.k.9.i.2.r	k1, i1, r1			2.1.1.19
G	G.k.9.i.2.r	k1, i1, r1	G.k.9.i.2.r.3	G.k.9.i.2.r.3	Result of Assessment
G	G.k.9.i.2.r	k1, i1, r1	G.k.9.i.2.r.2		
G	G.k.9.i.2.r	k1, i1, r1	G.k.9.i.2.r.2	G.k.9.i.2.r.2	Method of Assessment
G	G.k.9.i.2.r	k1, i1, r1	G.k.9.i.2.r.2		
G	G.k.9.i.2.r	k1, i1, r1	G.k.9.i.2.r.1		
G	G.k.9.i.2.r	k1, i1, r1	G.k.9.i.2.r.1		
G	G.k.9.i.2.r	k1, i1, r1	G.k.9.i.2.r.1	G.k.9.i.2.r.1	Source of Assessment
G	G.k.9.i.2.r	k1, i1, r1	G.k.9.i.2.r.1		
G	G.k.9.i.2.r	k1, i1, r1	G.k.9.i.2.r.1		
G	G.k.9.i.2.r	k1, i1, r1	G.k.9.i.2.r.1		
G	G.k.9.i.2.r	k1, i1, r1			Event ID
G	G.k.9.i.2.r	k1, i1, r1			
G	G.k.9.i.2.r	k1, i1, r1			drug ID
G	G.k.9.i.2.r	k1, i1, r1			
G	G.k.9.i.2.r	k1, i1, r1			
G	G.k.9.i.2.r	k1, i2, r1			
G	G.k.9.i.2.r	k1, i2, r1			
G	G.k.9.i.2.r	k1, i2, r1			2.1.1.19
G	G.k.9.i.2.r	k1, i2, r1	G.k.9.i.2.r.3	G.k.9.i.2.r.3	Result of Assessment
G	G.k.9.i.2.r	k1, i2, r1	G.k.9.i.2.r.2		
G	G.k.9.i.2.r	k1, i2, r1	G.k.9.i.2.r.2	G.k.9.i.2.r.2	Method of Assessment
G	G.k.9.i.2.r	k1, i2, r1	G.k.9.i.2.r.2		
G	G.k.9.i.2.r	k1, i2, r1	G.k.9.i.2.r.1		
G	G.k.9.i.2.r	k1, i2, r1	G.k.9.i.2.r.1		
G	G.k.9.i.2.r	k1, i2, r1	G.k.9.i.2.r.1	G.k.9.i.2.r.1	Source of Assessment
G	G.k.9.i.2.r	k1, i2, r1	G.k.9.i.2.r.1		
G	G.k.9.i.2.r	k1, i2, r1	G.k.9.i.2.r.1		
G	G.k.9.i.2.r	k1, i2, r1	G.k.9.i.2.r.1		
G	G.k.9.i.2.r	k1, i2, r1			Event ID
G	G.k.9.i.2.r	k1, i2, r1			
G	G.k.9.i.2.r	k1, i2, r1			drug ID
G	G.k.9.i.2.r	k1, i2, r1			
G	G.k.9.i.2.r	k1, i2, r1			
G	G.k.9.i.2.r	k2, i2, r1			
G	G.k.9.i.2.r	k2, i2, r1			
G	G.k.9.i.2.r	k2, i2, r1			2.1.1.19
G	G.k.9.i.2.r	k2, i2, r1	G.k.9.i.2.r.3	G.k.9.i.2.r.3	Result of Assessment
G	G.k.9.i.2.r	k2, i2, r1	G.k.9.i.2.r.2		
G	G.k.9.i.2.r	k2, i2, r1	G.k.9.i.2.r.2	G.k.9.i.2.r.2	Method of Assessment

```

<code code="39" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="causality"/>
<value xsi:type="ST">G.k.9.i.2.r.3</value>
<methodCode>
  <originalText>G.k.9.i.2.r.2</originalText>
</methodCode>
<author typeCode="AUT">
  <assignedEntity classCode="ASSIGNED">
    <code>
      <originalText>G.k.9.i.2.r.1</originalText>
    </code>
  </assignedEntity>
</author>
<subject1 typeCode="SUBJ">
  <adverseEffectReference classCode="OBS" moodCode="EVN">
    <id root="154eb889-958b-45f2-a02f-42d4d6f4657f"/>
  </adverseEffectReference>
</subject1>
<subject2 typeCode="SUBJ">
  <productUseReference classCode="SBADM" moodCode="EVN">
    <id root="3c91b4d5-e039-4a7a-9c30-67671b0ef9e4"/>
  </productUseReference>
</subject2>
</causalityAssessment>
</component>
<component typeCode="COMP">
  <causalityAssessment classCode="OBS" moodCode="EVN">
<code code="39" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="causality"/>
<value xsi:type="ST">G.k.9.i.2.r.3</value>
<methodCode>
  <originalText>G.k.9.i.2.r.2</originalText>
</methodCode>
<author typeCode="AUT">
  <assignedEntity classCode="ASSIGNED">
    <code>
      <originalText>G.k.9.i.2.r.1</originalText>
    </code>
  </assignedEntity>
</author>
<subject1 typeCode="SUBJ">
  <adverseEffectReference classCode="OBS" moodCode="EVN">
    <id root="2baa28d6-c9e8-4e6c-93e9-5b860b314220"/>
  </adverseEffectReference>
</subject1>
<subject2 typeCode="SUBJ">
  <productUseReference classCode="SBADM" moodCode="EVN">
    <id root="3c91b4d5-e039-4a7a-9c30-67671b0ef9e4"/>
  </productUseReference>
</subject2>
</causalityAssessment>
</component>
<component typeCode="COMP">
  <causalityAssessment classCode="OBS" moodCode="EVN">
<code code="39" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="causality"/>
<value xsi:type="ST">G.k.9.i.2.r.3</value>
<methodCode>
  <originalText>G.k.9.i.2.r.2</originalText>

```

G	G.k.9.i.2.r	k2, i2, r1	G.k.9.i.2.r.2		
G	G.k.9.i.2.r	k2, i2, r1	G.k.9.i.2.r.1		
G	G.k.9.i.2.r	k2, i2, r1	G.k.9.i.2.r.1		
G	G.k.9.i.2.r	k2, i2, r1	G.k.9.i.2.r.1		
G	G.k.9.i.2.r	k2, i2, r1	G.k.9.i.2.r.1	<b>G.k.9.i.2.r.1</b>	<b>Source of Assessment</b>
G	G.k.9.i.2.r	k2, i2, r1	G.k.9.i.2.r.1		
G	G.k.9.i.2.r	k2, i2, r1	G.k.9.i.2.r.1		
G	G.k.9.i.2.r	k2, i2, r1	G.k.9.i.2.r.1		
G	G.k.9.i.2.r	k2, i2, r1	G.k.9.i.2.r.1		
G	G.k.9.i.2.r	k2, i2, r1	G.k.9.i.2.r.1		
G	G.k.9.i.2.r	k2, i2, r1	G.k.9.i.2.r.1		
G	G.k.9.i.2.r	k2, i2, r1	G.k.9.i.2.r.1		
G	G.k.9.i.2.r	k2, i2, r1	G.k.9.i.2.r.1		
G	G.k.9.i.2.r	k2, i2, r2	G.k.9.i.2.r.2		
G	G.k.9.i.2.r	k2, i2, r2	G.k.9.i.2.r.2		
G	G.k.9.i.2.r	k2, i2, r2	G.k.9.i.2.r.2	2.1.1.19	
G	G.k.9.i.2.r	k2, i2, r2	G.k.9.i.2.r.3	<b>G.k.9.i.2.r.3</b>	<b>Result of Assessment</b>
G	G.k.9.i.2.r	k2, i2, r2	G.k.9.i.2.r.2		
G	G.k.9.i.2.r	k2, i2, r2	G.k.9.i.2.r.2	<b>G.k.9.i.2.r.2</b>	<b>Method of Assessment</b>
G	G.k.9.i.2.r	k2, i2, r2	G.k.9.i.2.r.2		
G	G.k.9.i.2.r	k2, i2, r2	G.k.9.i.2.r.1		
G	G.k.9.i.2.r	k2, i2, r2	G.k.9.i.2.r.1		
G	G.k.9.i.2.r	k2, i2, r2	G.k.9.i.2.r.1	<b>G.k.9.i.2.r.1</b>	<b>Source of Assessment</b>
G	G.k.9.i.2.r	k2, i2, r2	G.k.9.i.2.r.1		
G	G.k.9.i.2.r	k2, i2, r2	G.k.9.i.2.r.1		
G	G.k.9.i.2.r	k2, i2, r2	G.k.9.i.2.r.1		
G	G.k.9.i.2.r	k2, i2, r2	G.k.9.i.2.r.1		
G	G.k.9.i.2.r	k2, i2, r2	G.k.9.i.2.r.1		
G	G.k.9.i.2.r	k2, i2, r2	G.k.9.i.2.r.1		
G	G.k.9.i.2.r	k2, i2, r2	G.k.9.i.2.r.1		
G	G.k.9.i.2.r	k2, i2, r2	G.k.9.i.2.r.1		
H			H.2		
H			H.2		
H			H.2	2.1.1.19	
H			H.2	<b>H.2</b>	<b>Reporter's Comments</b>
H			H.2		
H			H.2		
H			H.2	2.1.1.21	
H			H.2		
H			H.2		
H			H.2		
H			H.2		
H			H.2		

```

</methodCode>
<author typeCode="AUT">
  <assignedEntity classCode="ASSIGNED">
    <code>
      <originalText>G.k.9.i.2.r.1</originalText>
    </code>
  </assignedEntity>
</author>
<subject1 typeCode="SUBJ">
  <adverseEffectReference classCode="OBS" moodCode="EVN">
    <id root="2baa28d6-c9e8-4e6c-93e9-5b860b314220"/>
  </adverseEffectReference>
</subject1>
<subject2 typeCode="SUBJ">
  <productUseReference classCode="SBADM" moodCode="EVN">
    <id root="68d6f5ce-3b3b-45c7-92dd-69e06730c3a9"/>
  </productUseReference>
</subject2>
</causalityAssessment>
</component>
<component typeCode="COMP">
  <causalityAssessment classCode="OBS" moodCode="EVN">
    <code code="39" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="causality"/>
    <value xsi:type="ST">G.k.9.i.2.r.3</value>
  </methodCode>
  <originalText>G.k.9.i.2.r.2</originalText>
</methodCode>
<author typeCode="AUT">
  <assignedEntity classCode="ASSIGNED">
    <code>
      <originalText>G.k.9.i.2.r.1</originalText>
    </code>
  </assignedEntity>
</author>
<subject1 typeCode="SUBJ">
  <adverseEffectReference classCode="OBS" moodCode="EVN">
    <id root="2baa28d6-c9e8-4e6c-93e9-5b860b314220"/>
  </adverseEffectReference>
</subject1>
<subject2 typeCode="SUBJ">
  <productUseReference classCode="SBADM" moodCode="EVN">
    <id root="68d6f5ce-3b3b-45c7-92dd-69e06730c3a9"/>
  </productUseReference>
</subject2>
</causalityAssessment>
</component>
<component1 typeCode="COMP">
  <observationEvent classCode="OBS" moodCode="EVN">
    <code code="10" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="comment"/>
    <value xsi:type="ED">H.2</value>
  </author typeCode="AUT">
    <assignedEntity classCode="ASSIGNED">
      <code code="3" codeSystem="2.16.840.1.113883.3.989.2.1.1.21" codeSystemVersion="1.0" displayName="sourceReporter"/>
    </assignedEntity>
  </author>
</observationEvent>
</component1>

```

H	H.3.r	R1	H.3.r.1				
H	H.3.r	R1	H.3.r.1				
H	H.3.r	R1	H.3.r.1				2.1.1.19
H	H.3.r	R1	H.3.r.1	H.3.r.1a	MedDRA Version for Sender's Diagnosis / Syndrome and / or Reclassification of Reaction / Event	H.3.r.1b	2.16.840.1.113883.3.989.2.1.1.19 2.16.840.1.113883.6.163
H	H.3.r	R1	H.3.r.1				
H	H.3.r	R1	H.3.r.1				2.1.1.21
H	H.3.r	R1	H.3.r.1				
H	H.3.r	R1	H.3.r.1				
H	H.3.r	R1	H.3.r.1				
H	H.3.r	R2	H.3.r.1				
H	H.3.r	R2	H.3.r.1				2.1.1.19
H	H.3.r	R2	H.3.r.1	H.3.r.1a	MedDRA Version for Sender's Diagnosis / Syndrome and / or Reclassification of Reaction / Event	H.3.r.1b	2.16.840.1.113883.3.989.2.1.1.19 2.16.840.1.113883.6.163
H	H.3.r	R2	H.3.r.1				
H	H.3.r	R2	H.3.r.1				2.1.1.21
H	H.3.r	R2	H.3.r.1				
H	H.3.r	R2	H.3.r.1				
H	H.3.r	R2	H.3.r.1				
H			H.4				
H			H.4				2.1.1.19
H			H.4	H.4	Sender's Comments		
H			H.4				
H			H.4				2.1.1.21
H			H.4				
H			H.4				
H			H.4				
H			H.4				
C			C.1.6.1				
C			C.1.6.1				2.1.1.19
C			C.1.6.1	C.1.6.1	Are Additional Documents Available?		
C			C.1.6.1				
C			C.1.6.1				
C			C.1.7				
C			C.1.7				2.1.1.19
C			C.1.7	C.1.7	Does this Case Fulfill the Local Criteria for an Expedited Report?		
C			C.1.7				
C			C.1.7				
H	H.5.r	R1	H.5.r.1				
H	H.5.r	R1	H.5.r.1				

```

<component1 typeCode="COMP">
  <observationEvent classCode="OBS" moodCode="EVN">
    <code code="15" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="diagnosis"/>
    <value xsi:type="CE" code="H.3.r.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="H.3.r.1a"/>
  </observationEvent>
  <author typeCode="AUT">
    <assignedEntity classCode="ASSIGNED">
      <code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.21" codeSystemVersion="1.0" displayName="sender"/>
    </assignedEntity>
  </author>
</component1>
<component1 typeCode="COMP">
  <observationEvent classCode="OBS" moodCode="EVN">
    <code code="15" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="diagnosis"/>
    <value xsi:type="CE" code="H.3.r.1b" codeSystem="2.16.840.1.113883.6.163" codeSystemVersion="H.3.r.1a"/>
  </observationEvent>
  <author typeCode="AUT">
    <assignedEntity classCode="ASSIGNED">
      <code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.21" codeSystemVersion="1.0" displayName="sender"/>
    </assignedEntity>
  </author>
</component1>
<component1 typeCode="COMP">
  <observationEvent classCode="OBS" moodCode="EVN">
    <code code="10" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="comment"/>
    <value xsi:type="ED">H.4</value>
  </observationEvent>
  <author typeCode="AUT">
    <assignedEntity classCode="ASSIGNED">
      <code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.21" codeSystemVersion="1.0" displayName="sender"/>
    </assignedEntity>
  </author>
</component1>
</adverseEventAssessment>
</component>
<component typeCode="COMP">
  <observationEvent classCode="OBS" moodCode="EVN">
    <code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="additionalDocumentsAvailable"/>
    <value xsi:type="BL" value="true"/>
  </observationEvent>
</component>
<component typeCode="COMP">
  <observationEvent classCode="OBS" moodCode="EVN">
    <code code="23" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="localCriteriaForExpedited"/>
    <value xsi:type="BL" value="true"/>
  </observationEvent>
</component>
<component typeCode="COMP">
  <observationEvent classCode="OBS" moodCode="EVN">

```

H	H.5.r	R1	H.5.r.1				2.1.1.19
H	H.5.r	R1	H.5.r.1	H.5.r.1a	Case Summary and Reporter's Comments Text	H.5.r.1b	Case Summary and Reporter's Comments Language
H	H.5.r	R1	H.5.r.1				
H	H.5.r	R1	H.5.r.1				
H	H.5.r	R1	H.5.r.1				2.1.1.21
H	H.5.r	R1	H.5.r.1				
H	H.5.r	R1	H.5.r.1				
H	H.5.r	R1	H.5.r.1				
H	H.5.r	R2	H.5.r.1				
H	H.5.r	R2	H.5.r.1				2.1.1.19
H	H.5.r	R2	H.5.r.1	H.5.r.1a	Case Summary and Reporter's Comments Text	H.5.r.1b	Case Summary and Reporter's Comments Language
H	H.5.r	R2	H.5.r.1				
H	H.5.r	R2	H.5.r.1				2.1.1.21
H	H.5.r	R2	H.5.r.1				
H	H.5.r	R2	H.5.r.1				
H	H.5.r	R2	H.5.r.1				
C			C.1.8.2				
C			C.1.8.2				
C			C.1.8.2				2.1.1.22
C			C.1.8.2				
C			C.1.8.2				
C			C.1.8.2				
C			C.1.8.2	C.1.8.2	First Sender of this Case		2.1.1.3
C			C.1.8.2				
C			C.1.8.2				
C			C.1.8.2				
C			C.1.8.2				
C			C.1.8.2				
C	C.1.10.r	R1	C.1.10.r				
C	C.1.10.r	R1	C.1.10.r				
C	C.1.10.r	R1	C.1.10.r				
C	C.1.10.r	R1	C.1.10.r				
C	C.1.10.r	R1	C.1.10.r	C.1.10.r	Identification Number of the Report Which is Linked to this Report		2.1.3.2
C	C.1.10.r	R1	C.1.10.r				
C	C.1.10.r	R1	C.1.10.r				
C	C.1.10.r	R1	C.1.10.r				
C	C.1.10.r	R1	C.1.10.r				
C	C.1.10.r	R2	C.1.10.r				
C	C.1.10.r	R2	C.1.10.r				
C	C.1.10.r	R2	C.1.10.r				
C	C.1.10.r	R2	C.1.10.r				
C	C.1.10.r	R2	C.1.10.r	C.1.10.r	Identification Number of the Report Which is Linked to this Report		2.1.3.2

```

<code code="36" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="summaryAndComment"/>
<value xsi:type="ED" language="H.5.r.1b">H.5.r.1a</value>
<author typeCode="AUT">
  <assignedEntity classCode="ASSIGNED">
    <code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.21" codeSystemVersion="1.0" displayName="reporter"/>
  </assignedEntity>
</author>
</observationEvent>
</component>
<component typeCode="COMP">
  <observationEvent classCode="OBS" moodCode="EVN">
    <code code="36" codeSystem="2.16.840.1.113883.3.989.2.1.1.19" codeSystemVersion="1.1" displayName="summaryAndComment"/>
    <value xsi:type="ED" language="H.5.r.1b">H.5.r.1a</value>
    <author typeCode="AUT">
      <assignedEntity classCode="ASSIGNED">
        <code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.21" codeSystemVersion="1.0" displayName="reporter"/>
      </assignedEntity>
    </author>
  </observationEvent>
</component>
<outboundRelationship typeCode="SPRT">
  <relatedInvestigation classCode="INVSTG" moodCode="EVN">
    <code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.22" codeSystemVersion="1.0" displayName="initialReport"/>
    <subjectOf2 typeCode="SUBJ">
      <controlActEvent classCode="CACT" moodCode="EVN">
        <author typeCode="AUT">
          <assignedEntity classCode="ASSIGNED">
            <code code="C.1.8.2" codeSystem="2.16.840.1.113883.3.989.2.1.1.3" codeSystemVersion="1.0"/>
          </assignedEntity>
        </author>
      </controlActEvent>
    </subjectOf2>
  </relatedInvestigation>
</outboundRelationship>
<outboundRelationship typeCode="SPRT">
  <relatedInvestigation classCode="INVSTG" moodCode="EVN">
    <code nullFlavor="NA"/>
    <subjectOf2 typeCode="SUBJ">
      <controlActEvent classCode="CACT" moodCode="EVN">
        <id extension="C.1.10.r" root="2.16.840.1.113883.3.989.2.1.3.2"/>
      </controlActEvent>
    </subjectOf2>
  </relatedInvestigation>
</outboundRelationship>
<outboundRelationship typeCode="SPRT">
  <relatedInvestigation classCode="INVSTG" moodCode="EVN">
    <code nullFlavor="NA"/>
    <subjectOf2 typeCode="SUBJ">
      <controlActEvent classCode="CACT" moodCode="EVN">
        <id extension="C.1.10.r" root="2.16.840.1.113883.3.989.2.1.3.2"/>
      </controlActEvent>
    </subjectOf2>
  </relatedInvestigation>
</outboundRelationship>

```

C	C.1.10.r	R2		C.1.10.r			
C	C.1.10.r	R2		C.1.10.r			
C	C.1.10.r	R2		C.1.10.r			
C	C.1.10.r	R2		C.1.10.r			
C	C.2.r	R1					
C	C.2.r	R1		C.2.r.5	C.2.r.5	Primary Source for Regulatory Purposes	
C	C.2.r	R1					2.1.1.22
C	C.2.r	R1					
C	C.2.r	R1					
C	C.2.r	R1					
C	C.2.r	R1		C.2.r.2.3, 4, 5, 6			
C	C.2.r	R1		C.2.r.2.3, 4, 5	C.2.r.2.3	Reporter's Street	
C	C.2.r	R1		C.2.r.2.3, 4, 5	C.2.r.2.4	Reporter's City	
C	C.2.r	R1		C.2.r.2.3, 4, 5	C.2.r.2.5	Reporter's State or Province	
C	C.2.r	R1		C.2.r.2.3, 4, 5	C.2.r.2.6	Reporter's Postcode	
C	C.2.r	R1		C.2.r.2.3, 4, 5, 6			
C	C.2.r	R1		C.2.r.2.7	C.2.r.2.7	Reporter's Telephone	
C	C.2.r	R1					
C	C.2.r	R1		C.2.r.1.1, 2, 3, 4			
C	C.2.r	R1		C.2.r.1.1, 2, 3	C.2.r.1.1	Reporter's Title	
C	C.2.r	R1		C.2.r.1.1, 2, 3	C.2.r.1.2	Reporter's Given Name	
C	C.2.r	R1		C.2.r.1.1, 2, 3	C.2.r.1.3	Reporter's Middle Name	
C	C.2.r	R1		C.2.r.1.1, 2, 3	C.2.r.1.4	Reporter's Family Name	
C	C.2.r	R1		C.2.r.1.1, 2, 3, 4			
C	C.2.r	R1		C.2.r.4			
C	C.2.r	R1		C.2.r.4	C.2.r.4	Qualification	2.1.1.6
C	C.2.r	R1		C.2.r.4			
C	C.2.r	R1		C.2.r.3			
C	C.2.r	R1		C.2.r.3			
C	C.2.r	R1		C.2.r.3	C.2.r.3	Reporter's Country Code	1.0.3166.1.2.2
C	C.2.r	R1		C.2.r.3			
C	C.2.r	R1					
C	C.2.r	R1					
C	C.2.r	R1		C.2.r.2.2	C.2.r.2.2	Reporter's Department	
C	C.2.r	R1		C.2.r.2.1			
C	C.2.r	R1		C.2.r.2.1			
C	C.2.r	R1		C.2.r.2.1	C.2.r.2.1	Reporter's Organisation	
C	C.2.r	R1		C.2.r.2.1			
C	C.2.r	R1		C.2.r.2.1			
C	C.2.r	R1					
C	C.2.r	R1					
C	C.2.r	R1					
C	C.2.r	R1					
C	C.2.r	R1					
C	C.2.r	R2					
C	C.2.r	R2					
C	C.2.r	R2					2.1.1.22
C	C.2.r	R2					
C	C.2.r	R2					

```

</controlActEvent>
</subjectOf2>
</relatedInvestigation>
</outboundRelationship>
<outboundRelationship typeCode="SPRT">
  <priorityNumber value="1"/>
  <relatedInvestigation classCode="INVSTG" moodCode="EVN">
    <code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.22" codeSystemVersion="1.0" displayName="sourceReport"/>
  </relatedInvestigation>
  <subjectOf2 typeCode="SUBJ">
    <controlActEvent classCode="CACT" moodCode="EVN">
      <author typeCode="AUT">
        <assignedEntity classCode="ASSIGNED">
          <addr>
            <streetAddressLine>C.2.r.2.3</streetAddressLine>
            <city>C.2.r.2.4</city>
            <state>C.2.r.2.5</state>
            <postalCode>C.2.r.2.6</postalCode>
          </addr>
          <telecom value="tel:C.2.r.2.7"/>
        </assignedEntity>
        <assignedPerson classCode="PSN" determinerCode="INSTANCE">
          <name>
            <prefix>C.2.r.1.1</prefix>
            <given>C.2.r.1.2</given>
            <given>C.2.r.1.3</given>
            <family>C.2.r.1.4</family>
          </name>
          <asQualifiedEntity classCode="QUAL">
            <code code="C.2.r.4" codeSystem="2.16.840.1.113883.3.989.2.1.1.6" codeSystemVersion="1.0"/>
          </asQualifiedEntity>
          <asLocatedEntity classCode="LOCE">
            <location classCode="COUNTRY" determinerCode="INSTANCE">
              <code code="C.2.r.3" codeSystem="1.0.3166.1.2.2"/>
            </location>
          </asLocatedEntity>
        </assignedPerson>
        <representedOrganization classCode="ORG" determinerCode="INSTANCE">
          <name>C.2.r.2.2</name>
        </representedOrganization>
        <assignedEntity classCode="ASSIGNED">
          <representedOrganization classCode="ORG" determinerCode="INSTANCE">
            <name>C.2.r.2.1</name>
          </representedOrganization>
        </assignedEntity>
      </author>
    </controlActEvent>
  </subjectOf2>
</relatedInvestigation>
</outboundRelationship>
<outboundRelationship typeCode="SPRT">
  <relatedInvestigation classCode="INVSTG" moodCode="EVN">
    <code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.22" codeSystemVersion="1.0" displayName="sourceReport"/>
  </relatedInvestigation>
  <subjectOf2 typeCode="SUBJ">
    <controlActEvent classCode="CACT" moodCode="EVN">

```

C	C.2.r	R2					
C	C.2.r	R2					
C	C.2.r	R2	C.2.r.2.3, 4, 5, 6				
C	C.2.r	R2	C.2.r.2.3, 4, 5	C.2.r.2.3	Reporter's Street		
C	C.2.r	R2	C.2.r.2.3, 4, 5	C.2.r.2.4	Reporter's City		
C	C.2.r	R2	C.2.r.2.3, 4, 5	C.2.r.2.5	Reporter's State or Province		
C	C.2.r	R2	C.2.r.2.3, 4, 5	C.2.r.2.6	Reporter's Postcode		
C	C.2.r	R2	C.2.r.2.3, 4, 5, 6				
C	C.2.r	R2	O.2.r.2.7	O.2.r.2.7	Reporter's Telephone		
C	C.2.r	R2					
C	C.2.r	R2	C.2.r.1.1, 2, 3, 4				
C	C.2.r	R2	C.2.r.1.1, 2, 3	C.2.r.1.1	Reporter's Title		
C	C.2.r	R2	C.2.r.1.1, 2, 3	C.2.r.1.2	Reporter's Given Name		
C	C.2.r	R2	C.2.r.1.1, 2, 3	C.2.r.1.3	Reporter's Middle Name		
C	C.2.r	R2	C.2.r.1.1, 2, 3	C.2.r.1.4	Reporter's Family Name		
C	C.2.r	R2	C.2.r.1.1, 2, 3, 4				
C	C.2.r	R2	C.2.r.4				
C	C.2.r	R2	C.2.r.4	C.2.r.4	Qualification		2.1.1.6
C	C.2.r	R2	C.2.r.4				
C	C.2.r	R2	C.2.r.3				
C	C.2.r	R2	C.2.r.3	C.2.r.3	Reporter's Country Code		1.0.3166.1.2.2
C	C.2.r	R2	C.2.r.3				
C	C.2.r	R2	C.2.r.3				
C	C.2.r	R2					
C	C.2.r	R2					
C	C.2.r	R2	O.2.r.2.2	O.2.r.2.2	Reporter's Department		
C	C.2.r	R2	C.2.r.2.1				
C	C.2.r	R2	C.2.r.2.1				
C	C.2.r	R2	C.2.r.2.1	C.2.r.2.1	Reporter's Organisation		
C	C.2.r	R2	C.2.r.2.1				
C	C.2.r	R2	C.2.r.2.1				
C	C.2.r	R2					
C	C.2.r	R2					
C	C.2.r	R2					
C	C.2.r	R2					
C	C.2.r	R2					
C	C.2.r	R2					
C	C.2.r	R2					

C			C.3.1	C.3.1	Sender Type		2.1.1.7
C			C.3.4.1, 2, 3, 4				
C			C.3.4.1, 2, 3, 4	C.3.4.1	Sender's Street Address		
C			C.3.4.1, 2, 3, 4	C.3.4.2	Sender's City		
C			C.3.4.1, 2, 3, 4	C.3.4.3	Sender's State or Province		
C			C.3.4.1, 2, 3, 4	C.3.4.4	Sender's Postcode		
C			C.3.4.1, 2, 3, 4				
C			O.3.4.6	O.3.4.6	Sender's Telephone		
C			O.3.4.7	O.3.4.7	Sender's Fax		
C			O.3.4.8	O.3.4.8	Sender's E-mail Address		
C			C.3.3.2, 3, 4, 5				

```

<author typeCode="AUT">
  <assignedEntity classCode="ASSIGNED">
    <addr>
      <streetAddressLine>C.2.r.2.3</streetAddressLine>
      <city>C.2.r.2.4</city>
      <state>C.2.r.2.5</state>
      <postalCode>C.2.r.2.6</postalCode>
    </addr>
    <telecom value="tel:C.2.r.2.7"/>
  </assignedEntity>
  <assignedPerson classCode="PSN" determinerCode="INSTANCE">
    <name>
      <prefix>C.2.r.1.1</prefix>
      <given>C.2.r.1.2</given>
      <given>C.2.r.1.3</given>
      <family>C.2.r.1.4</family>
    </name>
    <asQualifiedEntity classCode="QUAL">
      <code code="C.2.r.4" codeSystem="2.16.840.1.113883.3.989.2.1.1.6" codeSystemVersion="1.0"/>
    </asQualifiedEntity>
    <asLocatedEntity classCode="LOCE">
      <location classCode="COUNTRY" determinerCode="INSTANCE">
        <code code="C.2.r.3" codeSystem="1.0.3166.1.2.2"/>
      </location>
    </asLocatedEntity>
  </assignedPerson>
  <representedOrganization classCode="ORG" determinerCode="INSTANCE">
    <name>C.2.r.2.2</name>
  </representedOrganization>
  <assignedEntity classCode="ASSIGNED">
    <representedOrganization classCode="ORG" determinerCode="INSTANCE">
      <name>C.2.r.2.1</name>
    </representedOrganization>
  </assignedEntity>
</representedOrganization>
</assignedEntity>
</author>
</controlActEvent>
</subjectOf2>
</relatedInvestigation>
</outboundRelationship>
<subjectOf1 typeCode="SUBJ">
  <controlActEvent classCode="CACT" moodCode="EVN">
    <author typeCode="AUT">
      <assignedEntity classCode="ASSIGNED">
        <code code="C.3.1" codeSystem="2.16.840.1.113883.3.989.2.1.1.7" codeSystemVersion="1.0"/>
      </assignedEntity>
      <addr>
        <streetAddressLine>C.3.4.1</streetAddressLine>
        <city>C.3.4.2</city>
        <state>C.3.4.3</state>
        <postalCode>C.3.4.4</postalCode>
      </addr>
      <telecom value="tel:C.3.4.6"/>
      <telecom value="fax:C.3.4.7"/>
      <telecom value="mailto:C.3.4.8"/>
    </author>
  </controlActEvent>
</subjectOf1>
</relatedInvestigation>
</outboundRelationship>
<subjectOf1 typeCode="SUBJ">
  <assignedPerson classCode="PSN" determinerCode="INSTANCE">

```

C			C.3.3.2, 3, 4, 5			
C			C.3.3.2, 3, 4, C.3.3.2	Sender's Title		
C			C.3.3.2, 3, 4, C.3.3.3	Sender's Given Name		
C			C.3.3.2, 3, 4, C.3.3.4	Sender's Middle Name		
C			C.3.3.2, 3, 4, C.3.3.5	Sender's Family Name		
C			C.3.3.2, 3, 4, 5			
C			C.3.4.5			
C			C.3.4.5			
C			C.3.4.5	C.3.4.5	Sender's Country Code	1.0.3166.1.2.2
C			C.3.4.5			
C			C.3.4.5			
C			C.3.4.5			
C			C.3.4.5			
C			C.3.3.1	C.3.3.1	Sender's Department	
C			C.3.2			
C			C.3.2			
C			C.3.2	C.3.2	Sender's Organisation	
C			C.3.2			
C			C.3.2			
C			C.3.2			
C			C.1.9.1.r	R1		
C			C.1.9.1.r	R1		
C			C.1.9.1.r	R1	C.1.9.1.r.1, 2	C.1.9.1.r.1
C			C.1.9.1.r	R1	Source(s) of the Case Identifier	C.1.9.1.r.2 Case Identifier(s)
C			C.1.9.1.r	R1		2.1.3.3
C			C.1.9.1.r	R1		
C			C.1.9.1.r	R2		
C			C.1.9.1.r	R2		
C			C.1.9.1.r	R2	C.1.9.1.r.1, 2	C.1.9.1.r.1
C			C.1.9.1.r	R2	Source(s) of the Case Identifier	C.1.9.1.r.2 Case Identifier(s)
C			C.1.9.1.r	R2		2.1.3.3
C			C.1.9.1.r	R2		
C			C.1.9.1.r	R2		
C			C.1.3			
C			C.1.3			
C			C.1.3			2.1.1.23
C			C.1.3	C.1.3	TypeofReport	2.1.1.2
C			C.1.3			
C			C.1.3			
C			C.1.9.1			
C			C.1.9.1			
C			C.1.9.1			2.1.1.23
C			C.1.9.1	C.1.9.1	OtherCaseIdentifier in Previous Transactions	
C			C.1.9.1			
C			C.1.9.1			
C			C.1.11.1			
C			C.1.11.1			
C			C.1.11.1			2.1.1.23
C			C.1.11.1	C.1.11.1	Report Nullification /	2.1.1.5
C			C.1.11.1			
C			C.1.11.1			
C			C.1.11.2			
C			C.1.11.2			

<name>
<prefix>C.3.3.2</prefix>
<given>C.3.3.3</given>
<given>C.3.3.4</given>
<family>C.3.3.5</family>
</name>
<asLocatedEntity classCode="LOCE">
<location classCode="COUNTRY" determinerCode="INSTANCE">
<code code="C.3.4.5" codeSystem="1.0.3166.1.2.2"/>
</location>
</asLocatedEntity>
</assignedPerson>
<representedOrganization classCode="ORG" determinerCode="INSTANCE">
<name>C.3.3.1</name>
<assignedEntity classCode="ASSIGNED">
<representedOrganization classCode="ORG" determinerCode="INSTANCE">
<name>C.3.2</name>
</representedOrganization>
</assignedEntity>
</representedOrganization>
</assignedEntity>
</author>
</controlActEvent>
</subjectOf1>
<subjectOf1 typeCode="SUBJ">
<controlActEvent classCode="CACT" moodCode="EVN">
<id assigningAuthorityName="C.1.9.1.r.1" extension="C.1.9.1.r.2" root="2.16.840.1.113883.3.989.2.1.3.3"/>
</controlActEvent>
</subjectOf1>
<subjectOf1 typeCode="SUBJ">
<controlActEvent classCode="CACT" moodCode="EVN">
<id assigningAuthorityName="C.1.9.1.r.1" extension="C.1.9.1.r.2" root="2.16.840.1.113883.3.989.2.1.3.3"/>
</controlActEvent>
</subjectOf1>
<subjectOf2 typeCode="SUBJ">
<investigationCharacteristic classCode="OBS" moodCode="EVN">
<code code="1" codeSystem="2.16.840.1.113883.3.989.2.1.1.23" codeSystemVersion="1.0" displayName="ichReportType"/>
<value xsi:type="CE" code="C.1.3" codeSystem="2.16.840.1.113883.3.989.2.1.1.2" codeSystemVersion="1.0"/>
</investigationCharacteristic>
</subjectOf2>
<subjectOf2 typeCode="SUBJ">
<investigationCharacteristic classCode="OBS" moodCode="EVN">
<code code="2" codeSystem="2.16.840.1.113883.3.989.2.1.1.23" codeSystemVersion="1.0" displayName="otherCaseIds"/>
<value xsi:type="BL" value="true"/>
</investigationCharacteristic>
</subjectOf2>
<subjectOf2 typeCode="SUBJ">
<investigationCharacteristic classCode="OBS" moodCode="EVN">
<code code="3" codeSystem="2.16.840.1.113883.3.989.2.1.1.23" codeSystemVersion="1.0" displayName="nullificationAmendmentCode"/>
<value xsi:type="CE" code="C.1.11.1" codeSystem="2.16.840.1.113883.3.989.2.1.1.5" codeSystemVersion="1.0"/>
</investigationCharacteristic>
</subjectOf2>
<subjectOf2 typeCode="SUBJ">
<investigationCharacteristic classCode="OBS" moodCode="EVN">



C	C.1.11.2			2.1.1.23	<code code="4" codeSystem="2.16.840.1.113883.3.989.2.1.1.23" codeSystemVersion="1.0" displayName="nullificationAmendmentReason"/>
C	C.1.11.2				<value xsi:type="CE">
C	C.1.11.2	<b>C.1.11.2</b>	<b>Reason for Nullification / Amendment</b>		<originalText>C.1.11.2</originalText>
C	C.1.11.2				</value>
C	C.1.11.2				</investigationCharacteristic>
C	C.1.11.2				</subjectOf2>
C					</investigationEvent>
C					</subject>
C					</controlActProcess>
C					</PORR_IN049016UV>
N.1	N.1.4				<receiver typeCode="RCV">
N.1	N.1.4				<device classCode="DEV" determinerCode="INSTANCE">
N.1	N.1.4	<b>N.1.4</b>	<b>Batch Receiver Identifier</b>	2.1.3.14	<id extension="N.1.4" root="2.16.840.1.113883.3.989.2.1.3.14"/>
N.1	N.1.4				</device>
N.1	N.1.4				</receiver>
N.1	N.1.3				<sender typeCode="SND">
N.1	N.1.3				<device classCode="DEV" determinerCode="INSTANCE">
N.1	N.1.3	<b>N.1.3</b>	<b>Batch Sender Identifier</b>	2.1.3.13	<id extension="N.1.3" root="2.16.840.1.113883.3.989.2.1.3.13"/>
N.1	N.1.3				</device>
N.1	N.1.3				</sender>
					</MCCI_IN200100UV01>